

**ALLERGY- chlorpheniramine maleate tablet**  
**Major Pharmaceuticals**

-----  
**Major 44-194**

***Active ingredient (in each tablet)***

Chlorpheniramine maleate 4 mg

***Purpose***

Antihistamine

***Uses***

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

***Warnings***

**Do not use**

to make a child sleepy.

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take every 4 to 6 hours, or as directed by a doctor

adults and children 12 years and over	1 tablet. Do not exceed 6 tablets in 24 hours.
children 6 to under 12 years	1/2 tablet (break tablet in half). Do not exceed 3 whole tablets in 24 hours.
children under 6 years	do not use

**Other information**

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from excessive moisture

**Inactive ingredients**

corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose

**Questions or comments?**

**1-800-426-9391**

**Principal Display Panel**

NDC 0904-0012-59

**MAJOR®**

**4 hour  
allergy tablets  
chlorpheniramine maleate 4 mg  
antihistamine**

relieves: sneezing, runny nose, itchy, watery eyes, itchy throat

**actual size**

**100 tablets**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

50844 REV0419P19412

Distributed by:

# MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268

(800) 616-2471

www.major-rugby.com

Rev. 06/25 M-17 Re-order No. 700459

No print/No varnish  
Lot & Exp date

3  
09040101259  
3

TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

MAJOR® NDC 0904-0012-59

## 4 hour allergy tablets

chlorpheniramine maleate 4 mg  
antihistamine

relieves: sneezing, runny nose, itchy, watery eyes, itchy throat

**100 tablets**



actual size

MAJOR® NDC 0904-0012-59

## 4 hour allergy tablets

**KEEP OUTER PACKAGE  
FOR COMPLETE PRODUCT  
INFORMATION**

<b>Drug Facts</b> <b>Active ingredient</b> (in each tablet) Chlorpheniramine maleate 4 mg.....	<b>Purpose</b> Antihistamine
<b>Uses</b> Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ sneezing ■ runny nose ■ itchy, watery eyes ■ itching of the nose or throat	
<b>Warnings</b> Do not use to make a child sleepy. <b>Ask a doctor before use if you have</b> ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ difficulty in urination due to enlargement of the prostate gland	
<b>When using this product</b> ■ drowsiness may occur ■ avoid alcoholic beverages ■ excitability may occur, especially in children ■ use caution when driving a motor vehicle or operating machinery ■ alcohol, sedatives, and tranquilizers may increase drowsiness	

**Drug Facts (continued)**

**Questions or comments?**  
1-800-426-9398  
50844 REV0419P19412

Distributed by:  
MAJOR® PHARMACEUTICALS  
Indianapolis, IN 46268  
(800) 616-2471  
www.major-rugby.com

Rev. 06/25 M-17 Re-order No. 700459

B-1212-194-12-R1  
REV0419P19412

<b>Drug Facts (continued)</b> If pregnant or breast-feeding, ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.	<b>Directions</b> ■ take every 4 to 6 hours, or as directed by a doctor adults and children 12 years and over 1 tablet. Do not exceed 6 tablets in 24 hours. children 6 to under 12 years 1/2 tablet (break tablet in half). Do not exceed 3 whole tablets in 24 hours. children under 6 years do not use	<b>Other information</b> ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ protect from excessive moisture ■ see end flap for expiration date and lot number	<b>Inactive ingredients</b> corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose
---	---	--	--

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Major 44-194

Principal Display Panel - Unit Dose

NDC 0904-0012-61

**MAJOR®**

**Unit Dose**

**ALLERGY TABLETS  
CHLORPHENIRAMINE MALEATE**

**Antihistamine**

**4 mg each**

**Institutional Dispensing Only  
100 TABLETS**

**TAMPER EVIDENT: DO NOT USE IF  
PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

50844 REV0419D19412

Distributed by:

**MAJOR® PHARMACEUTICALS**

Indianapolis, IN 46268

**(800) 616-2471**

[www.majorpharmaceuticals.com](http://www.majorpharmaceuticals.com)

Rev. 08/24 M-17 Re-order No. 301560



Major 44-194-DSP

## ALLERGY

chlorpheniramine maleate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0904-0012
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6)	
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	

## Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	44;194
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-0012-24	2 in 1 CARTON	12/19/1992	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0904-0012-59	1 in 1 CARTON	12/19/1992	
2		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:0904-0012-80	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/19/1992	
4	NDC:0904-0012-61	10 in 1 CARTON	12/19/1992	
4		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/19/1992	

**Labeler** - Major Pharmaceuticals (191427277)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0904-0012)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0904-0012) , pack(0904-0012)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		868734088	manufacture(0904-0012)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		967626305	pack(0904-0012)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		117025878	manufacture(0904-0012)

Revised: 8/2025

Major Pharmaceuticals