

## **CITROMA- magnesium citrate liquid**

### **Major Pharmaceuticals**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Magnesium Citrate**

**166**

#### **Active Ingredient**

Magnesium citrate 1.745g per fl oz

#### **Purpose**

Saline laxative

#### **use**

for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

#### **Warnings**

for this product

#### **Ask A Doctor**

##### **before use if you have**

- kidney disease
- a magnesium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

#### **Ask a doctor or pharmacist**

**before use if you are** taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

#### **Stop use**

**and ask a doctor if** you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

#### **if pregnant or breast-feeding**

ask health professional before use.

#### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away

Store at temperatures between 46° and 86°F (8° and 30° C)

**Directions**

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

**other information**

- each fl oz contains: **magnesium 295 mg**
- each fl oz contains: **sodium 1 mg**

**Inactive ingredients**

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

**Questions or comments?**

(800)616-2471

**principal display panel**

MAJOR

Magnesium Citrate

Saline Laxative

Lemon Flavored

Alcohol content 0.012% from flavoring

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

10 FL OZ (296 mL)



# Magnesium Citrate Saline Laxative

Lemon flavored



Alcohol content 0.012%  
from flavoring)

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS  
MISSING, BROKEN OR SEPARATED FROM NECKRING

10 FL OZ (296 mL)

## CITROMA

magnesium citrate liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-6787
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

### Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
water (UNII: 059QF0K00R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-6787-44	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/18/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	02/18/2018	

**Labeler** - Major Pharmaceuticals (191427277)

**Registrant** - Vi-Jon, Inc (790752542)

## Establishment

Name	Address	ID/FEI	Business Operations
Vi-Jon, Inc		790752542	manufacture(0904-6787)

Revised: 5/2020

Major Pharmaceuticals