NO7 LIFTING AND FIRMING FOUNDATION SUNSCREEN SPF 15 TRUFFLE 50- octinoxate and titanium dioxide emulsion Boots Retail USA Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Carton and bottle labelling

Active Ingredients Purpose

Octinoxate 5% Sunscreens

Titanium Dioxide 1.6%

Uses

- Provides moderate protection against adverse effects of the sun
- Higher SPF gives more protection

Warnings

For external use only

When using this product

Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash or irritation develops and lasts

Keep out of reach of children.

If swallowed get medical help.

Directions

- Use as a normal foundation
- Apply evenly at least 15 minutes before sun exposure
- Reapply as needed
- Not intended for children under the age of 12
- Not intended for protection while sunbathing

Other information

Do not store above 30°C or 86°F

Inactive ingredients

Aqua (Water), Cyclopentasiloxane, Butylene glycol, Cyclohexasiloxane, Ethylhexyl stearate, Dimethicone, Mica, Phenyl trimethicone, Disteardimonium hectorite, Dimethicone copolyol, Magnesium sulfate, Glycerin, Phenoxyethanol, Cetyl PEG/PPG-10/1 Dimethicone, Dipalmitoyl hydroxyproline, Hexyl laurate, Polyglyceryl-4 isostearate, Propylene carbonate, Aluminum stearate, Alumina, Triethoxycaprylylsilane, Methylparaben, Isopropyl palmitate, Butylparaben, Ethylparaben, Lupinus albus seed extract, Lecithin, Tetrasodium EDTA, Carbomer, Propylparaben, Isobutylparaben, Polysorbate 20, BHT, Palmitoyl oligopeptide, Palmitoyl tetrapeptide-3, CI 77891 (Titanium dioxide), CI 77492 (Iron oxides), CI 77491 (Iron oxides), CI 77499 (Iron oxides)

Questions? 1-866-75-BOOTS

More than make-up

Give your skin an extra lift with this incredibly clever foundation. Bursting with beauty benefits, it combines naturally flawless cover with a gentle firming effect. It hides blemishes and evens out skin

tone, while minimising the appearance of lines and wrinkles, to leave your skin looking younger.

Fragrance free, silky and lightweight, with SPF 15. Moisturises for up to 8 hours to keep your skin supple and radiant, without blocking pores.

Ready to face the day ...

Shake well before use. Dot a little where you need it most, usually your cheeks, nose and chin. Blend smoothly and evenly with your fingers or a sponge, working downwards and outwards from the centre of your face.

Non-pore blocking

www.boots.com Mfd in France for BBI Ltd NG2 3AA. UK Dist in the USA by Boots Retail USA Inc Stamford CT 06901

Bottle label

Active Ingredients:


Octino xate 5%

Titanium Dioxide 1.6%


Give your skin an extra lift with this incredibly clever foundation that combines naturally flawless cover with a gentle firming effect. It hides blemishes and evens out skintone, while minimising the appearance of lines and wrinkles, to leave your skin looking younger.

Shake well before use. Blend on smoothly and evenly with your fingers or a sponge.

Non-pore blocking. www.boots.com Mfd in France for BBI Ltd NG2 3AA. UK Dist in the USA by Boots Retail USA Inc. Stamford CT 06901 USA: Questions? 1-866-75-BOOTS Carton label No7 Lifting and Firming Foundation Gently lifts and firms your skin Sunscreen SPF 15 Hypo-allergenic Boots 30ml e 1 US Fl. Oz Lifting and Firming Fnd Truffle carton.jpg



Bottle label Lifting and Firming Foundation Sunscreen SPF 15 Hypo-allergenic Boots 30ml e 1 US Fl. Oz Lifting and Firming Fdn Truffle bottle labels.jpg



Ingredient NameBasis of StrengthStrengthOCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)OCTINOXATE1.5 mL in 30 mTITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)TITANIUM DIOXIDE0.48 mL in 30Inactive IngredientsStrengthWATER (UNII: 059QF0K00R)StrengthCYCLOMETHICONE 5 (UNII: 0THT5PCI0R)III	octinoxate and titanium dioxide e					
Route of Administration TOPICAL Active Ingredient/Active Moie Basis of Strength Strength Strength OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) OCTINOXATE OCTINOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) TITANIUM DIOXIDE Inactive Ingredients Ingredient Name Variable (UNII: 059QF0K00R) Ingredient Name CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) Strength BUTYLENE GLYCOL (UNII: 3XUS85K/BA) Image Strength	Product Information					
Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) OCTINOXATE 1.5 mL in 30 m TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) TITANIUM DIOXIDE 0.48 mL in 30 Inactive Ingredients Inactive Ingredients Strength WATER (UNII: 059QF0K00R) CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	Product T ype	HUMAN OTC DRUG	Item Code (So	urce)	NDC:	68472-084
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) OCTINOXATE 1.5 mL in 30 m TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) TITANIUM DIOXIDE 0.48 mL in 30 Inactive Ingredients Ingredient Name Strength WATER (UNII: 059QF0K00R) CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) BUTYLENE GLYCOL (UNII: 3XUS85K0RA) ()	Route of Administration	TOPICAL				
Ingredient NameBasis of StrengthStrengthOCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)OCTINOXATE1.5 mL in 30 mTITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)TITANIUM DIOXIDE0.48 mL in 30Inactive IngredientsStrengthWATER (UNII: 059QF0K00R)StrengthCYCLOMETHICONE 5 (UNII: 0THT5PCI0R)50 CTINOXBUTYLENE GLYCOL (UNII: 3XUS85K0RA)50 CTINOX50 CTINOX						
Ingredient NameBasis of StrengthStrengthOCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)OCTINOXATE1.5 mL in 30 mTITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)TITANIUM DIOXIDE0.48 mL in 30Inactive IngredientsStrengthWATER (UNII: 059QF0K00R)StrengthCYCLOMETHICONE 5 (UNII: 0THT5PCI0R)Sussistion 11BUTYLENE GLYCOL (UNII: 3XUS85K0RA)Sussistion 21	A stine Terrie diamet/A stine NA	•••				
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) OCTINOXATE 1.5 mL in 30 m TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) TITANIUM DIOXIDE 0.48 mL in 30 Inactive Ingredients Ingredient Name Strength WATER (UNII: 059QF0K00R) CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) BUTYLENE GLYCOL (UNII: 3XUS85K0RA) (000000000000000000000000000000000000	•			D 1 60.		
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM DIO XIDE - UNII: 15FIX9 V2JP) TITANIUM DIO XIDE 0.48 mL in 30 Inactive Ingredients Ingredient Name Strength WATER (UNII: 059QF0K00R) Strength Strength CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) Strength Strength BUTYLENE GLYCOL (UNII: 3XUS85K0RA) Strength Strength		-			-	0
Inactive Ingredients Ingredient Name Strength WATER (UNII: 059QF0K00R) CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) BUTYLENE GLYCOL (UNII: 3XUS85K0RA) CYCLOMETHICONE 5 (UNII: 3XUS85K0RA)	OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) OCTINOXATE					1.5 mL in 30 mL
Ingredient Name Strength WATER (UNII: 059QF0K00R) CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) BUTYLENE GLYCOL (UNII: 3XUS85K0RA) C	TITANIUM DIO XIDE (UNII: 15FIX9 V	2JP) (TITANIUM DIOXIDE - UNII:1	5FIX9V2JP)	TITANIUM DIO XII	DE	0.48 mL in 30 m
Ingredient Name Strength WATER (UNII: 059QF0K00R) CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) BUTYLENE GLYCOL (UNII: 3XUS85K0RA) C						
WATER (UNII: 059QF0K00R) CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	Inactive Ingredients					
CYCLOMETHICONE 5 (UNII: 0 THT5PCI0R) BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		Ingredient Name				Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	WATER (UNII: 059QF0KO0R)					
	CYCLOMETHICONE 5 (UNII: 0 THT:	5PCIOR)				
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	BUTYLENE GLYCOL (UNII: 3XUS8	5K0RA)				
	CYCLOMETHICONE 6 (UNII: XHK3	U310BA)				

PHENYL TRIMETHICONE	(UNII: DR0K5NOJ4R)				
MAGNESIUM SULFATE (UNII: DE08037SAB)					
GLYCERIN (UNII: PDC6A3C0OX)					
PHENOXYETHANOL (UNI	: HIE492ZZ3T)				
HEXYL LAURATE (UNII: 40	CG9F9W01Q)				
PROPYLENE CARBONATI	E (UNII: 8D08K3S51E)				
ALUMINUM STEARATE (U	NII: U6 XF9 NP8 HM)				
ALUMINUM OXIDE (UNII: 1	LMI26O6933)				
O CTYLTRIETHO XYSILAN	NE (UNII: LDC331P08E)				
METHYLPARABEN (UNII: A	A218 C7H19 T)				
ISOPROPYL PALMITATE	(UNII: 8CRQ2TH63M)				
BUTYLPARABEN (UNII: 3Q	PI1U3FV8)				
ETHYLPARABEN (UNII: 142	255EXE39)				
LECITHIN, SOYBEAN (UN	I: 1DI56QDM62)				
CARBOMER HOMOPOLYMER TYPE C (UNII: 4Q93RCW27E)					
PROPYLPARABEN (UNII: Z8IX2SC1OH)					
POLYSORBATE 20 (UNII: 7T1F30V5YH)					
BUTYLATED HYDRO XYT	DLUENE (UNII: 1P9 D0 Z171K)				
FERRIC OXIDE YELLOW	UNII: EX438O2MRT)				
FERRIC OXIDE RED (UNII:	1K09F3G675)				
FERROSOFERRIC OXIDE	(UNII: XM0 M87F357)				
Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:68472-084-01	1 in 1 CARTON				

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	0 1/25/20 10	

Labeler - Boots Retail USA Inc (143151533)

Registrant - The Boots Company PLC (218622660)

Establishment

Name	Address	ID/FEI	Business Operations
BCM Cosmetique SAS		275359578	manufacture

Revised: 1/2010

Boots Retail USA Inc