

LORATADINE ALLERGY RELIEF- loratadine tablet HEB

Loratadine Allergy Relief

Drug Facts

Active ingredient (in each tablet)

Loratadine, USP 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25° C (68° to 77° F)
- protect from excessive moisture
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**

Inactive ingredients

corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

Questions?

call 1-800-406-7984

PRINCIPAL DISPLAY PANEL - 10 mg Tablet Blister Pack Carton

Compare to Claritin[®] active ingredient[†]

NDC 37808-529-31

H-E-B[®]

Allergy Relief

Loratadine Tablets, USP 10 mg

Antihistamine

Non-Drowsy* Allergy Relief

Indoor & Outdoor Allergies

24

Hour

Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

30 TABLETS

*When taken as directed. See Drug Facts Panel.

actual
size



Allergy Relief

Loratadine Tablets, USP 10 mg
Antihistamine

Non-Drowsy* Allergy Relief

Keep the carton. It contains important information. See end panel for expiration date.

<p>Drug Facts (continued)</p> <p>Active ingredient (in each tablet) Loratadine, USP 10 mg; Antihistamine</p> <p>Purpose temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat</p> <p>Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. When using this product do not take more than directed. Taking more than directed may cause drowsiness. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.</p>	<p>Directions adults and children 6 years and over 1 tablet daily; not more than 1 tablet in 24 hours ask a doctor children under 6 years of age ask a doctor consumers with liver or kidney disease ask a doctor</p> <p>Other information store between 20° to 25° C (68° to 77° F) protect from excessive moisture TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.</p> <p>Inactive ingredients corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch</p> <p>Questions? call 1-800-408-7984</p>
---	---



8576-1802

MADE WITH PRIDE & CARE FOR H-E-B®
SAN ANTONIO, TX 78204

100% GUARANTEE
If you aren't completely pleased with this product, we'll be happy to replace it or refund your money. You have our word on it.

Non Varnish Area

Batch No.

Expiration Date:

† All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Claritin®.



Allergy Relief

Loratadine Tablets, USP 10 mg
Antihistamine

Non-Drowsy* Allergy Relief

Compare to Claritin® active ingredient†



Allergy Relief

Loratadine Tablets, USP 10 mg
Antihistamine

Non-Drowsy* Allergy Relief

Indoor & Outdoor Allergies

- Relief of:
- Sneezing
 - Runny Nose
 - Itchy, Watery Eyes
 - Itchy Throat or Nose




30 TABLETS

*When taken as directed. See Drug Facts Panel.



NDC 37808-529-31



LORATADINE ALLERGY RELIEF

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-529
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white (White to Off White)	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	RX526
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-529-11	1 in 1 CARTON	02/01/2018	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:37808-529-31	30 in 1 CARTON	02/01/2018	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:37808-529-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076134	02/01/2018	

Labeler - HEB (007924756)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	MANUFACTURE(37808-529)

Revised: 5/2018

HEB