ISOPROPYL ALCOHOL 99 PERCENT- isopropyl alcohol liquid Aspen Veterinary Resources

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

99% Isopropyl Alcohol Gallon

INDICATIONS:

For external use only as an antiseptic, disinfectant, and rubefacient.

TO MAKE A STANDARD SOLUTION (70%):

Dilute by adding 1 part water to 2 parts of this 99% Isopropyl Alcohol.

FOR EXTERNAL USE ONLY

DIRECTIONS:

Use full strength as a topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION: In case of deep or puncture wounds or serious burns, consult a veterinarian. If redress, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.

TAKE TIME OBSERVE LABEL DIRECTIONS

WARNING: If taken internally, serious gastric disturbance will result.

First Aid: Keep outof reach of children. If taken internally, severe gastric disturbances will occur. In case of accidental ingestion call a physican or Poison Control immediately. Avoid getting into eyes or on mucous membranes, in case of eye contact, flush thoroughly with water. May cause skin irritation. Wash hands thoroughly after handling.

STORE AT CONTROLLED ROOM TEMPERATURE BETWEEN 15 - 30C(59 -86F). KEEP CONTAINER CLOSED WHEN NOT IN USE. WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.

For external use only as an antiseptic, disinfectant, and rubefacient.

TO MAKE A STANDARD SOLUTION (70%): Dilute by adding 3 parts water to 7 parts of this 99% Isopropyl Alcohol.

FOR EXTERNAL USE ONLY


DIRECTIONS FOR USE: Use full strength as topical antiseptic or for disinfection of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION: In case of deep or puncture wounds or serious burns consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.

STORAGE: Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.



TAKE TIME OBSERVE LABEL DIRECTIONS



ACTIVE INGREDIENTS:

Isopropyl Alcohol (min.).

INERT INGREDIENTS:

Purified Water (min.) .

FIRST AID: Keep out of reach of children. If taken internally, severe gastric disturbances will result. In case of accidental ingestion call a physician or poison control center immediately. Causes eye irritation. In case of contact immediately flush eyes with water and call a physician. May cause skin irritation. Avoid contact with eyes, skin, mucous membranes and clothing. Wash hands thoroughly after handling.

WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.

> FOR ANIMAL USE ONLY. KEEP OUT OF REACH OF CHILDREN.

Aspen Veterinary Resources,* Ltd. Liberty, MO 64068, USA

FC143C Rev. 04/16

Exp. Date



ISOPROPYL ALCOHOL 99 PERCENT

isopropyl alcohol liquid

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:46066-035

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Basis of Strength Ingredient Name Strength ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL -ISOPROPYL 3.785 L UNII:ND2M416302) ALCOHOL in $3.785\ L$

Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:46066-035-93	3.785 L in 1 JUG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved drug other		0 4/0 1/20 16			

Labeler - Aspen Veterinary Resources (627265361)

Establishment

Name	Address	ID/FEI	Business Operations

Centaur	174239087	manufacture, api manufacture

Revised: 9/2017 Aspen Veterinary Resources