EPISTAR BARRIER BASE- sodium chlorite teat dip liquid Knapp Manufacturing, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

EpiStar Barrier Base

Claim of effectiveness.

Helps reduce the spread of organisms which may cause Mastitis

Use Directions

USE DIRECTIONS
NOT FOR HUMAN USE
FOR EXTERNAL USE ONLY

Do not mix with any chemicals other than EpiStar Barrier Activator.

In a well-ventilated area, mix equal parts EpiStar Barrier Base and EpiStar Barrier Activator. Do not mix more product than will be used in 24-hours.

PRE-DIPPING: Before milking, dip or spray entire teat with this product. Wipe teats dry after

application using single-service towels to avoid contamination of milk.

POST-DIPPING: After milking, spray or dip entire teat with this product. Allow to air dry.

Note: If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do

not return unused product to original container.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician

immediately. If swallowed: Have person sip a glass of water if able to swallow. Do not give

anything to an unconscious person. Do not induce vomiting. Contact a physician immediately.

If breathing difficulty occurs: Move person to fresh air. Contact a physician immediately.

on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops

and persists, contact a physician.

Have the product container or label with you when going for treatment, calling a physician, the

emergency number listed on this label or MSDS, or a poison control center

Precautions & Hazards

Avoid eye contact. Do not ingest. Do not mix with any chemicals except as directed.

Storage

Store closed container in a cool, dry location away from sources of heat. If product becomes frozen, thaw and mix well before use.

Label



CHLORINE DIOXIDE TEAT DIP BASE

Helps reduce the spread of organisms which may cause Mastitis

USE DIRECTIONS NOT FOR HUMAN USE FOR EXTERNAL USE ONLY

Do not mix with any chemicals other than **EpiStar Barrier Activator**. In a well-ventilated area, mix equal parts **EpiStar Barrier Base** and **EpiStar Barrier Activator**. Do not mix more product than will be used in 24-hours.

PRE-DIPPING: Before milking, dip or spray entire teat with this product. Wipe teats dry after application using single-service towels to avoid contamination of milk.

POST-DIPPING: After milking, spray or dip entire teat with this product. Allow to air dry.

Note: If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do
not return unused product to original container.

Active Ingredient: (Sodium Chlorite 1%)

SELLADOE DE DIOXIDO DE CLORO

Reduce la propagación de organismos que puedan causar la Mastitis

DIRECCIONES DE USO NO PARA USO HUMANO PARA USO EXTERNO SOLAMENTE

No mezcle con ningún producto químico que no sea EpiStar Barrier Activator. En un área bien ventilada, mezcle partes iguales de EpiStar Barrier Base y EpiStar Barrier Activator. No mezcie más producto del que se usará en 24 horas.

BAÑO PREVIO: Antes del ordeño, moje o rocie todo el pezón con este producto. Seque los pezones después de la aplicación con toallas desechables para evitar la contaminación de la leche.

POST-DIPPING: Después del ordeño, rocie o sumerja todo el pezón con este producto. Deje secar al aire. Nota: Si la solución en la taza se ensucia visiblemente, reponga con una mezcia nueva de este producto. No devuelva el producto no utilizado al envase original.

Ingredientes Activos: (Clorato de Sodio 1%)

Lot #:

Expires:

Net Contents:

SKU:



Knapp Manufacturing 5227 E. Pine Ave. + Freeno, CA 90727 + 800.502.25 Made in U.S.A.

EpiStar Barrier Base

KEEP OUT OF REACH OF CHILDREN NOT FOR HUMAN USE FIRST AID:

FIRST AID: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes, Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician immediately, If swallowed: have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately.

Always use caution when introducing your cows to a new teat dip.

mber these industry quidelines:

Aggressively remove keratis and exfoliated skin from teats. A temporary exfoliation of deal test skin is common after new dips are introduced. Be sure to aggressively dean tests to remove exfoliated skin and clean test ends to insure that the dead skin is removed.

onitor cows for changes in skin condition Many test dips are designed with emollients and other skin anditioning ingredients to maintain healthy test skin and fight germs. Rare test skin reactions due to allergic

If breathing difficulty occurs: Move person to fresh air. Contact a physician immediately. If on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops

on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops and persists, contact a physician. Have the product container or label with you when going for treatment, calling a physician, the emergency number listed on this label or MSDS, or a poison control center. PRECAUTION: Avoid eye contact. Do not ingest. Do not mix with any chemicals except as directed. STORAGE: Store closed container in a cool, dry location away from sources of heat. If product becomes frozen, thaw and mix well before use.

SEE MATERIAL SAFETY DATA SHEET

MANTENGA EL PRODUCTO FUERA DEL ALCANCE DE LOS NIÑOS NO PARA USO HUMANO

PRIMEROS AUXILIOS:

Contacto ocular: Mantenga los ojos abiertos y enjuague cuidadosamente durante 1520 minutos. Quitese los lentes de contacto, después de los primeros 5 minutos si los tiene
puestos y continule a enjuagar sus ojos. Contacte a un medico inmediatamente. Si
ingiere: Haga que la persona se tome un baso de agua si puede. No le de nada de tomar
a una persona inconsciente. No induzca el vomito. Contacte a un medico inmediatamente.
Si se inhala: Lieve a la persona al alire libre. Contacte a un medico inmediatamente.
Contacto con la piel: Quitese la ropa contaminada. Enjuague la piel con agua y jabón. Si
el desarrolla y persiste la irritación, contacte a un medico.

Asegúrese de tener el contenedor o la calcomanía del producto al momento de ir por atención dica, cuando hable con el medico, cuando hable al numero de asistencia que se encuentra la hoja de información del producto o el centro de control de productos venenosos.

PRECAUCION: Evite el contacto con los ojos. No ingiera. No mezcle con ningún otro producto

excepto como dirigido.

ALMACENAMIENTO: Almacene en contenedores cerrados lejos de una fuente de calor. Si el producto se congela, descongélelo y agitelo antes de usario.

VEASE LA HOJA DE DATOS SOBRE MEDIDAS DE SEGURIDAD PARA EL MANEJO DE

Distributed by/Distribuido por

Knapp Manufacturing

5227 E. Pine Ave. • Fresno, CA 93727 • Made in U.S.A. 1-800-255-3924

Emergency No. Only / No. de Emergencia Sólo: (ChemeTel) 1-800-255-3924

or environmental conditions may occur. Closely moretor test own whenever a new dip is introduced, if unusual skin conditions are found, monitor disealy and, if persistent, replace dip with one containing a different germiode and/or emolitent formula.

Siempre tener cuidado al usar un nuevo sellador de pezones en las vacas.

Usar tazas del sellador limpias y/o limpiar los tubos del rociador del sellador Cuando se usa un nusvo sellador de pezones en las vacas, se deben siempre reemplezar las tazas de aplicación del sellador y también los sepillos para evitar la mezda del sellador antarior con el nuevo. Si se usan rociadores o bombes selladores, limpiar los tubos con agua caliente para retirar cualquier residuo del sellador anterior.

Limplar fuertemente los pezones para retirar la keratina y las escamas. Cuando se use un nuevo sellador en las vacas, es necesario la edificición de las escamas que pueden formar en la piel. Limpara ben fuertemente los pezones y extremos del pezón para eliminar las escamas en la piel.

Centrolar las vacas y observar los cambios de condición de la piel Nuchos selladores de pezones continen emclientes y otros ingredientes acondiconadores de la piel para la mantención seludable de la piel del pezón y para la destrucción de gérmenes patógenos. Cossionalmente, se podrían producir reacciones alérgicas o ambientales por lo que se debe controlar de cerca la piel de los pezones cuando se use un nuevo sellador. Si as presenta cuanquiar condición insuasi pensistente de la piel, reemplazar el sellador con otro que contenga una fórmula con diferente germicida o emcliente.



NDC #: 43104-XXXX

IN 989XXXX LR 08.2023

EPISTAR BARRIER BASE

sodium chlorite teat dip liquid

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:43104-2023
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6) | SODIUM CHLORITE .0124 kg in 1 kg

Inactive Ingredients

Ingredient Name	Strength
XANTHAN GUM (UNII: TTV12P4NEE)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43104-2023-1	3.94 kg in 1 JUG		
2	NDC:43104-2023-2	19.7 kg in 1 JUG		
3	NDC:43104-2023-3	59.1 kg in 1 DRUM		
4	NDC:43104-2023-4	216.7 kg in 1 DRUM		
5	NDC:43104-2023-5	1083.5 kg in 1 DRUM		

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	05/24/2023		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Labeler - Knapp Manufacturing, Inc. (063012827)

Establishment			
Name	Address	ID/FEI	Business Operations
Knapp Manufacturing, Inc.		063012827	api manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
BouMatic, LLC		124727400	manufacture

Revised: 5/2023 Knapp Manufacturing, Inc.