

LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 CLAIRE 1/BEIGE- titanium dioxide and zinc oxide powder
LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 CLAIRE 2/BEIGE- titanium dioxide and zinc oxide powder
LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 CLAIRE 3/BEIGE- titanium dioxide and zinc oxide powder
LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 CLAIRE 4/BEIGE- titanium dioxide and zinc oxide powder
LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 MEDIUM 5/BEIGE- titanium dioxide and zinc oxide powder
LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 MEDIUM 6/BEIGE- titanium dioxide and zinc oxide powder
LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 MEDIUM 7/BEIGE- titanium dioxide and zinc oxide powder
LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 OBSCURE 8/BEIGE- titanium dioxide and zinc oxide powder
LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 OBSCURE 9/BEIGE- titanium dioxide and zinc oxide powder
Ventura International LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

L'BEL EFFET PARFAIT LONG LASTING COMPACT POWDER SPF 15

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
TITANIUM DIOXIDE 5.75 %	Sunscreen
ZINC OXIDE 4.90 %	Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun

INACTIVE INGREDIENTS

MICA, DIMETHICONE, POLYMETHYLSILSESQUIOXANE, ZINC STEARATE, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, TRIMETHYLSILOXYSILICATE, CAPRYLIC/CAPRIC TRIGLYCERIDE, PERFLUOROOCTYL TRIETHOXYSILANE, TOCOPHERYL ACETATE, HYDROGEN DIMETHICONE, PHENOXYETHANOL, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, ALUMINA, HEXYL LAURATE, FRAGRANCE, CAPRYLYL GLYCOL, CRITHMUM MARITIMUM EXTRACT, TRIETHOXYCAPRYLYLSILANE, CHLORPHENESIN, CERAMIDE 3, BUTYLPHENYL METHYLPROPIONAL, HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE, HYDROXYCITRONELLAL, CITRONELLOL, GERANIOL, d-LIMONENE, ALPHA-ISOMETHYL IONONE. **MAY CONTAIN:** IRON OXIDES, TITANIUM DIOXIDE.

Dist. by

Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126.


PRINCIPAL DISPLAY PANEL - 10 g Container Box - Claire 1/Beige

L'BEL

EFFET PARFAIT

Long lasting compact powder SPF 15

Net wt. 0.35 oz. e (10 g)



L'BEL
EFFET PARFAIT
 Long lasting compact powder SPF 15

Net wt. 0.35 oz. e (10 g)

Drug Facts

Active Ingredients
 Titanium Dioxide 5.75 %
 Zinc Oxide 4.90 %

Purpose

Sunscreen
 Sunscreen

Drug Facts (continued)

Uses: ■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ Do not use on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if you experience a rash or severe irritation that does not go away with medical help or contact a Poison Control Center right away.**

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.


Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Mica, dimethicone, polyethylsilsesquioxane, zinc stearate, indinmethyld hexylacetate crosspolymer, trimethylsilyloxyethyl acrylate, caprylic/capric triglyceride, perfluorodecyl triethoxysilane, tocopheryl acetate, hydrogen dimethicone, phenoxylethanol, cetyl ppg-9-10/1 dimethicone, polyglyceryl-4 sebacate, alumina, n-hexyl butane, fragrance, caprylyl glycol, cinnamyl methacrylate, thioxyacetamide, caprophenol, ceramide 3, butylparaben, hydroxyethylparaben, hydroxyphenylparaben, ethylparaben, carbocollin, hydroxyphenylparaben, chloroall, geranyl dimethylsiloxane, alpha-isomethyl ionone. **May contain:** iron oxides, titanium dioxide.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926, Made in Colombia, U.S.A.: Dist. by Ventura Inc. Ltd, DBA B&B Corp USA, Miami, FL 33126, Made in Colombia.

PRINCIPAL DISPLAY PANEL - 10 g Container Box - Claire 2/Beige

L'BEL
 EFFET PARFAIT
 Long lasting compact powder SPF 15
 Net wt. 0.35 oz. e (10 g)



L'BEL
EFFET PARFAIT
Long lasting compact powder SPF 15

Net wt. 0.35 oz. e (10 g)

Drug Facts

Active Ingredients
Titanium Dioxide 5.75 %
Zinc Oxide 4.90 %

Purpose
Sunscreen

Drug Facts (continued)

Uses: ■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ Do not use on damaged or broken skin. ■ **When using this product keep out of eyes.** ■ **Rinse with water to remove.** ■ **Stop use and ask a doctor if you experience a rash or severe skin irritation that does not go away.** ■ **Get medical help or contact a Poison Control Center right away.**

Directions: ■ **Apply liberally and evenly 15 minutes before sun exposure.** ■ **Reapply at least every 2 hours.** ■ **Use a water resistant sunscreen if swimming or sweating.** ■ **Children under 6 months of age: Ask a doctor.**

Other information: ■ **Protect the product in this container from excessive heat and direct sun.**

Inactive Ingredients: Mica, dimethicone, polyethylsilsesquioxane, zinc stearate, indinmethyol hexylacetate, crosspolymer, trimethylsilylsilicate, caprylic/capric triglyceride, perfluorodecyl triethoxysilane, tocopheryl acetate, hydrogen dimethicone, phenoxylethanol, cetyl ppg-9-10/1 dimethicone, polyglyceryl-4 isostearate, alumina, hexyl laurate, fragrance, caprylyl glycol, cinnamyl salicylate, ethylhexylglycidyl methacrylate, caprylyl sebacate, ceramide 3, ceramide 6, ceramide 12, ceramide 18, ceramide 20, ceramide 22, ceramide 24, ceramide 26, ceramide 28, ceramide 30, ceramide 32, ceramide 34, ceramide 36, ceramide 38, ceramide 40, ceramide 42, ceramide 44, ceramide 46, ceramide 48, ceramide 50, ceramide 52, ceramide 54, ceramide 56, ceramide 58, ceramide 60, ceramide 62, ceramide 64, ceramide 66, ceramide 68, ceramide 70, ceramide 72, ceramide 74, ceramide 76, ceramide 78, ceramide 80, ceramide 82, ceramide 84, ceramide 86, ceramide 88, ceramide 90, ceramide 92, ceramide 94, ceramide 96, ceramide 98, ceramide 100, ceramide 102, ceramide 104, ceramide 106, ceramide 108, ceramide 110, ceramide 112, ceramide 114, ceramide 116, ceramide 118, ceramide 120, ceramide 122, ceramide 124, ceramide 126, ceramide 128, ceramide 130, ceramide 132, ceramide 134, ceramide 136, ceramide 138, ceramide 140, ceramide 142, ceramide 144, ceramide 146, ceramide 148, ceramide 150, ceramide 152, ceramide 154, ceramide 156, ceramide 158, ceramide 160, ceramide 162, ceramide 164, ceramide 166, ceramide 168, ceramide 170, ceramide 172, ceramide 174, ceramide 176, ceramide 178, ceramide 180, ceramide 182, ceramide 184, ceramide 186, ceramide 188, ceramide 190, ceramide 192, ceramide 194, ceramide 196, ceramide 198, ceramide 200, ceramide 202, ceramide 204, ceramide 206, ceramide 208, ceramide 210, ceramide 212, ceramide 214, ceramide 216, ceramide 218, ceramide 220, ceramide 222, ceramide 224, ceramide 226, ceramide 228, ceramide 230, ceramide 232, ceramide 234, ceramide 236, ceramide 238, ceramide 240, ceramide 242, ceramide 244, ceramide 246, ceramide 248, ceramide 250, ceramide 252, ceramide 254, ceramide 256, ceramide 258, ceramide 260, ceramide 262, ceramide 264, ceramide 266, ceramide 268, ceramide 270, ceramide 272, ceramide 274, ceramide 276, ceramide 278, ceramide 280, ceramide 282, ceramide 284, ceramide 286, ceramide 288, ceramide 290, ceramide 292, ceramide 294, ceramide 296, ceramide 298, ceramide 300, ceramide 302, ceramide 304, ceramide 306, ceramide 308, ceramide 310, ceramide 312, ceramide 314, ceramide 316, ceramide 318, ceramide 320, ceramide 322, ceramide 324, ceramide 326, ceramide 328, ceramide 330, ceramide 332, ceramide 334, ceramide 336, ceramide 338, ceramide 340, ceramide 342, ceramide 344, ceramide 346, ceramide 348, ceramide 350, ceramide 352, ceramide 354, ceramide 356, ceramide 358, ceramide 360, ceramide 362, ceramide 364, ceramide 366, ceramide 368, ceramide 370, ceramide 372, ceramide 374, ceramide 376, ceramide 378, ceramide 380, ceramide 382, ceramide 384, ceramide 386, ceramide 388, ceramide 390, ceramide 392, ceramide 394, ceramide 396, ceramide 398, ceramide 400, ceramide 402, ceramide 404, ceramide 406, ceramide 408, ceramide 410, ceramide 412, ceramide 414, ceramide 416, ceramide 418, ceramide 420, ceramide 422, ceramide 424, ceramide 426, ceramide 428, ceramide 430, ceramide 432, ceramide 434, ceramide 436, ceramide 438, ceramide 440, ceramide 442, ceramide 444, ceramide 446, ceramide 448, ceramide 450, ceramide 452, ceramide 454, ceramide 456, ceramide 458, ceramide 460, ceramide 462, ceramide 464, ceramide 466, ceramide 468, ceramide 470, ceramide 472, ceramide 474, ceramide 476, ceramide 478, ceramide 480, ceramide 482, ceramide 484, ceramide 486, ceramide 488, ceramide 490, ceramide 492, ceramide 494, ceramide 496, ceramide 498, ceramide 500, ceramide 502, ceramide 504, ceramide 506, ceramide 508, ceramide 510, ceramide 512, ceramide 514, ceramide 516, ceramide 518, ceramide 520, ceramide 522, ceramide 524, ceramide 526, ceramide 528, ceramide 530, ceramide 532, ceramide 534, ceramide 536, ceramide 538, ceramide 540, ceramide 542, ceramide 544, ceramide 546, ceramide 548, ceramide 550, ceramide 552, ceramide 554, ceramide 556, ceramide 558, ceramide 560, ceramide 562, ceramide 564, ceramide 566, ceramide 568, ceramide 570, ceramide 572, ceramide 574, ceramide 576, ceramide 578, ceramide 580, ceramide 582, ceramide 584, ceramide 586, ceramide 588, ceramide 590, ceramide 592, ceramide 594, ceramide 596, ceramide 598, ceramide 600, ceramide 602, ceramide 604, ceramide 606, ceramide 608, ceramide 610, ceramide 612, ceramide 614, ceramide 616, ceramide 618, ceramide 620, ceramide 622, ceramide 624, ceramide 626, ceramide 628, ceramide 630, ceramide 632, ceramide 634, ceramide 636, ceramide 638, ceramide 640, ceramide 642, ceramide 644, ceramide 646, ceramide 648, ceramide 650, ceramide 652, ceramide 654, ceramide 656, ceramide 658, ceramide 660, ceramide 662, ceramide 664, ceramide 666, ceramide 668, ceramide 670, ceramide 672, ceramide 674, ceramide 676, ceramide 678, ceramide 680, ceramide 682, ceramide 684, ceramide 686, ceramide 688, ceramide 690, ceramide 692, ceramide 694, ceramide 696, ceramide 698, ceramide 700, ceramide 702, ceramide 704, ceramide 706, ceramide 708, ceramide 710, ceramide 712, ceramide 714, ceramide 716, ceramide 718, ceramide 720, ceramide 722, ceramide 724, ceramide 726, ceramide 728, ceramide 730, ceramide 732, ceramide 734, ceramide 736, ceramide 738, ceramide 740, ceramide 742, ceramide 744, ceramide 746, ceramide 748, ceramide 750, ceramide 752, ceramide 754, ceramide 756, ceramide 758, ceramide 760, ceramide 762, ceramide 764, ceramide 766, ceramide 768, ceramide 770, ceramide 772, ceramide 774, ceramide 776, ceramide 778, ceramide 780, ceramide 782, ceramide 784, ceramide 786, ceramide 788, ceramide 790, ceramide 792, ceramide 794, ceramide 796, ceramide 798, ceramide 800, ceramide 802, ceramide 804, ceramide 806, ceramide 808, ceramide 810, ceramide 812, ceramide 814, ceramide 816, ceramide 818, ceramide 820, ceramide 822, ceramide 824, ceramide 826, ceramide 828, ceramide 830, ceramide 832, ceramide 834, ceramide 836, ceramide 838, ceramide 840, ceramide 842, ceramide 844, ceramide 846, ceramide 848, ceramide 850, ceramide 852, ceramide 854, ceramide 856, ceramide 858, ceramide 860, ceramide 862, ceramide 864, ceramide 866, ceramide 868, ceramide 870, ceramide 872, ceramide 874, ceramide 876, ceramide 878, ceramide 880, ceramide 882, ceramide 884, ceramide 886, ceramide 888, ceramide 890, ceramide 892, ceramide 894, ceramide 896, ceramide 898, ceramide 900, ceramide 902, ceramide 904, ceramide 906, ceramide 908, ceramide 910, ceramide 912, ceramide 914, ceramide 916, ceramide 918, ceramide 920, ceramide 922, ceramide 924, ceramide 926, ceramide 928, ceramide 930, ceramide 932, ceramide 934, ceramide 936, ceramide 938, ceramide 940, ceramide 942, ceramide 944, ceramide 946, ceramide 948, ceramide 950, ceramide 952, ceramide 954, ceramide 956, ceramide 958, ceramide 960, ceramide 962, ceramide 964, ceramide 966, ceramide 968, ceramide 970, ceramide 972, ceramide 974, ceramide 976, ceramide 978, ceramide 980, ceramide 982, ceramide 984, ceramide 986, ceramide 988, ceramide 990, ceramide 992, ceramide 994, ceramide 996, ceramide 998, ceramide 1000.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926, Made in Colombia, U.S.A.: Dist. by Ventura Inc. LLC, DBA B&B Corp. USA, Miami, FL 33126, Made in Colombia.


PRINCIPAL DISPLAY PANEL - 10 g Container Box - Claire 3/Beige

L'BEL

EFFET PARFAIT

Long lasting compact powder SPF 15

Net wt. 0.35 oz. e (10 g)



L'BEL
EFFET PARFAIT
 Long lasting compact powder SPF 15

Net wt. 0.35 oz. e (10 g)

Drug Facts

Active Ingredients
 Titanium Dioxide 5.75 %
 Zinc Oxide 4.90 %

Purpose
 Sunscreen

Drug Facts (continued)

Uses: ■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ Do not use on damaged or broken skin. ■ **When using this product keep out of eyes.** ■ Rinse with water to remove. ■ **Stop use and ask a doctor if you experience a rash or severe skin irritation that does not go away.** ■ If you are pregnant or nursing, or if you are breastfeeding, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.


Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Mica, dimethicone, polyethylsilsesquioxane, zinc stearate, indinmethyld hexylacetate crosspolymer, trimethylsilyloxyethyl acrylate, caprylic/capric triglyceride, perfluorodecyl triethoxysilane, tocopheryl acetate, hydrogen dimethicone, phenoxylethanol, cetyl ppg-9/10/11 dimethicone, polyglyceryl-4 stearate, alumina, n-hexyl butane, fragrance, caprylyl glycol, cinnamyl methacrylate, thioxyacetamide, caprophenol, ceramide 3, ceramide 6, ceramide 12, ceramide 18, ceramide 20, ceramide 24, ceramide 26, ceramide 28, ceramide 30, ceramide 32, ceramide 34, ceramide 36, ceramide 38, ceramide 40, ceramide 42, ceramide 44, ceramide 46, ceramide 48, ceramide 50, ceramide 52, ceramide 54, ceramide 56, ceramide 58, ceramide 60, ceramide 62, ceramide 64, ceramide 66, ceramide 68, ceramide 70, ceramide 72, ceramide 74, ceramide 76, ceramide 78, ceramide 80, ceramide 82, ceramide 84, ceramide 86, ceramide 88, ceramide 90, ceramide 92, ceramide 94, ceramide 96, ceramide 98, ceramide 100, ceramide 102, ceramide 104, ceramide 106, ceramide 108, ceramide 110, ceramide 112, ceramide 114, ceramide 116, ceramide 118, ceramide 120, ceramide 122, ceramide 124, ceramide 126, ceramide 128, ceramide 130, ceramide 132, ceramide 134, ceramide 136, ceramide 138, ceramide 140, ceramide 142, ceramide 144, ceramide 146, ceramide 148, ceramide 150, ceramide 152, ceramide 154, ceramide 156, ceramide 158, ceramide 160, ceramide 162, ceramide 164, ceramide 166, ceramide 168, ceramide 170, ceramide 172, ceramide 174, ceramide 176, ceramide 178, ceramide 180, ceramide 182, ceramide 184, ceramide 186, ceramide 188, ceramide 190, ceramide 192, ceramide 194, ceramide 196, ceramide 198, ceramide 200, ceramide 202, ceramide 204, ceramide 206, ceramide 208, ceramide 210, ceramide 212, ceramide 214, ceramide 216, ceramide 218, ceramide 220, ceramide 222, ceramide 224, ceramide 226, ceramide 228, ceramide 230, ceramide 232, ceramide 234, ceramide 236, ceramide 238, ceramide 240, ceramide 242, ceramide 244, ceramide 246, ceramide 248, ceramide 250, ceramide 252, ceramide 254, ceramide 256, ceramide 258, ceramide 260, ceramide 262, ceramide 264, ceramide 266, ceramide 268, ceramide 270, ceramide 272, ceramide 274, ceramide 276, ceramide 278, ceramide 280, ceramide 282, ceramide 284, ceramide 286, ceramide 288, ceramide 290, ceramide 292, ceramide 294, ceramide 296, ceramide 298, ceramide 300, ceramide 302, ceramide 304, ceramide 306, ceramide 308, ceramide 310, ceramide 312, ceramide 314, ceramide 316, ceramide 318, ceramide 320, ceramide 322, ceramide 324, ceramide 326, ceramide 328, ceramide 330, ceramide 332, ceramide 334, ceramide 336, ceramide 338, ceramide 340, ceramide 342, ceramide 344, ceramide 346, ceramide 348, ceramide 350, ceramide 352, ceramide 354, ceramide 356, ceramide 358, ceramide 360, ceramide 362, ceramide 364, ceramide 366, ceramide 368, ceramide 370, ceramide 372, ceramide 374, ceramide 376, ceramide 378, ceramide 380, ceramide 382, ceramide 384, ceramide 386, ceramide 388, ceramide 390, ceramide 392, ceramide 394, ceramide 396, ceramide 398, ceramide 400, ceramide 402, ceramide 404, ceramide 406, ceramide 408, ceramide 410, ceramide 412, ceramide 414, ceramide 416, ceramide 418, ceramide 420, ceramide 422, ceramide 424, ceramide 426, ceramide 428, ceramide 430, ceramide 432, ceramide 434, ceramide 436, ceramide 438, ceramide 440, ceramide 442, ceramide 444, ceramide 446, ceramide 448, ceramide 450, ceramide 452, ceramide 454, ceramide 456, ceramide 458, ceramide 460, ceramide 462, ceramide 464, ceramide 466, ceramide 468, ceramide 470, ceramide 472, ceramide 474, ceramide 476, ceramide 478, ceramide 480, ceramide 482, ceramide 484, ceramide 486, ceramide 488, ceramide 490, ceramide 492, ceramide 494, ceramide 496, ceramide 498, ceramide 500, ceramide 502, ceramide 504, ceramide 506, ceramide 508, ceramide 510, ceramide 512, ceramide 514, ceramide 516, ceramide 518, ceramide 520, ceramide 522, ceramide 524, ceramide 526, ceramide 528, ceramide 530, ceramide 532, ceramide 534, ceramide 536, ceramide 538, ceramide 540, ceramide 542, ceramide 544, ceramide 546, ceramide 548, ceramide 550, ceramide 552, ceramide 554, ceramide 556, ceramide 558, ceramide 560, ceramide 562, ceramide 564, ceramide 566, ceramide 568, ceramide 570, ceramide 572, ceramide 574, ceramide 576, ceramide 578, ceramide 580, ceramide 582, ceramide 584, ceramide 586, ceramide 588, ceramide 590, ceramide 592, ceramide 594, ceramide 596, ceramide 598, ceramide 600, ceramide 602, ceramide 604, ceramide 606, ceramide 608, ceramide 610, ceramide 612, ceramide 614, ceramide 616, ceramide 618, ceramide 620, ceramide 622, ceramide 624, ceramide 626, ceramide 628, ceramide 630, ceramide 632, ceramide 634, ceramide 636, ceramide 638, ceramide 640, ceramide 642, ceramide 644, ceramide 646, ceramide 648, ceramide 650, ceramide 652, ceramide 654, ceramide 656, ceramide 658, ceramide 660, ceramide 662, ceramide 664, ceramide 666, ceramide 668, ceramide 670, ceramide 672, ceramide 674, ceramide 676, ceramide 678, ceramide 680, ceramide 682, ceramide 684, ceramide 686, ceramide 688, ceramide 690, ceramide 692, ceramide 694, ceramide 696, ceramide 698, ceramide 700, ceramide 702, ceramide 704, ceramide 706, ceramide 708, ceramide 710, ceramide 712, ceramide 714, ceramide 716, ceramide 718, ceramide 720, ceramide 722, ceramide 724, ceramide 726, ceramide 728, ceramide 730, ceramide 732, ceramide 734, ceramide 736, ceramide 738, ceramide 740, ceramide 742, ceramide 744, ceramide 746, ceramide 748, ceramide 750, ceramide 752, ceramide 754, ceramide 756, ceramide 758, ceramide 760, ceramide 762, ceramide 764, ceramide 766, ceramide 768, ceramide 770, ceramide 772, ceramide 774, ceramide 776, ceramide 778, ceramide 780, ceramide 782, ceramide 784, ceramide 786, ceramide 788, ceramide 790, ceramide 792, ceramide 794, ceramide 796, ceramide 798, ceramide 800, ceramide 802, ceramide 804, ceramide 806, ceramide 808, ceramide 810, ceramide 812, ceramide 814, ceramide 816, ceramide 818, ceramide 820, ceramide 822, ceramide 824, ceramide 826, ceramide 828, ceramide 830, ceramide 832, ceramide 834, ceramide 836, ceramide 838, ceramide 840, ceramide 842, ceramide 844, ceramide 846, ceramide 848, ceramide 850, ceramide 852, ceramide 854, ceramide 856, ceramide 858, ceramide 860, ceramide 862, ceramide 864, ceramide 866, ceramide 868, ceramide 870, ceramide 872, ceramide 874, ceramide 876, ceramide 878, ceramide 880, ceramide 882, ceramide 884, ceramide 886, ceramide 888, ceramide 890, ceramide 892, ceramide 894, ceramide 896, ceramide 898, ceramide 900, ceramide 902, ceramide 904, ceramide 906, ceramide 908, ceramide 910, ceramide 912, ceramide 914, ceramide 916, ceramide 918, ceramide 920, ceramide 922, ceramide 924, ceramide 926, ceramide 928, ceramide 930, ceramide 932, ceramide 934, ceramide 936, ceramide 938, ceramide 940, ceramide 942, ceramide 944, ceramide 946, ceramide 948, ceramide 950, ceramide 952, ceramide 954, ceramide 956, ceramide 958, ceramide 960, ceramide 962, ceramide 964, ceramide 966, ceramide 968, ceramide 970, ceramide 972, ceramide 974, ceramide 976, ceramide 978, ceramide 980, ceramide 982, ceramide 984, ceramide 986, ceramide 988, ceramide 990, ceramide 992, ceramide 994, ceramide 996, ceramide 998, ceramide 1000.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926, Made in Colombia, U.S.A.: Dist. by Ventura Inc. Ltd, DBA B&B Corp USA, Miami, FL 33126, Made in Colombia.

PRINCIPAL DISPLAY PANEL - 10 g Container Box - Claire 4/Beige

L'BEL
 EFFET PARFAIT
 Long lasting compact powder SPF 15
 Net wt. 0.35 oz. e (10 g)



L'BEL
EFFET PARFAIT

Long lasting compact powder SPF 15

Net wt. 0.35 oz. e (10 g)

Drug Facts
Active Ingredients
Titanium Dioxide 5.75 %
Zinc Oxide 4.90 %
Purpose
Sunscreen
Sunscreen

Drug Facts (continued)
Uses: ■ Helps prevent sunburn.
Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if irritation persists or if you have any adverse reactions, such as medical help or contact a Poison Control Center right away.
Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.
Other information: ■ Protect the product in this container from excessive heat and direct sun.
Inactive Ingredients: Mica, dimethyl crosopolymers, trimethylolpropane triacrylate, caprylic/capric triglyceride, perfluoropolyether, isobutyl methacrylate, hydrogen dimethicone, phenoxyethanol, cetyl ppg-10/1 dimethicone, polyglyceryl-3 stearate, alumina, hexyl laurate, fragrance, caprylyl glycol, citrinium methacrylate, tetrahydrocannabinol, capric/caprylin, ceramide 3, polydimethylsiloxane, polybutene-1, hydroxyacetone, ethylhexyl salicylate, hydroxyethyl acrylate, hydroxyethyl acrylate, titanium dioxide, alpha-tocopherol, polybutene-1, hydroxyethyl acrylate, titanium dioxide.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926, Made in Colombia, U.S.A.: Dist. by Ventura Inc. LLC, DBA B Corp USA, Miami, FL 33126, Made in Colombia.


PRINCIPAL DISPLAY PANEL - 10 g Container Box - Medium 5/Beige

L'BEL

EFFET PARFAIT

Long lasting compact powder SPF 15

Net wt. 0.35 oz. e (10 g)



L'BEL
EFFET PARFAIT
 Long lasting compact powder SPF 15

Net wt. 0.35 oz. e (10 g)

Drug Facts

Active Ingredients

Titanium Dioxide 5.75 %
 Zinc Oxide 4.90 %

Purpose

Sunscreen
 Sunscreen

Drug Facts (continued)

Uses: ■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if you experience a rash or severe irritation. ■ For more information, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.


Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Mica, dimethicone, polydimethylsiquorane, zinc stearate, indinmethyol hexylacetate, croscopolmer, trimethylsilyloxyethylacetate, caprylic/capric triglyceride, perfluorodecyl triethoxysilane, tocopheryl acetate, hydrogen dimethicone, phenoxylethanol, cetyl ppg-10/1 dimethicone, polyglyceryl-3 stearate, alumina, n-hexyl butane, fragrance, caprylyl glycol, cinnamyl methacrylate, thioxyacetamide, caprophenol, ceramide 3, ethylhexylglycerin, polybutene-1, ethylhexylglycerin, ethylhexylglycol, carbocollin, hydroxyethyl acrylate, hydroxyethyl acrylate, chloroform, diisobutyl dimethyl silyloxyacetate, titanium dioxide, alpha-isomethyl ionone. May contain: iron oxides, titanium dioxide.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926, Made in Colombia, U.S.A.: Dist. by Ventura Inc. Ltd, DBA B&B Corp USA, Miami, FL 33126, Made in Colombia.

PRINCIPAL DISPLAY PANEL - 10 g Container Box - Medium 6/Beige

L'BEL
 EFFET PARFAIT
 Long lasting compact powder SPF 15
 Net wt. 0.35 oz. e (10 g)



L'BEL
EFFET PARFAIT
 Long lasting compact powder SPF 15

Net wt. 0.35 oz. e (10 g)

Drug Facts

Active Ingredients
 Titanium Dioxide 5.75 %
 Zinc Oxide 4.90 %

Purpose
 Sunscreen

Drug Facts (continued)

Uses: ■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ Do not use on damaged or broken skin. ■ **When using this product keep out of eyes.** Rinse with water to remove. ■ **Stop use and ask a doctor if you experience a rash or severe skin irritation that does not go away.** ■ **Get medical help or contact a Poison Control Center right away.**

Directions: ■ **Apply liberally and evenly 15 minutes before sun exposure.** ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.


Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Mica, dimethicone, polyethylsilsesquioxane, zinc stearate, indinmethyld hexylacetate crosspolymer, trimethylsilylsilicate, caprylic/capric triglyceride, perfluorodecyl triethoxysilane, tocopheryl acetate, hydrogen dimethicone, phenoxylethanol, cetyl ppg-9-10/1 dimethicone, polyglyceryl-4 stearate, alumina, n-hexyl butane, fragrance, caprylyl glycol, cinnamyl methacrylate, thioxyacetamide, caprophenol, ceramide 3, butylparaben, hydroxyethylparaben, hydroxyphenylparaben, ethylhexyl salicylate, hydroxyethylparaben, chloroform, ethanol, alpha-isomerthyl isonone. **May contain:** iron oxides, titanium dioxide.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926, Made in Colombia, U.S.A.: Dist. by Ventura Inc. Ltd, DBA B&B Corp USA, Miami, FL 33126, Made in Colombia.

PRINCIPAL DISPLAY PANEL - 10 g Container Box - Obscure 8/Beige

L'BEL
 EFFET PARFAIT
 Long lasting compact powder SPF 15
 Net wt. 0.35 oz. e (10 g)



L'BEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 CLAIRE 1/BEIGE

titanium dioxide and zinc oxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-132
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9 V2JP) (Titanium Dioxide - UNII:15FIX9 V2JP)	Titanium Dioxide	0.0575 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.049 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ZINC STEARATE (UNII: H92E6QA4FV)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	

MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
PERFLUOROOCTYL TRIETHOXY SILANE (UNII: 814P46684U)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
ALUMINUM OXIDE (UNII: LM26O6933)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CHLORPHENESIN (UNII: I670DAL4SZ)
CERAMIDE NP (UNII: 4370DF050B)
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXYALDEHYDE (UNII: QUE43B9Z2Q)
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)
GERANIOL (UNII: L837I08USY)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-132-02	1 in 1 BOX	08/18/2018	
1	NDC:14783-132-01	12 g in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:14783-132-04	1 in 1 BOX	08/18/2018	
2	NDC:14783-132-03	10 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/18/2018	

LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 CLAIRE 2/BEIGE

titanium dioxide and zinc oxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-133
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0575 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.049 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ZINC STEARATE (UNII: H92E6QA4FV)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PERFLUOROCTYL TRIETHOXY SILANE (UNII: 814P46684U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
ALUMINUM OXIDE (UNII: LM26O6933)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CERAMIDE NP (UNII: 4370DF050B)	
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)	
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXYALDEHYDE (UNII: QUE43B9Z2Q)	
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
GERANIOL (UNII: L837108USY)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-133-02	1 in 1 BOX	08/18/2018	
1	NDC:14783-133-01	12 g in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:14783-133-04	1 in 1 BOX	08/18/2018	
2	NDC:14783-133-03	10 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/18/2018	

LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 CLAIRE 3/BEIGE

titanium dioxide and zinc oxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-134
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0575 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.049 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ZINC STEARATE (UNII: H92E6QA4FV)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PERFLUORO OCTYL TRIETHOXY SILANE (UNII: 814P46684U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
ALUMINUM OXIDE (UNII: LM26O6933)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CERAMIDE NP (UNII: 4370DF050B)	
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)	
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXYALDEHYDE (UNII: QUE43B9Z2Q)	
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
GERANIOL (UNII: L837108USY)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-134-02	1 in 1 BOX	08/18/2018	
1	NDC:14783-134-01	12 g in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:14783-134-04	1 in 1 BOX	08/18/2018	
2	NDC:14783-134-03	10 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/18/2018	

LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 CLAIRE 4/BEIGE

titanium dioxide and zinc oxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-135
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0575 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.049 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ZINC STEARATE (UNII: H92E6QA4FV)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PERFLUOROOCTYL TRIETHOXY SILANE (UNII: 814P46684U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
ALUMINUM OXIDE (UNII: LM26O6933)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CERAMIDE NP (UNII: 4370DF050B)	
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)	
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXYALDEHYDE (UNII: QUE43B9Z2Q)	
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
GERANIOL (UNII: L837108USY)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-135-02	1 in 1 BOX	08/18/2018	
1	NDC:14783-135-01	12 g in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:14783-135-04	1 in 1 BOX	08/18/2018	
2	NDC:14783-135-03	10 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/18/2018	

LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 MEDIUM 5/BEIGE

titanium dioxide and zinc oxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-136
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0575 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.049 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ZINC STEARATE (UNII: H92E6QA4FV)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PERFLUOROOCTYL TRIETHOXY SILANE (UNII: 814P46684U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
ALUMINUM OXIDE (UNII: LM26O6933)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CERAMIDE NP (UNII: 4370DF050B)	
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)	
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXYALDEHYDE (UNII: QUE43B9Z2Q)	
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
GERANIOL (UNII: L837108USY)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-136-02	1 in 1 BOX	08/18/2018	
1	NDC:14783-136-01	12 g in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:14783-136-04	1 in 1 BOX	08/18/2018	
2	NDC:14783-136-03	10 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/18/2018	

LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 MEDIUM 6/BEIGE

titanium dioxide and zinc oxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-137
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0575 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.049 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ZINC STEARATE (UNII: H92E6QA4FV)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PERFLUOROOCTYL TRIETHOXY SILANE (UNII: 814P46684U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
ALUMINUM OXIDE (UNII: LM26O6933)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CERAMIDE NP (UNII: 4370DF050B)	
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)	
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXYALDEHYDE (UNII: QUE43B9Z2Q)	
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)	
.BETA.-CITRONELLOL, (R)- (UNII: P010UT964K)	

GERANIOL (UNII: L837108USY)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-137-02	1 in 1 BOX	08/18/2018	
1	NDC:14783-137-01	12 g in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:14783-137-04	1 in 1 BOX	08/18/2018	
2	NDC:14783-137-03	10 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/18/2018	

LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 MEDIUM 7/BEIGE

titanium dioxide and zinc oxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-138
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0575 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.049 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ZINC STEARATE (UNII: H92E6QA4FV)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PERFLUOROOCTYL TRIETHOXYSILANE (UNII: 814P46684U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
ALUMINUM OXIDE (UNII: LM26O6933)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CHLORPHENESIN (UNII: I670DAL4SZ)
CERAMIDE NP (UNII: 4370DF050B)
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXYALDEHYDE (UNII: QUE43B9Z2Q)
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)
GERANIOL (UNII: L837108USY)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-138-02	1 in 1 BOX	08/18/2018	
1	NDC:14783-138-01	12 g in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:14783-138-04	1 in 1 BOX	08/18/2018	
2	NDC:14783-138-03	10 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/18/2018	

LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 OBSCURE 8/BEIGE

titanium dioxide and zinc oxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-139
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0575 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.049 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ZINC STEARATE (UNII: H92E6QA4FV)	

HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
PERFLUOROOCTYL TRIETHOXY SILANE (UNII: 814P46684U)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
ALUMINUM OXIDE (UNII: LM26O6933)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CHLORPHENESIN (UNII: I670DAL4SZ)
CERAMIDE NP (UNII: 4370DF050B)
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXYALDEHYDE (UNII: QUE43B9Z2Q)
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)
GERANIOL (UNII: L837108USY)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-139-02	1 in 1 BOX	08/18/2018	
1	NDC:14783-139-01	12 g in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:14783-139-04	1 in 1 BOX	08/18/2018	
2	NDC:14783-139-03	10 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/18/2018	

LBEL EFFET PARFAIT LONG LASTING COMPACT SPF 15 OBSCURE 9/BEIGE

titanium dioxide and zinc oxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-151
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0575 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.049 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ZINC STEARATE (UNII: H92E6QA4FV)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PERFLUORO OCTYL TRIETHOXY SILANE (UNII: 814P46684U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
ALUMINUM OXIDE (UNII: LM26O6933)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CERAMIDE NP (UNII: 4370DF050B)	
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)	
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXYALDEHYDE (UNII: QUE43B9Z2Q)	
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
GERANIOL (UNII: L837108USY)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-151-02	1 in 1 BOX	08/18/2018	
1	NDC:14783-151-01	12 g in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:14783-151-04	1 in 1 BOX	08/18/2018	
2	NDC:14783-151-03	10 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/18/2018	

Labeler - Ventura International LTD (603192787)

Establishment

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(14783-132, 14783-133, 14783-134, 14783-135, 14783-136, 14783-137, 14783-138, 14783-139, 14783-151)

