MILK OF MAGNESIA ORIGINAL- magnesium hydroxide liquid MAJOR Pharmaceuticals Inc.

major mom

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- usually produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug.

This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a

Poison Control Center right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL contains: magnesium 500 mg
- store at room temperature and avoid freezing
- close cap tightly after use

Inactive ingredients

purified water, sodium hypochlorite

Questions or comments? 800-616-2471

package Label

NDC 0904-0788-14 MAJOR

Milk of Magnesia

Saline Laxative

ORIGINAL FLAVOR effective overnight relief

cramp free

stimulant free

sugar free

compare to the active ingredient of Phillips' milk of magnesia

12 FL OZ (355 mL)

MAJOR®

NDC 0904-0788-14

Milk of Magnesia

Saline Laxative

ORIGINAL FLAVOR

- · Effective overnight relief
- Cramp free
- Stimulant free
- Sugar free



Compare to the Active Ingredient of Phillips'® Milk of Magnesia*

12 FL OZ (355 mL)

Rev 03/17 226-19112-5

Drug Facts

TAMPER-EVIDENT: Do not use if imprinted neckband is missing or broken.

Active ingredient (in each 15 mL) Magnesium hydroxide 1200 mg

Purpose Saline laxative

relieves occasional constipation (irregularity)

usually produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have • kidney disease • a magnesium-restricted diet stomach pain, nausea, or vomiting
 a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- · you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- · you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- . shake well before use
- . do not exceed the maximum recommended daily dose in a 24 hour period
- · dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- · drink a full glass (8 oz) of liquid with each dose

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

- Other information each 15 mL contains: magnesium 500 mg
 - store at room temperature and avoid freezing
 - · close cap tightly after use.

Inactive ingredients purified water, sodium hypochlorite

Questions or comments? 800-616-2471

Distributed by Major® Pharmaceuticals 17177 N Laurel Park Drive, Suite 233 Livonia, MI 48152

*This product is not manufactured or distributed by the owner of the registered trademark Phillips'® Milk of Magnesia. M-99

Re-Order No. 002670 926-19112-6 Rev. 02/17

MILK OF MAGNESIA ORIGINAL

magnesium hydroxide liquid

Product Information

Product Type HUMAN OTC DRUG NDC:0904-0788 Item Code (Source)

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838. HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)		

F	Packaging				
#	# Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:0904-0788- 14	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2017	12/01/2021	
2	NDC:0904-0788- 16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2017		

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/08/2010	

Labeler - MAJOR Pharmaceuticals Inc. (191427277)

Registrant - GCP Laboratories (965480861)

Establishment					
Name	Address	ID/FEI	Business Operations		
GCP Laboratories		965480861	manufacture(0904-0788)		

Revised: 11/2023 MAJOR Pharmaceuticals Inc.