

**MILK OF MAGNESIA ORIGINAL- magnesium hydroxide liquid**  
**MAJOR Pharmaceuticals Inc.**

-----  
**major mom**

**Active ingredient (in each 15 mL tablespoonful)**

Magnesium hydroxide 1200 mg

**Purpose**

Saline laxative

**Use**

- relieves occasional constipation (irregularity)
- usually produces bowel movement in 1/2 to 6 hours

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

**Ask a doctor or pharmacist before use if you are** taking a prescription drug.

This product may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a

Poison Control Center right away 1-800-222-1222.

**Directions**

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed

by a doctor

- drink a full glass (8 oz) of liquid with each dose

age	dose
adults and children 12 years and older	2 to 4 tablespoonfuls
children 6 to 11 years	1 to 2 tablespoonfuls
children under 6 years	ask a doctor

### **Other information**

- **each 15 mL contains:** magnesium 500 mg
- store at room temperature and avoid freezing
- close cap tightly after use

### **Inactive ingredients**

purified water, sodium hypochlorite

### **Questions or comments?**

**1-800-540-3765**

### **package Label**

# MAJOR<sup>®</sup>

NDC 0904-0788-16

compare to the active ingredient of Phillips<sup>®</sup> Milk of Magnesia<sup>\*</sup>

# milk of magnesia

## magnesium hydroxide 1200 mg saline laxative

original flavor

- effective overnight relief
- cramp free
- stimulant free
- sugar free



### 16 fl oz (473 mL)

Rev 04/25  
226-19111-6

### Drug Facts

**TAMPER-EVIDENT: Do not use if imprinted neckband is missing or broken.**

Active ingredient (in each 15 mL tablespoonful)	Purpose
Magnesium hydroxide 1200 mg	Saline laxative

**Use**

- relieves occasional constipation (irregularity)
- usually produces bowel movement in ½ to 6 hours

#### Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have • kidney disease • a magnesium-restricted diet • stomach pain, nausea, or vomiting • a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away 1-800-222-1222

#### Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

age	dose
adults and children 12 years and older	2 to 4 tablespoonfuls
children 6 to 11 years	1 to 2 tablespoonfuls
children under 6 years	ask a doctor

**Other information** • each 15 mL tablespoonful contains: magnesium 500 mg • store at room temperature and avoid freezing • close cap tightly after use

**Inactive ingredients** purified water, sodium hypochlorite

**Questions or comments?** 1-800-540-3765

Distributed by: MAJOR<sup>®</sup> PHARMACEUTICALS  
Indianapolis, IN 46268  
(800)-616-2471  
www.major-rugby.com  
Re-Order No. 002672 M-99  
926-19111-6 Rev 04/25

\*This product is not manufactured or distributed by the owner of the registered trademark Phillips<sup>®</sup> Milk of Magnesia.



## MILK OF MAGNESIA ORIGINAL

magnesium hydroxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0904-0788
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM HYPOCHLORITE</b> (UNII: DY38VHM5OD)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-0788-14	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2017	12/01/2021
2	NDC:0904-0788-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/08/2010	

**Labeler** - MAJOR Pharmaceuticals Inc. (191427277)

**Registrant** - GCP Laboratories (965480861)

## Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(0904-0788)

Revised: 12/2025

MAJOR Pharmaceuticals Inc.