

SUNLEYA AGE MINIMIZING SUN CARE SPF 15- avobenzone, octinoxate, octisalate, oxybenzone cream
C.F.E.B. Sisley

SUNLEYA Age minimizing sun care SPF 15

Drug Facts

Active ingredients

Avobenzone 3 % Octinoxate 5 % Octisalate 5 % Oxybenzone 4 %

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: ask a doctor.
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: **Sun Protection Measures:**
- Limit time in the sun especially from 10 am to 2 pm.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

Other information

Protect the product in this container from excessive heat or direct sun.

Inactive ingredients

water, diisopropyl sebacate, butyrospermum parkii (shea butter), glycerin, cetearyl alcohol, physalis alkekengi calyx extract, arachidyl alcohol, rhodochrosite extract, cucumis sativus (cucumber) fruit extract, stearyl alcohol, styrene/acrylates copolymer, behenyl alcohol, phenoxyethanol, propylene glycol, dimethicone, cetearyl glucoside, arachidyl glucoside, caprylyl glycol, 1,2-hexanediol, tocopheryl acetate, polyacrylamide, cetareth-33, pentylene glycol, allantoin, thymus mastichina flower oil, c13-14 isoparaffin, peg-8 laurate, sorbic acid, arginine, salvia officinalis (sage) oil, laureth-7, bht, potassium sorbate, linalool, limonene

SUNLEYA Age minimizing sun care Sunscreen Cream Broad Spectrum SPF 15 sisley PARIS NET WT. 1.7 OZ. 50,3 g CREATIONS HUBERT ISABELLE D'ORNANO Sisley USA 7 Renaissance Square, 3rd Floor, White Plains, NY 10601 Anti-aging sun care SPF 15. Face, neck decollete. Exclusive synergy of active ingredients for a triple anti-aging shield during sun exposure: Filtration absorbs 90% of UVA-UVB* rays. Also includes combination of anti-oxidants + DNA cellular protection*. Helps prevent lines, age spots, slackening. Gives a growing and long lasting tan. *

in vitro tests

Product Labels

SUNLEÿA

Age minimizing
sun care

Sunscreen Cream
Broad Spectrum

SPF 15

sisley
PARIS

NET WT. 1.7 OZ. 50,3 g

Active ingredients: Avobenzone 3%,
Octinoxate 5%, Octisalate 5%,
Oxybenzone 4%.

Please see outer container for Drugs
Facts Information.

Distributed by:

C.F.E.S. **sisley**

75008 PARIS - FRANCE

Made in France

www.sisley-usa.com





SUNLEÿA

Age minimizing sun care

Sunscreen cream
Broad spectrum

SPF 15

SUNLEÿA

Age minimizing
sun care

Sunscreen Cream
Broad Spectrum

SPF 15

sisley
PARIS

NET WT. 1.7 OZ. 50,3 g

CREATIONS
HUBERT ISABELLE D'ORNANO

Sisley USA
7 Renaissance Square, 3rd Floor
White Plains, NY 10601

Distributed by:

C.F.E.B. sisley

16, avenue George V - 75008 PARIS - FRANCE

www.sisley-usa.com

Made in France

REF: 1 68322

Drug Facts

| Active ingredients | Purpose |
|--|-----------|
| Avobenzone 3% Octinoxate 5% Octisalate 5% Oxybenzone 4% | Sunscreen |

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun especially from 10 am to 2 pm.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.

Other information

Protect the product in this container from excessive heat or direct sun.

Inactive ingredients

water, diisopropyl sebacate, butyrospermum parkii (shea butter), glycerin, cetearyl alcohol, physalis alkakengi calyx extract, arachidyl alcohol, rhodochrosite extract, cucumis sativus (cucumber) fruit extract, stearyl alcohol, styrene/acrylates copolymer, behenyl alcohol, phenoxyethanol, propylene glycol, potassium cetyl phosphate, dimethicone, cetearyl glucoside, arachidyl glucoside, caprylyl glycol, 1,2-hexanediol, tocopheryl acetate, polyacrylamide, cetareth-33, pentylene glycol, allantoin, thymus mastichina flower oil, c13-14 isoparaffin, peg-8 laurate, sorbic acid, arginine, salvia officinalis (sage) oil, tetrasodium edta, laureth-7, bht, potassium sorbate, linalool, limonene.

Anti-aging sun care SPF 15. Face, neck, decollete. Exclusive synergy of active ingredients for a triple anti-aging shield during sun exposure: Filtration absorbs 90% of UVA-UVB* rays. Also includes combination of anti-oxidants + DNA cellular protection*. Helps prevent lines, age spots, slackening. Gives a glowing and long lasting tan.

* in vitro tests.



Ce produit ne peut être vendu que par les détaillants agréés. This product may be sold only by dealers authorized by Silex.

naturel fragrance

NATURELS DE PLANTES

FW 350703A
REV 0001
USA/OTC

SUNLEYA AGE MINIMIZING SUN CARE SPF 15

avobenzone, octinoxate, octisalate, oxybenzone cream

| Product Information | | | |
|---------------------------------|------------------------|---------------------------|-----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:66097-002 |
| Route of Administration | TOPICAL | | |
| Active Ingredient/Active Moiety | | | |
| | Ingredient Name | Basis of Strength | Strength |

| | | |
|---|------------|--------------|
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 30 mg in 1 g |
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 50 mg in 1 g |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 50 mg in 1 g |
| OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y) | OXYBENZONE | 40 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| WATER (UNII: 059QF0KO0R) | |
| DIISOPROPYL SEBACATE (UNII: J8T3X564IH) | |
| SHEANUT OIL (UNII: O88E196QRF) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S) | |
| PHYSALIS ALKEKENGII CALYX (UNII: AL7F9NO9HR) | |
| ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU) | |
| MANGANESE CARBONATE (UNII: 9ZV57512ZM) | |
| CUCUMBER (UNII: YY7C30VXJT) | |
| STEARYL ALCOHOL (UNII: 2KR89I4H1Y) | |
| DOCOSANOL (UNII: 9G1OE216XY) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CETEARYL GLUCOSIDE (UNII: 09FUA47KNA) | |
| ARACHIDYL GLUCOSIDE (UNII: 6JVV35JOOJ) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| CETEARETH-33 (UNII: R42C2O714B) | |
| PENTYLENE GLYCOL (UNII: 50C1307PZG) | |
| ALLANTOIN (UNII: 344S277G0Z) | |
| THYMUS MASTICHINA FLOWERING TOP OIL (UNII: 9NP0832457) | |
| C13-14 ISOPARAFFIN (UNII: E4F12ROE70) | |
| PEG-8 LAURATE (UNII: 762O8IWA10) | |
| SORBIC ACID (UNII: X045WJ989B) | |
| ARGININE (UNII: 94ZLA3W45F) | |
| SAGE OIL (UNII: U27K0H1H2O) | |
| EDETATE SODIUM (UNII: MP1J8420LU) | |
| LAURETH-7 (UNII: Z95S6G8201) | |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| LINALOOL, (+/-)- (UNII: D81QY6I88E) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:66097-002-50 | 1 in 1 BOX | 01/21/2013 | |
| 1 | | 50.3 g in 1 BOTTLE; Type 0: Not a Combination | | |

| Product | | | |
|------------------------------|--|----------------------|--------------------|
| Marketing Information | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M020 | 01/21/2013 | |

Labeler - C.F.E.B. Sisley (262279246)

Revised: 12/2024

C.F.E.B. Sisley