# ASPIRIN- as pirin tablet, delayed release SPIRIT PHARMACEUTICALS LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **ASPIRIN**

**Drug Facts** 

# Active ingredient (in each tablet)

Aspirin 81mg (NSAID)\*

\*nonsteroidal anti-inflammatory drug

# Purpose

Pain reliever

#### Uses

- for the temporary relief of minor aches and pains or as recommended by your doctor. **Because of its delayed action, this product will not provide fast relief of headaches, fever or other symptoms needing immediate relief.**
- ask your doctor about other uses for Aspirin 81 mg

## **Warnings**

# Reye's syndrome

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

## Allergy alert

Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

# Stomach bleeding warning

This product contains an NSAID, which may cause stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product

• take more or for a longer time than directed

Do not use if you are allergic to aspirin or any other pain reliever/fever reducer

#### Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

# **Ask a doctor or pharmacist before use if you are** taking a prescription drug for:

- gout
- diabetes
- arthritis

## Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical right away.
- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- redness or swelling is present
- new symptoms occur
- ringing in the ears or a loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- drink a full glass of water with each dose
- adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years: consult a doctor

## Other information

- each tablet contains: sodium 0.36 mg
- store at room temperature

## **Inactive ingredients**

acrycoat, colloidal silicon dioxide, croscarmellose sodium, D&C yellow #10, lactose, microcrystalline cellulose, polysorbate 80, sodium hydroxide, talc, titanium dioxide, triethyl citrate, yellow oxide of iron

#### Questions or comments?

1-888-333-9792

Compare to the active ingredient in

Bayer® Low Dose Aspirin Regimen\*\*

**ASPIRIN** 

ADULT LOW STRENGTH

PAIN RELIEVER

ASPIRIN 81 mg

(NSAID)\*

120 TABLETS

ENTERIC SAFETY COATED



# **ASPIRIN**

aspirin tablet, delayed release

			. •	
Prod	nct	Into	rmation	

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:68210-5100

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

	0	<i>5</i>		
	Ingre	dient Name	Basis of Strength	Strength
ASPIRIN (	UNII: R16CO5Y76E) (ASPIRIN	N - UNII:R16CO5Y76E)	ASPIRIN	81 mg

Inactive Ingredients				
Ingredient Name	Strength			
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)				
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)				
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)				
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)				
CELLULO SE, MICRO CRYSTALLINE (UNII: OP1R32D61U)				
POLYSORBATE 80 (UNII: 6OZP39ZG8H)				
SO DIUM HYDRO XIDE (UNII: 55X04QC32I)				
TALC (UNII: 7SEV7J4R1U)				
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)				
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)				
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)				
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)				

Product Characteristics				
Color	ye llo w	Score	no score	
Shape	ROUND	Size	8 m m	
Flavor		Imprint Code	81	
Contains				

l	Packaging				
l	# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
ı	1 NDC:68210-5100-1	1 in 1 CARTON	03/10/2020		
ı	1	120 in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part343	03/10/2020		

# Labeler - SPIRIT PHARMACEUTICALS LLC (179621011)

Establishment				
Name	Address	ID/FEI	Business Operations	
ELYSIUM PHARMACEUTICALS LTD		915664486	manufacture(68210-5100)	

Revised: 3/2020 SPIRIT PHARMACEUTICALS LLC