

CLARITIN- loratadine tablet
Select Corporation

Claritin®

Drug Facts

Active ingredient (in each tablet)

Loratadine, USP 10 mg

Purpose

Antihistamine

Uses

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

| | |
|--|--|
| adults and children 6 years and over | 1 tablet daily; not more than 1 tablet in 24 hours |
| children under 6 years of age | ask a doctor |
| consumers with liver or kidney disease | ask a doctor |

Other information

- store at 20° to 25°C (68° to 77°F) (see USP Controlled Room Temperature)

Inactive ingredients

lactose monohydrate, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

Questions or comments?

1-800-CLARITIN (1-800-252-7484) or www.claritin.com

Dist by: Bayer HealthCare LLC
Whippany, NJ 07981

PRINCIPAL DISPLAY PANEL - 10 mg Pouch Blister Pack

Non-Drowsy*

Claritin®

loratadine tablets 10 mg/antihistamine

Original Prescription Strength

24

Hour

Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Indoor & Outdoor

Allergies

*When taken as directed.

See Drug Facts Panel.

1 Tablet

CLARITIN

loratadine tablet

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|-------------------------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:52904-630(NDC:11523-7160) |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------|
| loratadine (UNII: 7AJ03BO7QN) (loratadine - UNII:7AJ03BO7QN) | loratadine | 10 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| lactose monohydrate (UNII: EWQ57Q8I5X) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| magnesium stearate (UNII: 70097M6I30) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|----------------|
| Color | WHITE | Score | no score |
| Shape | ROUND | Size | 6mm |
| Flavor | | Imprint Code | 458;Claritin10 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:52904-630-03 | 1 in 1 BLISTER PACK | 12/15/2011 | |
| 1 | | 1 in 1 POUCH; Type 0: Not a Combination Product | | |
| 2 | NDC:52904-630-20 | 20 in 1 CARTON | 12/15/2011 | |
| 2 | | 1 in 1 POUCH; Type 0: Not a Combination Product | | |
| 3 | NDC:52904-630-25 | 25 in 1 CARTON | 12/15/2011 | |
| 3 | | 1 in 1 POUCH; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NDA | NDA019658 | 12/15/2011 | |

Labeler - Select Corporation (053805599)

Revised: 6/2022

Select Corporation