

SORE THROAT CHERRY- phenol spray

Walgreens

Drug Facts

Active ingredient

Phenol 1.4%

Purpose

Oral Anesthetic/Analgesic

Uses

for the temporarily relief of occasional minor irritation, pain, sore mouth, and sore throat

Warnings

Sore throat warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days.

**When using this product,
do not exceed recommended dose.**

Stop use and ask a dentist or doctor if

- sore throat is severe, or lasts for more than 2 days
- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsen
- fever, headache, rash, swelling, nausea or vomiting develops

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If more than used for minor mouth or throat pain is accidentally swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 2 years of age and older
 - apply to affected area (one spray)
 - allow to remain in place for at least 15 seconds, then spit out
 - use every 2 hours as directed by a dentist or doctor

- children under 12 years of age should be supervised in the use of this product
- children under 2 years of age, consult a dentist or doctor

Other information

- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

alcohol, FD&C red #40, flavor, glycerin, purified water, saccharin sodium anhydrous

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Chloraseptic®††

SORE THROAT SPRAY

Oral Relief

PHENOL 1.4% / ORAL ANESTHETIC / ANALGESIC

Fast Acting Long Lasting

- Relief of minor sore throat & mouth pain
- Alcohol 0.10%

CHERRY FLAVOR

FL OZ (mL)

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SHRINK BAND IS BROKEN OR MISSING. FOR LOT AND EXPIRATION DATE SEE BOTTOM OF BOTTLE KEEP CAP ON WHEN NOT IN USE.

††This product is not manufactured or distributed by Prestige Consumer Healthcare Inc., distributor of Chloraseptic®.

DISTRIBUTED BY: WALGREEN CO.

DEERFIELD, IL 60015

Package Label

SEALED FOR SAFETY

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SHRINK BAND IS BROKEN OR MISSING. FOR LOT AND EXPIRATION DATE, SEE BOTTOM OF BOTTLE. KEEP CAP ON WHEN NOT IN USE.

¹Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

¹⁷This product is not manufactured or distributed by Prestige Consumer Healthcare, Inc., distributor of Chloraseptic[®].

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2024 Walgreen Co.
PRODUCT OF CANADA

W3ORG1024-F
REV-1124
NDC 0363-0376-06



ITEM 366590 W10819-1124-D

3 1191717006 0

PLD-1317C SE000964

Walgreens Compare to the active ingredient in Chloraseptic[®]

SORE THROAT SPRAY
Oral Relief
PHENOL 1.4% / ORAL ANESTHETIC / ANALGESIC

Fast Acting **Long Lasting**

- Relief of minor sore throat & mouth pain
- Alcohol 0.10%

6 FL OZ (177 mL) Cherry flavor

Drug Facts	
Active ingredient Phenol 1.4%	Purpose Oral anesthetic/Analgesic
Uses for the temporary relief of occasional minor irritation, pain, sore mouth, and sore throat	
Warnings Sore throat warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days. When using this product, do not exceed recommended dose. Stop use and ask a dentist or doctor if <ul style="list-style-type: none"> ■ sore throat is severe, or lasts for more than 2 days ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain or redness persists or worsens ■ fever, headache, rash, swelling, nausea or vomiting develops 	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If more than used for minor mouth or throat pain is accidentally swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Directions <ul style="list-style-type: none"> ■ adults and children 2 years of age and older: <ul style="list-style-type: none"> ■ apply to affected area (one spray) ■ allow to remain in place for at least 15 seconds, then spit out ■ use every 2 hours or as directed by a dentist or doctor ■ children under 12 years of age should be supervised in the use of this product ■ children under 2 years of age: consult a dentist or doctor 	
Other information <ul style="list-style-type: none"> ■ store between 20-25°C (68-77°F). Do not refrigerate. 	
Inactive ingredients alcohol, FD&C red no. 40, flavor, glycerin, purified water, saccharin sodium anhydrous	
Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	

WALGREENS Sore Throat Spray Cherry Flavor

SORE THROAT CHERRY

phenol spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0376
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENOL (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)	PHENOL	1.4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0376-06	177 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	08/31/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	08/31/2014	

Labeler - Walgreens (008965063)

Revised: 12/2024

Walgreens