

**CARPE ANTIPERSPIRANT FOR HANDS- aluminum sesquichlorohydrate lotion  
Cosco International, Inc.**

-----  
**Drug Facts**

**Active Ingredient**

**Purpose**

Aluminum Sesquichlorohydrate 15% .....Antiperspirant

Anti-perspirant

**Use**

- Reduces perspiration

**Warnings**

**For external use only**

**Do not use**

- on broken or irritated skin

**Stop use and ask a doctor if**

- rash or irritation occurs

**Ask doctor before use if**

- you have kidney disease

**Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- Wash and dry hands thoroughly before application
- Apply a small, pea-sized amount of Carpe to palms
- Rub palms together vigorously for a minimum of 15 seconds
- For best results, apply every night before bed and an additional two times per day for at least four weeks

**Inactive ingredients**

Aqua (Water), C12-15 Alkyl Benzoate, Citric Acid, Dimethicone, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Hydroxypropyl Methylcellulose, Isopropyl Alcohol, Isopropyl Myristate, Phenoxyethanol, Polysorbate-20, Silica, Silica Silylate, Sodium Hydroxide, Talc

**Questions?**

Call 888-621-0135

Distributed by:  
Carpe  
Durham, NC 27701  
Filled in USA  
help@mycarpe.com



carpe

### Drug Facts

Active Ingredient	Purpose
Aluminum Sesquichlorohydrate (15%)	Anti-perspirant

**Use**  
▪ Reduces perspiration

**Warnings**  
*For external use only*

**Do not use**  
▪ on broken or irritated skin

**Stop use and ask a doctor if**  
▪ rash or irritation occurs

**Ask doctor before use if**  
▪ you have kidney disease

**Keep out of reach of children**  
▪ If swallowed, get medical help or contact  
a Poison Control Center right away

**Directions**  
▪ Wash and dry hands thoroughly before application  
▪ Apply a small, pea-sized amount of Carpe to palms  
▪ Rub palms together vigorously for 15 seconds  
▪ For best results, apply every night before bed and an  
additional two times per day for at least four weeks

**Inactive Ingredients** Aqua (Water), C12-15 Alkyl  
Benzoate, Citric Acid, Dimethicone, Ethylhexylglycerin, Eucalyptus  
Globulus Leaf Oil, Glycerin, Hydroxypropyl Methylcellulose,  
Isopropyl Alcohol, Isopropyl Myristate, Phenoxyethanol,  
Polysorbate-20, Silica, Silica Silylate, Sodium Hydroxide, Talc

**Questions?** Call 888-621-0135

## ANTIPERSPIRANT HAND LOTION

APPLY 2X DAILY

1.35 FL OZ (40 ML)

# READY?

## LET'S STAND UP TO SWEAT THE RIGHT WAY



apply every morning



apply every night

## CONSISTENCY IS KEY!



It takes 4 weeks of consistent use to begin seeing full results

# WHY?

## Carpe was designed to reduce sweat every day.

But to do that, it needs to be used correctly. Applying twice a day (right before bed, and again before you head out in the morning) to clean and dry hands (wash them right before!) is critical, because the antiperspirant ingredient in Carpe needs time to slowly build up a barrier within your sweat glands, and reduce the amount of sweat coming to the surface.

## So why before bed?

It turns out that sweat glands tend to be least active at night, meaning that there will be less sweat pushing away Carpe's antiperspirant ingredient, allowing it more time to build the anti-sweat barrier.

## And why four weeks?

Research has shown that with consistent use, the antiperspirant ingredient is able to build a stronger and stronger barrier each day, with results continuing to improve up to four weeks of twice-daily use.

After that, it's important to keep using Carpe twice a day to maintain the anti-sweat barrier, and to maintain maximum results.

If you have any questions, we'd love to hear from you!

You can reach us at [help@mycarpe.com](mailto:help@mycarpe.com)



Drug Facts	
Active Ingredient	Purpose
Aluminum Sesquichlorohydrate (15%)	Anti-perspirant
<b>Use</b>	
<ul style="list-style-type: none"> <li>• Reduce perspiration</li> </ul>	
<b>Warnings</b>	
For external use only	
<b>Do not use</b>	
<ul style="list-style-type: none"> <li>• on broken or irritated skin</li> </ul>	
<b>Stop use and ask a doctor if</b>	
<ul style="list-style-type: none"> <li>• rash or irritation occurs</li> </ul>	
<b>Ask doctor before use if</b>	
<ul style="list-style-type: none"> <li>• you have kidney disease</li> </ul>	
<b>Keep out of reach of children</b>	
<ul style="list-style-type: none"> <li>• If swallowed, get medical help or contact a Poison Control Center right away</li> </ul>	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>• Wash and dry hands thoroughly before application</li> <li>• Apply a small, pea-sized amount of Carpe to palms</li> <li>• Rub palms together vigorously for 15 seconds</li> <li>• For best results, apply every night before bed and an additional two times per day for at least four weeks</li> </ul>	
<b>Inactive Ingredients</b> Aqua (Water), G14-15 (Al) Resinate, Citric Acid, Dimethicone, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Hydroxypropyl Methylcellulose, Isopropyl Alcohol, Isopropyl Myristate, Phenoxyethanol, Polyorbital-20, Silica, Silica Sulfide, Sodium Hydroxide, Talc	
<b>Questions?</b> Call 888-821-0135	

Distributed by:  
Carpe  
Durham, NC 27701  
Filled in USA

Questions?  
888-821-0135  
help@mycarpe.com

Head to mycarpe.com for more information

NDC: 52261-4701-3



## CARPE ANTIPERSPIRANT FOR HANDS

aluminum sesquichlorohydrate lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52261-4701
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Aluminum Sesquichlorohydrate</b> (UNII: UCN889409V) (ALUMINUM SESQUICHLOROHYDRATE - UNII:UCN889409V)	Aluminum Sesquichlorohydrate	0.15048 kg in 1 kg

## Inactive Ingredients

Ingredient Name	Strength
<b>water</b> (UNII: 059QF0KO0R)	
<b>isopropyl alcohol</b> (UNII: ND2M416302)	
<b>silicon dioxide</b> (UNII: ETJ7Z6XBU4)	
<b>HEXAMETHYLDISILAZANE</b> (UNII: H36C68P1BH)	
<b>talc</b> (UNII: 7SEV7J4R1U)	
<b>polysorbate 20</b> (UNII: 7T1F30V5YH)	
<b>dimethicone 350</b> (UNII: 2Y53S6ATLU)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>eucalyptus oil</b> (UNII: 2R04ONI662)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>hypromellose 2208 (60000 MPA.S)</b> (UNII: 2F7T07H9ZD)	
<b>sodium hydroxide</b> (UNII: 55X04QC32I)	
<b>citric acid monohydrate</b> (UNII: 2968PHW8QP)	
<b>ethylhexylglycerin</b> (UNII: 147D247K3P)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52261-4701-3	1 in 1 CARTON	04/19/2018	
1	NDC:52261-4701-1	0.0432 kg in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:52261-4701-2	0.001 kg in 1 PACKET; Type 0: Not a Combination Product	04/19/2018	01/01/2024

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M350	09/25/2017	

**Labeler** - Cosco International, Inc. (016433141)

**Registrant** - Cosco International, Inc. (016433141)

## Establishment

Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		016433141	manufacture(52261-4701) , label(52261-4701) , pack(52261-4701)

Revised: 1/2024

Cosco International, Inc.