

**CARPE ANTIPERSPIRANT FOR HANDS- aluminum sesquichlorohydrate lotion
Cosco International, Inc.**

Drug Facts

Active Ingredient

Purpose

Aluminum Sesquichlorohydrate 15%Antiperspirant

Anti-perspirant

Use

- Reduces perspiration

Warnings

For external use only

Do not use

- on broken or irritated skin

Stop use and ask a doctor if

- rash or irritation occurs

Ask doctor before use if

- you have kidney disease

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Wash and dry hands thoroughly before application
- Apply a small, pea-sized amount of Carpe to palms
- Rub palms together vigorously for a minimum of 15 seconds
- For best results, apply every night before bed and an additional two times per day for at least four weeks

Inactive ingredients

Aqua (Water), C12-15 Alkyl Benzoate, Citric Acid, Dimethicone, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Hydroxypropyl Methylcellulose, Isopropyl Alcohol, Isopropyl Myristate, Phenoxyethanol, Polysorbate-20, Silica, Silica Silylate, Sodium Hydroxide, Talc

Questions?

Call 888-621-0135

Distributed by:
Carpe
Durham, NC 27701
Filled in USA
help@mycarpe.com



carpe

Drug Facts

Active Ingredient	Purpose
Aluminum Sesquichlorohydrate (15%)	Anti-perspirant

Use

- Reduces perspiration

Warnings

For external use only

Do not use

- on broken or irritated skin

Stop use and ask a doctor if

- rash or irritation occurs

Ask doctor before use if

- you have kidney disease

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Wash and dry hands thoroughly before application
- Apply a small, pea-sized amount of Carpe to palms
- Rub palms together vigorously for 15 seconds
- For best results, apply every night before bed and an additional two times per day for at least four weeks

Inactive Ingredients Aqua (Water), C12-15 Alkyl Benzoate, Citric Acid, Dimethicone, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Hydroxypropyl Methylcellulose, Isopropyl Alcohol, Isopropyl Myristate, Phenoxyethanol, Polysorbate-20, Silica, Silica Silylate, Sodium Hydroxide, Talc

Questions? Call 888-621-0135

ANTIPERSPIRANT HAND LOTION

APPLY 2X DAILY

1.35 FL OZ (40 ML)

READY?

LET'S STAND UP TO SWEAT THE RIGHT WAY



apply every morning



apply every night

CONSISTENCY IS KEY!



It takes 4 weeks of consistent use to begin seeing full results

WHY?

Carpe was designed to reduce sweat every day.

But to do that, it needs to be used correctly. Applying twice a day (right before bed, and again before you head out in the morning) to clean and dry hands (wash them right before!) is critical, because the antiperspirant ingredient in Carpe needs time to slowly build up a barrier within your sweat glands, and reduce the amount of sweat coming to the surface.

So why before bed?

It turns out that sweat glands tend to be least active at night, meaning that there will be less sweat pushing away Carpe's antiperspirant ingredient, allowing it more time to build the anti-sweat barrier.

And why four weeks?

Research has shown that with consistent use, the antiperspirant ingredient is able to build a stronger and stronger barrier each day, with results continuing to improve up to four weeks of twice-daily use.

After that, it's important to keep using Carpe twice a day to maintain the anti-sweat barrier, and to maintain maximum results.

If you have any questions, we'd love to hear from you!

You can reach us at help@mycarpe.com



HOW TO USE
 Carpe works best as a daily regimen. Apply every morning and every night before bed – nightly application is key for effectiveness.

STEP 1
 Wash and dry your hands.

STEP 2
 Apply a pea-sized amount to your palm.

STEP 3
 Rub palms together for 15 seconds.

Note: Carpe takes four weeks of consistent twice-daily use to be fully effective.

Drug Facts	
Active Ingredient	Purpose
Aluminum Sesquichlorohydrate (15%)	Anti-perspirant
Use	
• Reduce perspiration	
Warnings	
For external use only	
Do not use	
• on broken or irritated skin	
Stop use and ask a doctor if	
• rash or irritation occurs	
Ask doctor before use if	
• you have kidney disease	
Keep out of reach of children	
• If swallowed, get medical help or contact a Poison Control Center right away	
Directions	
• Wash and dry hands thoroughly before application	
• Apply a small, pea-sized amount of Carpe to palms	
• Rub palms together vigorously for 15 seconds	
• For best results, apply every night before bed and an additional two times per day for at least four weeks	
Inactive Ingredients Aqua (Water), G14-15 (Methyl Benzoate, Citric Acid, Dimethicone, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Hydroxypropyl Methylcellulose, Isopropyl Alcohol, Isopropyl Myristate, Phenoxyethanol, Polyorbital-20, Silica, Silica Sulfide, Sodium Hydroxide, Talc)	
Questions? Call 888-821-0135	

Distributed by:
 Carpe
 Durham, NC 27701
 Filled in USA

Questions?
 888-821-0135
 help@mycarpe.com

Head to toe with Carpe Antiperspirant

NDC: 52261-4701-3



CARPE ANTIPERSPIRANT FOR HANDS

aluminum sesquichlorohydrate lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52261-4701
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Aluminum Sesquichlorohydrate (UNII: UCN889409V) (ALUMINUM SESQUICHLOROHYDRATE - UNII:UCN889409V)	Aluminum Sesquichlorohydrate	0.15048 kg in 1 kg

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
isopropyl alcohol (UNII: ND2M416302)	
silicon dioxide (UNII: ETJ7Z6XBU4)	
HEXAMETHYLDISILAZANE (UNII: H36C68P1BH)	
talc (UNII: 7SEV7J4R1U)	
polysorbate 20 (UNII: 7T1F30V5YH)	
dimethicone 350 (UNII: 2Y53S6ATLU)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
phenoxyethanol (UNII: HIE492ZZ3T)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
eucalyptus oil (UNII: 2R04ONI662)	
glycerin (UNII: PDC6A3C0OX)	
hypromellose 2208 (60000 MPA.S) (UNII: 2F7T07H9ZD)	
sodium hydroxide (UNII: 55X04QC32I)	
citric acid monohydrate (UNII: 2968PHW8QP)	
ethylhexylglycerin (UNII: 147D247K3P)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52261-4701-3	1 in 1 CARTON	04/19/2018	
1	NDC:52261-4701-1	0.0432 kg in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:52261-4701-2	0.001 kg in 1 PACKET; Type 0: Not a Combination Product	04/19/2018	01/01/2024

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M019	09/25/2017	

Labeler - Cosco International, Inc. (016433141)**Registrant** - Cosco International, Inc. (016433141)

Establishment

Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		016433141	manufacture(52261-4701) , label(52261-4701) , pack(52261-4701)

Revised: 3/2025

Cosco International, Inc.