

**FAMILY CARE HYDROCORTISONE- hydrocortisone ointment**  
**United Exchange Corp.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Family Care Anti-itch Relief Cream Hydrocortisone 1% 0.5oz 492,2019**

| Active ingredient      | Purpose   |
|------------------------|-----------|
| Hydrocortisone 1%..... | Anti-itch |

**Uses**

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
- eczema
- psoriasis
- poison ivy, oak, or sumac
- insect bites
- detergents
- jewelry
- cosmetics
- soaps
- seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advise and supervision of a doctor

**Warnings**

For external use only

**Do not use**

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

**When using this product**

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

**Stop use and ask a doctor if**

- conditions worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- for itching of skin irritation, inflammation, and rashes:
- for adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- for external anal and genital itching, adults
- when practical, clean the affected area with mild soap and water and rinse thoroughly

- gently dry by patting or blotting with toilet tissues or a soft cloth before applying
- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

Other information

- Store between 20° to 25°C (68° to 77°F)
- Lot No. & Exp. Date: see box or see crimp of tube

Inactive ingredients

butylated hydroxytoluene, cetanol, liquid paraffin, methylparaben, polyoxyethylene cetyether, propylene glycol, propylparaben, purified water, sorbitan monostearate, stearyl alcohol

Distributed by:

United Exchange Corp.

17211 Valley View Ave.

Cerritos CA, 90703 USA

Made in Korea

**FAMILY CARE™**

\*Compare to the active ingredient of **CORTAID®** Maximum Strength Cream

ITCH RELIEF

**Quickly Relieves Itching & Redness**

Temporarily Relieves Itching & Rashes Due to:

- Eczema
- Psoriasis
- Poison Ivy, Oak, or Sumac
- Insect Bites
- Seborrheic Dermatitis

Temporarily Relieves Itching & Rashes Due to:

- Eczema
- Psoriasis
- Poison Ivy, Oak, or Sumac
- Insect Bites
- Seborrheic Dermatitis

**MAXIMUM STRENGTH**


**HYDROCORTISONE**

1% ANTI-ITCH CREAM

NET WT 0.5 OZ (14 g)

Distributed by:  
 United Exchange Corp.  
 17211 Valley View Ave.  
 Cerritos, CA 90703 USA  
 www.ueccorp.com  
 Toll Free: 1 800 814 8028  
 Made in Korea

8 31527 00492 5



## FAMILY CARE HYDROCORTISONE

hydrocortisone ointment

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:65923-492 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength     |
|--|-------------------|--------------|
| HYDROCORTISONE (UNII: W14X0 X7BPJ) (HYDROCORTISONE - UNII:W14X0 X7BPJ) | HYDROCORTISONE    | 1 g in 100 g |

### Inactive Ingredients

| Ingredient Name                              | Strength |
|--|----------|
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0 Z171K) |          |
| PARAFFIN (UNII: I9O0E3H2ZE)                  |          |
| METHYL PARABEN (UNII: A2I8C7HI9T)            |          |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3)          |          |
| PROPYL PARABEN (UNII: Z8IX2SC1OH)            |          |
| WATER (UNII: 059QF0K00R)                     |          |
| SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)     |          |
| ALCOHOL (UNII: 3K9958V90M)                   |          |

### Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
|   |           |                     |                      |                    |

|                              |                           |   |                             |                           |
|------------------------------|---------------------------|---|-----------------------------|---------------------------|
| 1                            | NDC:65923-492-14          | 1 in 1 CARTON                                     | 11/24/2014                  |                           |
| 1                            |                           | 14 g in 1 TUBE; Type 0: Not a Combination Product |                             |                           |
| <b>Marketing Information</b> |                           |   |                             |                           |
|                              | <b>Marketing Category</b> | <b>Application Number or Monograph Citation</b>   | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|                              | OTC monograph not final   | part348   | 11/24/2014                  |                           |

**Labeler** - United Exchange Corp. (840130579)

Revised: 12/2019

United Exchange Corp.