

AVOBENZONE, HOMOSALATE, OCTISALATE- avobenzone, homosalate, octisalate lotion
Meijer, Inc.

Meijer D33.000/D33AA
Sheer Touch Sunscreen SPF 55

Active Ingredients

Avobenzone 3%

Homosalate 12%

Octisalate 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (See **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control right away.

Directions

- apply liberally 15 minutes before sun exposure

- apply to all skin exposed to the sun
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, diethylhexyl 2,6-naphthalate, styrene/acrylates copolymer, silica, butyloctyl salicylate, glyceryl stearate, PEG-100 stearate, dimethicone, potassium cetyl phosphate, benzyl alcohol, beeswax, caprylyl methicone, cetyl dimethicone, aluminum starch octenylsuccinate, behenyl alcohol, acrylates/C12-22 alkyl methacrylate copolymer, xanthan gum, sodium polyacrylate, chlorphenesin, dimethicone/PEG-10/15 crosspolymer, fragrance, ethylhexyl stearate, glycerin, disodium EDTA, tocopheryl acetate, BHT, trideceth-6, pentylene glycol, benzyl benzoate

Disclaimer

*This product is not manufactured or distributed by Johnson & Johnson Corporation, distributor of Neutrogena® Ultra Sheer Dry-Touch Sunscreen Broad Spectrum SPF 55.

May stain or damage some fabrics or surfaces.

Adverse Reaction

Questions

1-888-593-0593

DIST. BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com

OUR QUALITY GUARANTEE

www.meijer.com/satisfaction

PLASTIC TUBE

how2recycle.info

Principal display panel

meijer®

sheer touch

sunscreen lotion

BROAD SPECTRUM SPF 55

UVA/UVB SUNSCREEN

SPF 55

WATER RESISTANT (80 MINUTES)

CLEAN, LIGHTWEIGHT FEEL

DERMATOLOGIST TESTED

OXYBENZONE, OCTINOXATE AND OCTOCRYLENE FREE

COMPARE TO NEUTROGENA® ULTRA SHEER® SUNSCREEN BROAD SPECTRUM SPF 55*

3 FL OZ (88 mL)



meijer.
sheer touch
sunscreen lotion

BROAD SPECTRUM SPF 55
UVA/UVB SUNSCREEN

SPF 55

WATER RESISTANT (80 MINUTES)
CLEAN, LIGHTWEIGHT FEEL
DERMATOLOGIST TESTED
OXYBENZONE, OCTINOXATE
AND OCTOCRYLENE FREE

COMPARE TO NEUTROGENA® ULTRA SHEER®
SUNSCREEN BROAD SPECTRUM SPF 55*

3 FL OZ (88 mL)

*This product is not manufactured or distributed by Johnson & Johnson Corporation, distributor of Neutrogena® Ultra Sheer® Dry-Touch Sunscreen Broad Spectrum SPF 55. L00211231A Pat. Pend. May stain or damage some fabrics or surfaces

Drug Facts	
Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 12%	Sunscreen
Octisalate 5%	Sunscreen
Uses	
<ul style="list-style-type: none"> helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> apply liberally 15 minutes before sun exposure apply to all skin exposed to the sun reapply: <ul style="list-style-type: none"> after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> limit time in the sun, especially from 10 a.m.–2 p.m. wear long-sleeved shirts, pants, hats and sunglasses children under 6 months of age. Ask a doctor 	
Other information	
protect the product in this container from excessive heat and direct sun	
Inactive ingredients water, diethylhexyl 2,6-naphthalate, styreneacrylates copolymer, silica, butylcetyl salicylate, glyceryl stearate, PEG-100 stearate, dimethicone, potassium cetyl phosphate, benzyl alcohol, beeswax, caprylyl methicone, cetyl dimethicone, aluminum starch octylsuccinate, behenyl alcohol, acrylates/C12-22 alkyl methacrylate copolymer, xanthan gum, sodium polyacrylate, chlorphenesin, dimethicone/PEG-10/15 crosspolymer, fragrance, ethylhexyl stearate, glycerin, disodium EDTA, tocopheryl acetate, BHT, triethyl-5, pentylene glycol, benzyl benzoate	



Questions
1-888-593-0593
DISTR. BY MEIJER
DISTRIBUTION, INC.
GRAND RAPIDS,
MI 49544
www.meijer.com



AVOBENZONE, HOMOSALATE, OCTISALATE

avobenzone, homosalate, octisalate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0933
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	120 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
CETYL DIMETHICONE 150 (UNII: 5L694Y0T22)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
DOCOSANOL (UNII: 9G1OE216XY)	
BUTYL ACRYLATE/C16-C20 ALKYL METHACRYLATE/METHACRYLIC ACID/METHYL METHACRYLATE COPOLYMER (UNII: 7K68DGG29P)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
GLYCERIN (UNII: PDC6A3C0OX)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
BENZYL BENZOATE (UNII: N863NB338G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0933-1	88 mL in 1 TUBE; Type 0: Not a Combination Product	07/25/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/25/2023	

Labeler - Meijer, Inc. (006959555)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(79481-0933)

Revised: 2/2026

Meijer, Inc.