

**CC TOTAL COVER CUSHION SPF 50 APRICOT BEIGE- ensulizole, titanium dioxide powder  
THEFACESHOP Co., Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**ACTIVE INGREDIENTS**

Ensulizole 2.7%

Titanium Dioxide 5.46%

**PURPOSE**

SUNSCREEN

**USES**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**WARNINGS**

For external use only

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove

**Stop use and ask doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

- Apply liberally 15 minutes before sun exposure and as needed.
- Reapply as needed or after towel drying, swimming, or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. to 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses
  - Children under 6 months: Ask a doctor

**INACTIVE INGREDIENTS**

WATER, CYCLOPENTASILOXANE, PHENYL TRIMETHICONE, TRIETHYLHEXANOIN, CYCLOHEXASILOXANE, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, DIPENTAERYTHRITYL HEXA C5-9 ACID ESTERS, CETYL PEG/PPG-10/1 DIMETHICONE, NIACINAMIDE, BUTYLENE GLYCOL, TROMETHAMINE, DIMETHICONE, 1,2-HEXANEDIOL, SORBITAN SESQUIOLEATE, PEG-30 DIPOLYHYDROXYSTEARATE, ZINC STEARATE,

STEARIC ACID, SODIUM CHLORIDE, DIMETHICONE/POLYGLYCERIN-3 CROSSPOLYMER, GLYCERIN, DISTEARDIMONIUM HECTORITE, ALUMINUM HYDROXIDE, DISTEARYLDIMONIUM CHLORIDE, HYALURONIC ACID, DIMETHICONOL, TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE, DIMETHICONE CROSSPOLYMER, LAURYL DIMETHICONE/POLYGLYCERIN-3 CROSSPOLYMER, PALMITOYL PROLINE, POLYMETHYLSILSESQUIOXANE, ADENOSINE, TRIETHOXYCAPRYLYLSILANE, SODIUM PALMITOYL SARCOSINATE, MAGNESIUM PALMITOYL GLUTAMATE, PALMITIC ACID, DIPROPYLENE GLYCOL, BORON NITRIDE, SODIUM CITRATE, TOCOPHEROL, SODIUM LAUROYL LACTYLATE, CERAMIDE NP, PHENOXYETHANOL, PHYTOSPHINGOSINE, CHOLESTEROL, CERAMIDE AP, ETHYLHEXYLGLYCERIN, XANTHAN GUM, CARBOMER, CERAMIDE EOP, FRAGRANCE, TITANIUM DIOXIDE(CI 77891), MICA, IRON OXIDES(CI 77491, CI 77492, CI 77499)

## **OTHER INFORMATION**

Protect this product from excessive heat and direct sun

## **QUESTIONS OR COMMENTS?**

Call toll free **1-888-498-9004**

## **PRINCIPAL DISPLAY PANEL**

**CC TOTAL COVER  
CUSHION**

**BROAD SPECTRUM  
SPF 50**

**THEFACESHOP  
Net Wt. 0.52 oz | 15g**



THEFACESHOP  
CC TOTAL COVER CUSHION

**V201** APRICOT  
BEIGE

[Broad Spectrum SPF 50]

Net Wt. 0.52 oz | 15 g.

Imported by LG Household & Health Care America,  
Inc. Santa Fe Springs, CA 90670 USA  
MADE IN KOREA

THE FACE SHOP  
NATURAL STORY

OPEN HERE  
▼

ACTIVE INGREDIENTS  
ENSULIZOLE 2.7%,  
TITANIUM DIOXIDE 5.46%

**WARNINGS :** •For external use only •Do not use on damaged or broken skin. •When using this product keep out of eyes. Rinse with water to remove. •Stop use and ask a doctor if rash or irritation develops and lasts. •Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS :** •Apply liberally 15 minutes before sun exposure and as needed. •Reapply as needed or after towel drying, swimming, or sweating.

## CC TOTAL COVER CUSHION SPF 50 APRICOT BEIGE

ensulizole, titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51523-060
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.819 g in 15 g
ENSULIZOLE (UNII: 9YQ9D11W42) (ENSULIZOLE - UNII:9YQ9D11W42)	ENSULIZOLE	0.405 g in 15 g

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CERAMIDE AP (UNII: F1X8L2B00J)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
CERAMIDE NP (UNII: 4370DF050B)	
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CARBOMER 940 (UNII: 4Q93RCW27E)	
CERAMIDE 1 (UNII: 5THT33P7X7)	

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
PALMITOYL PROLINE (UNII: I49727TDYF)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
ADENOSINE (UNII: K72T3FS567)
MAGNESIUM PALMITOYL GLUTAMATE (UNII: DH37YM1F48)
PALMITIC ACID (UNII: 2V16EO95HI)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1P)
MICA (UNII: V8A1AW0880)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
SODIUM PALMITOYL SARCOSINATE (UNII: 7297LY09YF)
DIPENTAERYTHRITYL HEXA C5-9 ACID ESTERS (UNII: D818OLQ51Z)
DIMETHICONE (UNII: 92RU3N3Y1O)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
WATER (UNII: 059QF0K00R)
GLYCERIN (UNII: PDC6A3C0OX)
DIMETHICONOL (100000 CST) (UNII: OSA9UP217S)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)
ZINC STEARATE (UNII: H92E6QA4FV)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)
HYALURONIC ACID (UNII: S270N0TRQY)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
NIACINAMIDE (UNII: 25X51I8RD4)
TROMETHAMINE (UNII: 023C2WHX2V)
STEARIC ACID (UNII: 4ELV7Z65AP)
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
SODIUM CITRATE (UNII: 1Q73Q2JULR)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51523-060-01	2 in 1 BOX	01/01/2018	
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2018	

**Labeler** - THEFACESHOP Co., Ltd. (688329416)

### Establishment

Name	Address	ID/FEI	Business Operations
THEFACESHOP Co., Ltd.		688329416	label(51523-060)

### Establishment

Name	Address	ID/FEI	Business Operations
ZENISCE Co., Ltd.		690188305	manufacture(51523-060)

Revised: 1/2021

THEFACESHOP Co., Ltd.