MECLIZINE- meclizine hcl 25mg tablet, chewable SDA Laboratories, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Meclizine HCl 25mg

Purpose

Antiemetic

Uses

prevents and treats nausea, vomiting or dizziness associated with motion sickness

Warnings

Do not use for children under 12 years of age unless directed by a doctor.

Do not take unless directed by a doctor if you have

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Do not take if you are taking sedatives or tranquilizers, without first consulting your doctor.

When using this product

- do not exceed recommended dosage
- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• doage should be taken 1 hour before travel starts

Adults and children 12	take 1 or 2 tablets once daily or as
years and over	directed by doctor

Other information

- **Tamper Evident:** do not use if safety seal under cap is broken or missing
- store at room temperature 20°-25°C (68°-77°F)

Inactive ingredients

Croscarmellose sodium, dextrose, FD&C Red#40, flavor, magnesium stearate, microcrystalline cellulose, silicon dioxide, sodium saccharine, stearic acid

Questions?

Adverse drug event call (800) 687-0176 (M - F, 8AM - 4PM EST).

NDC 66424-0387-01

*Compare to the active ingredient in Bonine®

MECLIZINE

CHEWABLE

Raspberry Flavor

Meclizine HCl 25mg

Anti-Emetic

• Motion Sickness • Nausea • Vomiting

100 TABLETS

SDA

LABORATORIES



This package for household without young children
Drug Facts
Active ingredient Purpose (in each tablet) Medizine HO 25mgAntiemetic
Uses prevents and treats nausea, vomiting or dizziness associated with motion sickness
Warnings Do not use for children under 12 years of age unless directed
by a ductor to be unless directed by a doctor if you have Do not take unless directed by a doctor if you have a glaucoma a trouble uninating due to an enlarged prostate gland as breathing problem such as emphysema or chronic
oronchius To not take if you are taking sedatives or tranquilizers, without first consulting your doctor.
When using this product a do not exceed recommended dosage and voxines and provisines may occur a florbol, sedatives, and tranquillizer sny increase drowsiness a avoid alcoholic drinks a be careful when driving a motor vehicle or operating machinery
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions dosage should be taken 1 hour before travel starts
Adults and children take 1 or 2 tablets once daily 12 years and over or as directed by doctor
Other information Tamper Evident: do not use if safety seal under cap is holen or missing store at room temperature 20°-25°C (68°-77°F)
Inactive ingredients croscarmellose sodium, dextrose, FD&C Red#40, flavor, magnesium stearate, microcrystalline cellulose, silicon dioxide, sodium saccharine, stearic acid
Questions? Adverse drug event call (800) 687-0176 (M – F, 8AM – 4PM EST).
"This product is not manufactured or distributed by WellSpring Pharmaceuticals Corporation, owner of the registered trademark Bonine". Distributed by:
SDA Laboratories, Inc., Greenwich, CT 06830 MADE IN USA Org 02/15
0 ""66424"38710"" 3

MECLIZINE

meclizine hcl 25mg tablet, chewable

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66424-387
Route of Administration	ORAL		

Active Ingredient/Active Moiety

ı	Ingredient Name	Basis of Strength	Strength
ı	MECLIZINE HYDRO CHLO RIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients			
Ingredient Name	Strength		
CROSCARMELLOSE SODIUM (UNII: M28 OL 1HH48)			
DEXTROSE (UNII: IY9 XDZ35W2)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)			
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)			
SACCHARIN SO DIUM (UNII: SB8 ZUX40 TY)			
STEARIC ACID (UNII: 4ELV7Z65AP)			

Product Characteristics				
Color	pink (LIGHT PINK COLOR)	Score	2 pieces	
Shape	ROUND (ROUND TABLET)	Size	8 mm	
Flavor		Imprint Code	PH051	
Contains				

F	Packaging				
#	# Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:66424-387- 01	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	0 2/0 1/20 18		
2	NDC:66424-387- 10	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	0 2/0 1/20 18		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	0 2/0 1/20 18	

Labeler - SDA Laboratories, Inc. (948067889)

Registrant - Pharbest Pharmaceuticals, Inc. (557054835)

Establishment			
Name	Address	ID/FEI	Business Operations
Pharbest Pharmaceuticals, Inc.		557054835	manufacture(66424-387), pack(66424-387), analysis(66424-387)

Revised: 2/2018 SDA Laboratories, Inc.