

**LEADER TRIPLE ANTIBIOTIC AND PAIN RELIEF- bacitracin, neomycin, polymyxin b, pramoxine hcl ointment
Cardinal Health 110, LLC. dba Leader**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Cardinal Health Triple Antibiotic Ointment + Pain Relief Drug Facts

Active ingredients (in each gram)

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

Purpose

First aid antibiotic

External analgesic

Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 2 years of age or older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredient

white petrolatum

Questions or comments?

1-800-719-9260

Principal Display Panel

Maximum Strength

Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc | Neomycin Sulfate | Polymyxin B Sulfate | Pramoxine HCl

COMPARE TO NEOSPORIN® + PAIN RELIEF active ingredients

First Aid Antibiotic Pain Relieving Ointment

Soothes Cuts, Scrapes and Burns

100% Money Back Guarantee

NET WT 1 OZ (28 g)

LEADER[?]

NDC 70000-0390-4

Maximum Strength

Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc | Neomycin Sulfate | Polymyxin B Sulfate | Pramoxine HCl

First Aid Antibiotic
Pain Relieving Ointment

Soothes Cuts, Scrapes and Burns

COMPARE TO
NEOSPORIN[®] + PAIN RELIEF
active ingredients*

100% Money Back Guarantee

NET WT 1 OZ (28 g)

CIN 5453915 REV. 11/18



167964 E9 C2

DISTRIBUTED BY CARDINAL HEALTH
DUBLIN, OHIO 43017
www.myleader.com 1-800-200-6315
Essential to Care[®] since 1979



© 2018 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.



Return to place of purchase if not satisfied.

Drug Facts

Active Ingredients (in each gram)	Purpose
Bacitracin zinc 500 units.....	first aid antibiotic
Neomycin sulfate equivalent to 3.5 mg of neomycin base.....	first aid antibiotic
Polymyxin B 10,000 units as polymyxin B sulfate.....	first aid antibiotic
Pramoxine HCl 10 mg.....	External analgesic

Uses first aid to help prevent infection and for temporary relief of pain or discomfort in minor:
■ cuts ■ scrapes ■ burns

Warnings

For external use only

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor or before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Drug Facts (continued)

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or do not improve within a few days
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 2 years of age or older:
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information ■ store at 20-25° C (68-77°F)

Inactive ingredient white petrolatum

Questions or comments? 1-800-719-9260

*This product is not affiliated with, manufactured by, or produced by the makers of Neosporin[®].

LEADER TRIPLE ANTIBIOTIC AND PAIN RELIEF

bacitracin, neomycin, polymyxin b, pramoxine hcl ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0390
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	YELLOW (Translucent)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0390-1	1 in 1 CARTON	12/13/2018	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	12/13/2018	

Labeler - Cardinal Health 110, LLC. dba Leader (063997360)