

BETR REMEDIES ACID REDUCER- famotidine tablet, film coated
Live Betr LLC

Live Betr LLC Acid Reducer Drug Facts

Active ingredient (in each tablet)

Famotidine 20 mg

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **10 to 60 minutes before** eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

BETR remedies™

Same Relief.

BETR Mission.

acid reducer

Famotidine Tablets 20 mg

Acid Reducer | Maximum Strength

Just One Tablet Prevents & Relieves Heartburn Due To Acid Indigestion

Compare to Pepcid® AC active ingredient.

Actual Size

...If you're comparing.

50 TABLETS

You just joined a community of those who can, helping those who can't.



Same relief: BETR mission: every purchase donates meds to someone in need.



Drug Facts (continued)
Stop use and ask a doctor if
 ■ your heartburn continues or worsens
 ■ you need to take this product for more than 14 days
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions
 ■ adults and children 12 years and over:
 ■ to relieve symptoms, swallow 1 tablet with a glass of water. Do not chew.
 ■ to prevent symptoms, swallow 1 tablet with a glass of water at any time from 10 to 60 minutes before eating food or drinking beverages that cause heartburn
 ■ do not use more than 2 tablets in 24 hours
 ■ children under 12 years: ask a doctor

Other information
 ■ read the directions and warnings before use
 ■ keep the carton. It contains important information.
 ■ store at 20°-25°C (68°-77°F)
 ■ protect from moisture

Inactive ingredients camellia wax, colloidal silicon dioxide, croscarmellose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments? 1-800-719-9260

Drug Facts
Active ingredient (in each tablet) Purpose
 Famotidine 20 mg.....Acid reducer

Uses
 ■ relieves heartburn associated with acid indigestion and sour stomach
 ■ prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings
Allergy alert: Do not use if you are allergic to famotidine or other acid reducers
Do not use
 ■ if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
 ■ with other acid reducers
Ask a doctor before use if you have
 ■ had heartburn over 3 months. This may be a sign of a more serious condition.
 ■ heartburn with **lightheadness, sweating, or dizziness**
 ■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck, or shoulders; or lightheadness
 ■ frequent wheezing, particularly with heartburn
 ■ unexplained weight loss ■ nausea or vomiting
 ■ stomach pain ■ kidney disease
Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING
 BETR Remedies, LLC 730 Arizona Ave
 Santa Monica, CA 90401
 www.betrremedies.com



3 70030 16529 2

19471 CD C4

Tips for Managing Heartburn

- Do not lie flat or bend over
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, alcohol, coffee, citrus fruit, and cereals and vegetables
- Do not wear tight-fitting clothing around the stomach
- Eat slowly and avoid big meals
- Do not eat before bedtime
- Raise the head of your bed
- Quit smoking



ACTUAL SIZE

JUST ONE TABLET prevents heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages.

Same Relief. BETR Mission.

BETR remedies.

acid reducer

Famotidine Tablets 20 mg
 Acid Reducer | Maximum Strength

Just One Tablet Prevents & Relieves Heartburn Due To Acid Indigestion
 Compare to Pepcid® AC active ingredient.
 ...If you're comparing. @

50 TABLETS

Actual Size

BETR REMEDIES ACID REDUCER

famotidine tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80267-501
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	20 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	L194
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80267-501-71	1 in 1 CARTON	07/18/2023	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077351	07/18/2023	

Labeler - Live Betr LLC (117423281)

Revised: 7/2023

Live Betr LLC