

CORINZ- cetylpyridinium chloride rinse
Sage Products, LLC

Corinz®

Drug Facts

Active ingredient:	Purpose
CORINZ ANTISEPTIC CLEANSING AND MOISTURIZING ORAL RINSE:	
Cetylpyridinium chloride 0.05%	Antiseptic Rinse

Use

Helps reduce chance of infection in minor oral irritation.

Warnings

Stop use and ask a doctor if:

- Sore mouth symptoms do not improve in 7 days.
- Swelling, rash or fever develops.
- Irritation, pain or redness persists or worsens.

Keep out of reach of children.

If more than used for antisepsis is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Use up to 4 times daily or as directed by a dentist or doctor.
- Adults and children 3 years and older: rinse mouth with 1/2 Tbsp. for approx. one minute. Instruct to expectorate.
- Children under 3 years of age: consult a dentist or doctor.

Inactive ingredients

Water, glycerin, xylitol, spearmint flavor, potassium sorbate, polysorbate 20, polysorbate 80, hydroethylcellulose, citric acid, sodium saccharin, menthol

Questions?

800-323-2220.

NOT MADE WITH NATURAL RUBBER LATEX • MADE IN U.S.A.

Corinz

Corinz[®]

Antiseptic Cleansing and
Moisturizing Oral Rinse

Active ingredient:
Cetylpyridinium
chloride 0.05%



**Burst packet
before opening
outer package**

Do not remove
from package

0.25 fl. oz./7 mL

R5438B

Corinz[®]

Antiseptic Cleansing and
Moisturizing Oral Rinse

Active ingredient:
Cetylpyridinium
chloride 0.05%



**Burst packet
before opening
outer package**

Do not remove
from package

0.25 fl. oz./7 mL



LOT

Drug Facts for Corinz
Antiseptic Cleansing and
Moisturizing Oral Rinse

Drug Facts
Active ingredient Purpose Cetylpyridinium chloride 0.05% Antiseptic Rinse
Use Helps reduce chance of infection in minor oral irritation.
Warnings Stop use and ask a doctor if: <ul style="list-style-type: none"> ■ Sore mouth symptoms do not improve in 7 days. ■ Swelling, rash or fever develops. ■ Irritation, pain or redness persists or worsens.
Keep out of reach of children. If more than used for antiseptics is accidentally swallowed, get medical help or contact a Poison Control Center right away.
Directions <ul style="list-style-type: none"> ■ Use up to 4 times daily or as directed by a dentist or doctor. ■ Adults and children 3 years and older: rinse mouth with 1/2 Tbsp. for approximately one minute. Instruct to expectorate. ■ Children under 3 years of age: consult a dentist or doctor.
Inactive ingredients Citric acid, glycerin, hydroxyethylcellulose, menthol, poly sorbate 20, poly sorbate 80, potassium sorbate, sodium saccharin, spearmint flavor, water, xylitol
Sodium Bicarbonate Ingredients Water (aqua), sodium bicarbonate, cellulose gum, sodium lauryl sulfate, flavor (aroma), sodium saccharin, sodium benzoate
Questions? 800-323-2220

Sage
Self Oral Care

Toothbrush with Corinz® Antiseptic Cleansing and Moisturizing Oral Rinse

**Detach from box before use.
Single use only. Consult Instructions
for Use. Not made with natural
rubber latex. Non-sterile.**

Contents: (1) Suction toothbrush with sodium bicarbonate, (1) 0.25 fl. oz. / 7 mL Corinz Antiseptic Cleansing and Moisturizing Oral Rinse, (1) Spittoon
Sage Products LLC, Cary IL

88123N

stryker

Corinz®
Antiseptic Cleansing
and Moisturizing
Oral Rinse
1.5 fl. oz./44 mL

Reorder #6142

Drug Facts
Active ingredient Purpose Cetylpyridinium chloride 0.05% Antiseptic Rinse
Use Helps reduce chance of infection in minor oral irritation
Warnings Stop use and ask a doctor if: ■ Sore mouth symptoms do not improve in 7 days ■ Swelling, rash or fever develops ■ Irritation, pain or redness persists or worsens
Keep out of reach of children. If more than used for antiseptics is accidentally swallowed, get medical help or contact a Poison Control Center right away.
Directions ■ Use up to 4 times daily or as directed by a dentist or doctor ■ Adults and children 3 years and over: rinse mouth with 1/2 Tbsp. for approx. one minute. Instruct to expectorate ■ Children under 3 years of age: consult a dentist or doctor
Inactive ingredients Water, glycerin, xylitol, spearmint flavor, potassium sorbate, poly sorbate 20, poly sorbate 80, hydroxyethylcellulose, citric acid, sodium saccharin, menthol
Questions? Call toll free 800-323-2220

Manufactured by: U.S. Patents:
Sage Products LLC stryker.com/patents
(Stryker Medical Cary) Does not contain natural
3909 Three Oaks Rd. rubber latex • For single
Cary, IL 60013 U.S.A. patient use only
800 323 2220
stryker.com
R6221



6 18029 80111 1

CORINZ

cetylpyridinium chloride rinse

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53462-375
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETYLPIRIDINIUM CHLORIDE (UNII: D9OM4SK49P) (CETYLPIRIDINIUM -	CETYLPIRIDINIUM	0.5 mg

UNII:CUB7J10JV3)	CHLORIDE	in 1 mL
------------------	----------	---------

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
XYLITOL (UNII: VCQ006KQ1E)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
HYDROXYETHYL CELLULOSE (4000 MPA.S AT 1%) (UNII: ZYD53NBL45)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53462-375-60	7 mL in 1 PACKET; Type 0: Not a Combination Product	01/20/2015	
2	NDC:53462-375-07	7 mL in 1 CUP; Type 0: Not a Combination Product	07/22/2019	
3	NDC:53462-375-30	44 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/07/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	01/20/2015	

Labeler - Sage Products, LLC (054326178)

Registrant - Sage Products, LLC (054326178)

Revised: 12/2025

Sage Products, LLC