TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin-b sulfate, pramoxine hydrochloride ointment Walgreens

Triple Antibiotic Ointment (Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate)

Drug Facts

Active ingredients (in each gram)

Bacitracin Zinc USP, 500 units Neomycin 3.5 mg Polymyxin B sulfate USP, 10,000 units Pramoxine hydrochloride USP, 10 mg

Purpose

First aid antibiotic

Pain reliever

Uses

First aid to help prevent infection and for the temporary relief of pain in minor

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use for longer than one week
- condition persists or gets worse
- rash or other allergic reaction develops
- symptoms persist for more than one week, or clear up and occur again with a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 2 years of age and older
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- Store at 15^o-30^oC (59^o-86^oF)
- Before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredient

white petrolatum

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal display panel

Compare to Neosporin® + Pain Relief active ingredients ++

Triple Antibiotic Ointment +

Pain Relief

BACITRACIN ZINC / NEOMYCIN

SULFATE / POLYMYXIN BSULFATE /

PRAMOXINE HCI

FIRST AID ANTIBIOTIC /

PAIN-RELIEVING OINTMENT

TRIPLE ANTIBIOTIC

MAXIMUM STRENGTH

- First aid antibiotic
- Pain-relieving ointment

NET WT OZ (g)

††This product is not manufactured or distributed by Johnson & Johnson Corporation, owner f the registered trademark Neosporin (B) + Pain Relief

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

Package label

| Drug Facts | Drug Facts (continued) | | |
|--|--|--|--|
| Active ingredients (in each gram) Purposes Bacitracin zinc USP, 500 units | Warnings For external use only. | | |
| Neomycin 3.5 mg Połymyxin B sulfate USP, 10,000 units Pramoxine hydrochloride USP, 10 mg | Do not use ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of the body | | |
| Uses First aid to help prevent infection and for the temporary relief of pain in minor u cuts u scrapes u burns | Ask a doctor before use if you have deep or puncture wounds animal bites serious burns Stop use and ask a doctor if | | |
| • | stop use and ask a doctor in ■ you need to use longer than one week | | |
| | | | |
| Drug Facts (continued) | Drug Facts (continued) | | |
| condition persists or gets worse rash or other allergic reaction develops symptoms persist for more than one week, or clear up and occur again within a few days | Directions adults and children 2 years of age and older clean the affected area apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily | | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. | may be covered with a sterile bandage children under 2 years of age: ask a doctor | | |
| | | | |
| Drug Facts (continued) | Drug Facts (continued) | | |
| Other information store at 15°-30°C (59°-86°F) before using any medication, read all label directions. Keep carton, it | Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST | | |
| contains important information. | [†] Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. | | |
| Inactive ingredient white petrolatum | ^{††} This product is not manufactured or distributed by Johnson & Johnson, owner of the registered | | |
| | trademark Neosporin [®] . | | |
| DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co. PRODUCT OF INDIA 3 | 5 W10437-1021-L 7 2 2 0 6 0 4 PAPER PLASTIC BOX TUBE PLD-C6928 FC007805 Code: G0/DRUGS/362 AEE3A02 | | |
| Pain Relie BACITRACIN ZINC / NEOMYCIN SULFATE / PRAMOXINE HCI FIRST AID ANTIBIOTIC / PAIN-RELIEVING OINTME Maximum Strength Triple An First aid antibiotic • Pain-relieving oin | Compare to the active i Neosporin® + Pain | | |



WALGREENS Triple Antibiotic Ointment Pain Relief

TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin-b sulfate, pramoxine hydrochloride ointment

| roddet mien | nation | | | | | | |
|--|--|--|-------------------|---------------------------|--------------------|-----------------------------------|--|
| Product Type | | HUMAN OTC DRUG | ltem Cod | m Code (Source) | | NDC:0363-2900 | |
| Route of Adminis | stration | TOPICAL | | | | | |
| | | | | | | | |
| Active Ingredie | ent/Active | Moiety | | | | | |
| Ingredient Name | | | | Basis of Strength | | Strength | |
| BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW052I) | | | BACITRACIN | | 500 [iU] in 1 g | | |
| NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297) | | | | NEOMYCIN | | 3.5 mg in 1 g | |
| POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ 07J96K) | | | | POLYMYXIN B | | 10000 [USP'U] in 1 g | |
| PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056) | | | (INE - | PRAMOXINE HYDROCHLORID | E | 10 mg in 1 g | |
| nactive Ingree | | gredient Name | | | 9 | Strength | |
| PETROLATUM (UNII: | In | - | | | 9 | Strength | |
| PETROLATUM (UNII: | In | - | | | | | |
| PETROLATUM (UNII: Packaging | ir : 4T6H12BN9U) | - | M | arketing Star Date | | Strength Iarketing End Date | |
| PETROLATUM (UNII: Packaging # Item Code | ir : 4T6H12BN9U) | kage Description | | | t M | larketing End | |
| PETROLATUM (UNII: Packaging # Item Code 1 NDC:0363-2900- 05 | In 4T6H12BN9U) Pac 1 in 1 CARTON | kage Description | 11/2 | Date | t M | larketing End Date | |
| PETROLATUM (UNII: Packaging # Item Code 1 NDC:0363-2900- 05 | In 4T6H12BN9U) Pac 1 in 1 CARTON 14 g in 1 TUBE | kage Description | 11/2 | Date | t M | larketing End Date | |
| PETROLATUM (UNII: Packaging # Item Code 1 NDC:0363-2900- 05 | In 4T6H12BN9U) Pac 1 in 1 CARTON 14 g in 1 TUBE Product | :kage Description E; Type 0: Not a Combination | 11/2 | Date | t M | larketing End Date | |
| NDC:0363-2900- | In 4T6H12BN9U) Pac 1 in 1 CARTON 14 g in 1 TUBE Product nformat | :kage Description E; Type 0: Not a Combination | 11/2 ⁻ | Date | t M 01/2 | larketing End Date | |

Revised: 11/2024

Walgreens