

GENCARE DAYTIME COLD AND FLU SOFTGEL- acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled

Pioneer Life Sciences, LLC

Gencare DayTime Cold and Flu Softgel (Acetaminophen 325mg, Dextromethorphan HBr 10mg, Phenylephrine HCl 5mg)

Drug Facts

Active ingredients (in each softgel)

Acetaminophen 325mg

Dextromethorphan HBr 10mg

Phenylephrine HCl 5mg

Purpose

Acetaminophen 325mg.....Pain reliever/fever reducer
Dextromethorphan HBr 10mg..... Cough suppressant
Phenylephrine HCl 5mg Nasal decongestant

Uses:

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

Warning

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may

include:

- skin reddening
- blisters
- rash.

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning:

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use:

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

When using this product do not use more than directed.

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough get worse or last more than 7 days
- fever gets worse or lasts more than 3 days

- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- do not exceed 4 doses per 24 hrs.

Adults and children 12 yrs and over	take 2 softgels with water every 4 hrs.
Children 4 to under 12 yrs	ask a doctor
Children under 4 yrs	do not use

Other information

- store at room temperature

Inactive ingredients

Polyethylene glycol 400, propylene glycol, povidone K30, purified water, gelatin, glycerin, sorbitol sorbitan solution, FD&C red#40, FD&C yellow #6.

Questions or Comments?

Call +1 (732) 994-2808 or email support@gencare.health.

This product is not manufactured or distributed by PROCTER & GAMBLE, owner of the registered trademark Vicks® Dayquil™ Cold and Flu LiquiCaps™.

Distributed by: Gencare Consumer Products, LLC
40E Cotters Ln, Suite A, East Brunswick, NJ 08816

Compare to VICKS® DAYQUIL™
COLD & FLU LIQUICAPS™
active ingredients.



DayTime Cold & Flu

NON-DROWSY

multi-symptom relief

Acetaminophen, Dextromethorphan HBr,
Phenylephrine HCl

- Headaches, Fever, Sore Throat
- Minor Aches & Pains
- Nasal Congestion
- Sinus Pressure & Cough



not actual size

48 softgels

NDC 72090-062-01

TAMPER EVIDENT Do not use if safety seal under cap is broken or missing.

Drug Facts

Active ingredients (in each softgel)
 Acetaminophen 325mg Pain reliever/fever reducer
 Dextromethorphan HBr 10mg Cough suppressant
 Phenylephrine HCl 5mg Nasal decongestant

Uses temporarily relieves common cold/flu symptoms:
 ■ nasal congestion ■ cough due to minor throat & bronchial irritation ■ sore throat ■ headache ■ minor aches & pains ■ fever


Warnings **Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take more than 8 softgels in 24 hours, which is the maximum daily amount for this product, with other drugs containing acetaminophen, 3 or more alcoholic drinks every day while using this product. **Allergy Alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away. **Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use: ■ with any other drug containing acetaminophen (prescription or nonprescription), if you are

(continued under label)

Distributed by: GenCare Consumer Products, LLC 40E Contars Ln,
Suite A, East Brunswick, NJ 08816 www.gencares.health

PL0289-00



3 72090 00243 2

Lot No. Exp. Dt.

PEEL HERE

Drug Facts (continued)

not sure whether a drug contains acetaminophen, ask a doctor or pharmacist ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ liver disease ■ heart disease ■ thyroid disease ■ diabetes ■ high blood pressure ■ trouble urinating due to enlarged prostate gland ■ cough that occurs with too much phlegm (mucus) ■ persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are ■ taking the blood thinning drug warfarin

When using this product do not use more than directed.

Stop use and ask a doctor if ■ you get nervous, dizzy or sleepless ■ pain, nasal congestion or cough get worse or last more than 7 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions
 ■ take only as directed
 ■ do not exceed 4 doses per 24 hrs.

Adults and children 12 yrs and over	take 2 softgels with water every 4 hrs.
Children 4 to under 12 yrs	ask a doctor
Children under 4 yrs	do not use

Other information ■ store at room temperature

Inactive ingredients Polyethylene glycol 400, propylene glycol, polydioxane K30, purified water, gelatin, glycerin, sorbitol sorbitan solution, FD&C red #40, FD&C yellow #6.

Questions or Comments? Call +1 (732) 994-2808 or email support@gencares.health.

This product is not manufactured or distributed by PROCTER & GAMBLE, owner of the registered trademark Vicks® Dayquil™ Cold and Flu Liquicaps™.

GENCARE DAYTIME COLD AND FLU SOFTGEL			
acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72090-062
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)		PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POVIDONE (UNII: FZ989GH94E)	
Gelatin (UNII: 2G86QN327L)	
Sorbitol (UNII: 506T60A25R)	
GLYCERIN (UNII: PDC6A3C0OX)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	

Product Characteristics

Color	red	Score	no score
Shape	capsule	Size	21mm
Flavor		Imprint Code	CF01
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72090-062-01	48 in 1 BOTTLE; Type 0: Not a Combination Product	02/16/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/16/2026	

Labeler - Pioneer Life Sciences, LLC (014092742)

Revised: 2/2026

Pioneer Life Sciences, LLC