

CHILDRENS COLD AND COUGH- brompheniramine maleate, dextromethorphan hydrobromide solution

HyVee Inc

Hy-Vee, Inc. Children's Cold & Cough Drug Facts

Active ingredients (in each 10 mL)

Brompheniramine maleate 2 mg

Dextromethorphan HBr 10 mg

Purposes

Antihistamine

Cough suppressant

Uses

- temporarily relieves:
- cough
- runny nose
- sneezing
- itching of the nose or throat
- itchy, watery eyes due to hay fever (or other upper respiratory allergies)
- temporarily alleviates the intensity of coughing

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

Ask a doctor before use if you have

- trouble urinating due to an enlarged prostate gland
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- **do not use more than directed**
- may cause marked drowsiness
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- mL = milliliter

age	dose
adults and children 12 years over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- **each 10 mL contains:** sodium 4 mg
- store at 20°-25°C (68°-77°F)

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

Questions or comments?

1-800-289-8343

Package/Label Principal Display Panel

Hy•Vee®

Compare To Children's Dimetapp® Cold & Cough Active Ingredients

For Ages 6 & Up

Children's Cold & Cough

Brompheniramine Maleate

Antihistamine

Dextromethorphan HBr

Cough Suppressant

Safe and Effective Relief without Phenylephrine

Grape Flavor

RELIEVES:

- Runny Nose
- Itchy, Watery Eyes
- Coughing
- Sneezing

ALCOHOL FREE

4 FL OZ (118 mL)



Drug Facts

Active ingredients (in each 10 mL)
 Brompheniramine maleate 2 mg.....Antihistamine
 Dextromethorphan HBr 10 mg.....Cough suppressant

Purposes

Uses

- temporarily relieves:
 - cough
 - runny nose
 - sneezing
 - itching of the nose or throat
 - itchy, watery eyes due to hay fever (or other upper respiratory allergies)
- temporarily alleviates the intensity of coughing

Warnings

- Do not use
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
 - to make a child sleepy

- Ask a doctor before use if you have
- trouble urinating due to an enlarged prostate gland
 - glaucoma
 - cough that occurs with too much phlegm (mucus)
 - a breathing problem such as emphysema or chronic bronchitis
 - cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

- When using this product
- do not use more than directed
 - may cause marked drowsiness
 - avoid alcoholic beverages
 - alcohol, sedatives, and tranquilizers may increase drowsiness
 - be careful when driving a motor vehicle or operating machinery
 - excitability may occur, especially in children

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- each 10 mL contains: sodium 4 mg
- store at 20°-25°C (68°-77°F)

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

Questions or comments?

1-800-289-8343

*This product is not manufactured or distributed by Foundation Consumer Brands, LLC, owner of the registered trademark Dimetapp®.

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

PARENTS:
 Learn about teen medicine abuse

www.StopMedicineAbuse.org

GLUTEN FREE

HyVee

For Ages 6 & Up

Children's Cold & Cough

HyVee

*Compare To Children's Dimetapp® Cold & Cough Active Ingredients

NDC 42507-727-26

For Ages 6 & Up

Children's Cold & Cough

Brompheniramine Maleate
 Antihistamine
 Dextromethorphan HBr
 Cough Suppressant

Safe and Effective Relief without Phenylephrine



Grape Flavor

- RELIEVES:
- Runny Nose
 - Itchy, Watery Eyes
 - Coughing
 - Sneezing

ALCOHOL FREE

4 FL OZ (118 mL)



26K26 2H C1

HyVee

For Ages 6 & Up
Children's Cold & Cough

- RELIEVES:
- Runny Nose
 - Itchy, Watery Eyes
 - Coughing
 - Sneezing

DISTRIBUTED BY HY-VEE, INC.
 5820 WEST TOWN PARKWAY
 WEST DES MOINES, IA 50266 PERA1 025



smartlabel®
 Scan here for more information or call 1-800-289-8343

SATISFACTION GUARANTEED OR PURCHASE PRICE REFUNDED
 FOR INFORMATION CALL
 1-800-289-8343
www.hy-vee.com

CHILDRENS COLD AND COUGH

brompheniramine maleate, dextromethorphan hydrobromide solution

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:42507-727

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BROMPHENIRAMINE MALEATE (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42507-727-26	1 in 1 CARTON	03/10/2026	
1	NDC:42507-727-00	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/10/2026	

Labeler - HyVee Inc (006925671)

