

CAREONE CLOTRIMAZOLE- clotrimazole cream
American Sales Company

CAREONE™
Clotrimazole USP 1%

Drug Facts

Active ingredient

Clotrimazole 1%

Purpose

Antifungal

Uses

- cures most athlete's foot, jock itch and ringworm
- relieves itching, burning, cracking, scaling and discomfort which accompany these conditions

Warnings

For external use only

Do not use on children under 2 years of age unless directed by a doctor.

When using this product avoid contact with eyes.

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch).

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- apply a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot, pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks
- if condition persists longer, ask a doctor
- this product is not effective on the scalp or nails

Other information

- To open: unscrew cap, use the pointed end of cap to puncture seal.
- store between 20° - 25°C (68° - 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

benzyl alcohol (1%), cetostearyl alcohol, cetyl esters wax, 2-octyldodecanol, polysorbate 60, purified water, sorbitan monostearate

Questions?

Call **1-866-923-4914**

DISTRIBUTED BY:
FOODHOLD U.S.A.
LLC LANDOVER,
MD 20785

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

NDC 41520-305-02

CAREone[®]

Compare to the
active ingredient
in Lotrimin[®] AF*

Antifungal Cream
Clotrimazole Cream USP, 1% • Antifungal

Cures Most Athlete's Foot

OUR PHARMACISTS
RX
RECOMMEND

NET WT 1 OZ (28.4 g)

Relieves Itching, Burning, Cracking & Scaling •

NDC 41520-305-02

CAREone®

Compare to the active ingredient in Lotrimin® AF*

Antifungal Cream

Clotrimazole Cream USP, 1% • Antifungal

CAREone®

Antifungal Cream

Clotrimazole Cream USP, 1% • Antifungal

LPK-4882-2
0219-2
36

Cures Most Athlete's Foot



Clotrimazole Cream USP, 1% Antifungal

NET WT 1 OZ (28.4 g)

Relieves Itching, Burning, Cracking & Scaling •

T30



Drug Facts (continued)
Inactive ingredients: benzyl alcohol (1%), cetostearyl alcohol, cetylalcohols, 2-octyldodecanol, polyorbate 60, purified water, sorbitan monooleate
Questions? Call 1-866-923-4914

NO COPY / NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

* All trademarks are property of their respective owners. This product is not affiliated with the Lotrimin® AF. Lotrimin® AF, FOOHOLD U.S.A., LLC, LAMP OVER, MD 20789, PR OUC CT, CF, C AND DA, 1-877-846-9849 © 2018 AndD, Delhaze, Lansing, MI, Quality guaranteed or your money back.

Drug Facts
Active ingredient
Clotrimazole 1% Antifungal
Purpose
• cures most athlete's foot, jock itch and ringworm
• relieves itching, burning, cracking, scaling and discomfort which accompany these conditions
Warnings
For external use only
Do not use on children under 2 years of age unless directed by a doctor.
When using this product avoid contact with eyes.
Stop use and ask a doctor if • this condition occurs
• there is no improvement within 4 weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch).
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions
• wash affected area and dry thoroughly
• apply a thin layer over affected area twice daily (morning and night)
• supervise children in the use of this product
• for athlete's foot, pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change socks at least once daily
• for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks
• if condition persists longer, ask a doctor • this product is not effective on the scalp or nails
Other information
• To open unrecrow cap, use the pointed end of cap to puncture seal.
• Store between 20° - 25°C (68° - 77°) • see carb or tub ectmp for lot number and expiration date
▲

CAREONE CLOTRIMAZOLE

clotrimazole cream

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:41520-305

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)	CLOTRIMAZOLE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETYL ESTERS WAX (UNII: D072FFP9GU)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
WATER (UNII: 059QF0KO0R)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-305-02	1 in 1 CARTON	08/31/1993	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	08/31/1993	

Labeler - American Sales Company (809183973)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharma Canada Inc.		243339023	manufacture(41520-305)

Revised: 7/2025

American Sales Company