

FIRST AID ONLY EXTRA-STRENGTH NON-ASPIRIN- acetaminophen tablet, film coated

Acme United Corporation

First Aid Only Extra-Strength Non-Aspirin

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

For the temporary relief of minor aches and pains associated with

- headache
- toothache
- minor arthritis pain
- muscular aches
- common cold
- menstrual cramps

temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 8 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- for more than 10 days for pain unless directed by a doctor
- for more than 3 days for fever unless directed by a doctor

Ask a doctor before use if you have

- liver disease

Ask a doctor or pharmacist before use if

- you are taking the blood thinning drug warfarin

Stop using and ask a doctor if

- symptoms do not improve
- pain or fever persists or gets worse
- new symptoms occur
- redness or swelling is present

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed**

Adults and children: (12 years and older)

Take 2 tablets every 4 to 6 hours as needed. Do not take more than 8 tablets in 24 hours.

Children under 12 years:

Do not give this adult strength product to children under 12 years of age;

this will provide more than the recommended dose (overdose) and may cause liver damage.

Other information

- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

Inactive ingredients


corn starch, hypromellose, maltodextrin*, microcrystalline cellulose*, polyethylene glycol, povidone*, pregelatinized corn starch*, sodium starch glycolate*, stearic acid, titanium dioxide*

* May contain

Questions? 1-800-835-2263

First Aid Only Extra-Strength Non-Aspirin Label

First Aid Only Extra-Strength Non-Aspirin Label



Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
 ■ do not use more than directed

Adults and children: (12 years and older) Take 2 tablets every 6 hours as needed. Do not take more than 8 tablets in 24 hours.

Children under 12 years: Do not give this adult strength product to children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage.

Other Information
 ■ store at room temperature 59°-86°F (15°-30°C)
 ■ do not use any opened or torn packets

Inactive ingredients
 corn starch, hypromellose, maltodextrin*, microcrystalline cellulose*, polyethylene glycol, povidone*, pregelatinized starch*, sodium starch glycolate*, stearic acid, titanium dioxide*
 * may contain

Questions? 1-800-835-2263



Lift and Remove



FAE-7008

Extra-Strength Non-Aspirin Tablets
 20 Tablets (10 packets, 2 tablets each)
Acetaminophen 500mg



0 92265 07008 9

Manufactured for:
Acme United Corporation
www.FirstAidOnly.com
 © 2018 Acme United Corporation.
 Covered by one or more of US Patent Numbers:
 D495,951 S; D495,952 S; D495,953 S
 BOX7008-revC

Drug Facts

Active ingredient (in each tablet)	Purpose
Acetaminophen 500 mg	Pain reliever/fever reducer

Uses
 For the temporary relief of minor aches and pains associated with:
 ■ headache ■ muscular aches ■ minor arthritis pain
 ■ toothache ■ common cold ■ menstrual cramps
 temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:
 ■ more than 8 tablets in 24 hours, which is the maximum daily amount.
 ■ with other drugs containing acetaminophen
 ■ 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ for more than 10 days for pain unless directed by a doctor
 ■ for more than 3 days for fever unless directed by a doctor

Ask a doctor before use if you have ■ liver disease

Ask a doctor or pharmacist before use if
 ■ you are taking the blood thinning drug warfarin

Stop use and ask a doctor if ■ symptoms do not improve
 ■ new symptoms occur ■ pain or fever persists or gets worse
 ■ redness or swelling is present

FIRST AID ONLY EXTRA-STRENGTH NON-ASPIRIN

acetaminophen tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0924-0223(NDC:47682-175)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	white (white)	Score	no score
Shape	ROUND (ROUND)	Size	12mm
Flavor		Imprint Code	AZ;235
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0924-0223-01	20 in 1 BOX, UNIT-DOSE	12/30/2008	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/30/2008	

Labeler - Acme United Corporation (001180207)

Registrant - Acme United Corporation (001180207)

Establishment			
Name	Address	ID/FEI	Business Operations
Acme United Corporation		045924339	relabel(0924-0223) , repack(0924-0223)

Establishment			
Name	Address	ID/FEI	Business Operations
Acme United Corporation		080119599	relabel(0924-0223) , repack(0924-0223)