

**WESTUSSIN DM- dexchlorpheniramine maleate, dextromethorphan hbr,  
phenylephrine hcl syrup  
Westminster Pharmaceuticals, LLC**

-----  
**WesTussin DM**

***Drug Facts***

<b><i>Active ingredients (in each 5 mL teaspoonful)</i></b>	<b><i>Purpose</i></b>
Dexchlorpheniramine Maleate 1 mg	Antihistamine
Dextromethorphan HBr 10 mg	Cough Suppressant
Phenylephrine HCl 5 mg	Nasal Decongestant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold or inhaled irritants
- temporarily relieves nasal congestion due to the common cold, hay fever or other respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
  - runny nose
  - sneezing
  - itching of the nose or throat
  - itchy, watery eyes
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use if** you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma or emphysema
- cough accompanied by excessive phlegm (mucus)

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**

**When using this product**

- **do not exceed recommended dosage**
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase the drowsiness effect
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery
- excitability may occur especially in children

**Stop use and ask a doctor if**

- cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.
- symptoms do not improve within 7 days or are accompanied by fever
- nervousness, dizziness, or sleeplessness occur

**If pregnant or breastfeeding** ask a health professional before use

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

Adults 12 and over:	10 mL every 4 hours Not to exceed 60 mL in 24hrs
Children 6-12:	5 mL every 4 hours Not to exceed 30 mL in 24hrs
Children 2-6:	Consult a doctor

**Other information**

Store at room temperature 15°C-30°C (59°F-86°F)

**Inactive ingredients**

Citric acid anhydrous, cotton candy flavoring, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol solution, sucralose.

**Questions?**

Call weekdays from 9 AM to 5 PM EST at 1-844-221-7294. You may also report serious side effects to this phone number.

**PRINCIPAL DISPLAY PANEL - 480 mL Bottle Label**

NDC 69367-334-16

WesTussin DM

Antihistamine • Cough Suppressant  
Nasal Decongestant  
• Alcohol Free • Dye Free  
• Sugar Free • Gluten Free

Each 5 mL (1 teaspoonful) contains:

Dexchlorpheniramine Maleate

1 mg

Dextromethorphan HBr

10 mg

Phenylephrine HCl

5 mg

Cotton Candy Flavor

TAMPER EVIDENT: Tamper evident by foil seal under cap. Do not use if foil seal is broken or missing.

16 oz (480 mL)

Westminster  
Pharmaceuticals

NDC 69367-334-16

## WesTussin DM

Antihistamine • Cough Suppressant  
Nasal Decongestant  
• Alcohol Free • Dye Free  
• Sugar Free • Gluten Free

Each 5 mL (1 teaspoonful) contains:  
Dexchlorpheniramine Maleate.....1 mg  
Dextromethorphan HBr.....10 mg  
Phenylephrine HCl.....5 mg

**Cotton Candy Flavor**

TAMPER EVIDENT: Tamper evident by foil seal under cap. Do not use if foil seal is broken or missing.

16 oz (480 mL)

**WP** Westminster  
Pharmaceuticals

### Drug Facts

Active ingredients	Purpose
Dexchlorpheniramine Maleate 1 mg.....	Antihistamine
Dextromethorphan HBr 10 mg.....	Cough Suppressant
Phenylephrine HCl 5 mg.....	Nasal Decongestant

**Uses** ■ temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold or inhaled irritants  
■ temporarily relieves nasal congestion due to the common cold, hay fever or other respiratory allergies ■ temporarily relieves these symptoms due to hay fever (allergic rhinitis): ■ runny nose ■ sneezing ■ itching of the nose of throat ■ itchy, watery eyes ■ temporarily restores freer breathing through the nose

**Warnings**  
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product

**Ask a doctor before use if you have** ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ difficulty in urination due to enlarged prostate gland ■ persistent or chronic cough such as occurs with smoking, asthma or emphysema ■ cough accompanied by excessive phlegm (mucus)

**Ask a doctor or pharmacist before use if you are taking** sedatives or tranquilizers.

**When using this product** ■ do not exceed recommended dosage ■ marked drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase the drowsiness effect ■ avoid alcoholic beverages ■ use caution when driving a motor vehicle or operating machinery ■ excitability may occur especially in children

### Drug Facts (continued)

**Stop use and ask a doctor if** ■ cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash or persistent headache. A persistent cough may be a sign of a serious condition. ■ symptoms do not improve within 7 days or are accompanied by fever ■ nervousness, dizziness, or sleeplessness occur

**If pregnant or breastfeeding** ask a health professional before use  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

Adults 12 and over:	10 mL every 4 hours Not to exceed 60 mL in 24hrs
Children 6-12:	5 mL every 4 hours Not to exceed 30 mL in 24hrs
Children 2-6:	Consult a doctor

**Other information**  
Store at room temperature 15°C-30°C (59°F-86°F)

**Inactive ingredients**  
Anhydrous citric acid, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose.

**Questions?** Call weekdays from 9 AM to 5 PM EST at 1-844-221-7294. You may also report serious side effects to this phone number.

Manufactured for:  
Westminster Pharmaceuticals, LLC  
Nashville, TN 37217

Rev 05/24



3 69367 33416 7

# WESTUSSIN DM

dexchlorpheniramine maleate, dextromethorphan hbr, phenylephrine hcl syrup

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69367-334
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXCHLORPHENIRAMINE MALEATE</b> (UNII: B10YD955QW) (DEXCHLORPHENIRAMINE - UNII:3Q9Q0B929N)	DEXCHLORPHENIRAMINE MALEATE	1 mg in 5 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	COTTON CANDY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69367-334-16	480 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/29/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M012	07/29/2021	

**Labeler** - Westminster Pharmaceuticals, LLC (079516651)

Revised: 7/2024

Westminster Pharmaceuticals, LLC