

**NIGHTTIME CHILDRENS MULTI SYMPTOMS COLD AND COUGH MULTI-SYMPTOM RELIEF- chlorpheniramine maleate and dextromethorphan hydrobromide solution
WAL-MART STORES,INC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walmart Nighttime Children's Multi-Symptom Cold & Cough Relief

Drug Facts

<i>Active ingredients (in each 15 mL)</i>	<i>Purpose</i>
Chlorpheniramine maleate 2 mg	Antihistamine
Dextromethorphan HBr 15 mg	Cough suppressant

Uses

temporarily relieves cold symptoms:

- cough due to minor throat & bronchial irritation
- sneezing
- runny nose

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleep

Ask a doctor before use if you have

- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

- alcohol, sedatives, & tranquilizers may increase drowsiness

Stop use and ask a doctor if

- cough persists more than 1 week, tends to recur or is accompanied by fever, rash, or persistent headache.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions

- take only as directed
- do not exceed 4 doses per 24 hrs.
- only use the dose cup provided

adults & children 12 yrs & over	30 mL every 6 hrs.
children 6 to under 12 yrs	15 mL every 6 hrs.
children 4 to under 6 yrs	do not use unless directed by a doctor
children under 4 yrs	do not use

Other information

- each tablespoon contains: potassium 5 mg sodium 5 mg
- store at room temperature

Inactive ingredients

Anhydrous citric acid, FD&C Red No. 40, flavor, potassium citrate, potassium sorbate, propylene glycol, purified water, sodium benzoate, sorbitol, sucrose

Questions or comments?

1-866-467-2748

PRINCIPAL DISPLAY PANEL - 236 ml Bottle Label

Compare to the active ingredients in Children's Vicks Nyquil™*

NDC 49035-545-08

**Nighttime Children's Multi-Symptoms
Cold & Cough**

Chlorpheniramine maleate 2 mg,

Dextromethorphan HBr 15 mg

- **Sneezing**
- **Runny Nose**

• **Cough**

Sugar Free, Aspirin Free

Natural Cherry Flavor

Free of Alcohol & Acetaminophen

8 FL OZ (236 ml)

Distributed by:

Mae in the USA

With domestic and imported ingredients Factory Certified

TAMPER EVIDENT: Do not use if printed shrink band is missing or broken.

*This product is manufactured or distributed by Procter & Gamble, the distributor of Children's Vicks® Nyquil™

Drug Facts

Active ingredient (In each 15 mL)	Purpose
Chlorpheniramine maleate 2 mg	Antihistamine
Dextromethorphan HBr 15 mg	Cough suppressant

Uses temporarily relieves cold symptoms:
 ■ cough due to minor throat & bronchial irritation
 ■ sneezing ■ runny nose

Warnings
Do not use
 ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product
 ■ to make a child sleep

Ask a doctor before use if you have
 ■ glaucoma ■ cough that occurs with too much phlegm (mucus)
 ■ a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
 ■ trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

* This product is not manufactured or distributed by Procter & Gamble, the distributor of Children's Vicks® Nyquil™.

Compare to the active ingredients
in Children's Vicks® Nyquil™

NDC 49035-545-08

Nighttime Children's Multi-Symptom Cold & Cough

Chlorpheniramine maleate 2 mg
Dextromethorphan HBr 15 mg

- Sneezing
- Runny Nose
- Cough

Sugar Free • Aspirin Free

Natural Cherry Flavor

Free of Alcohol & Acetaminophen
8 FL OZ (236 mL)

TAMPER EVIDENT: Do not use if printed shrink band is missing or broken

Drug Facts (continued)

When using this product
 ■ excitability may occur, especially in children
 ■ marked drowsiness may occur
 ■ avoid alcoholic drinks
 ■ be careful when driving a motor vehicle or operating machinery
 ■ alcohol, sedatives, & tranquilizers may increase drowsiness

Stop use and ask a doctor if
 ■ cough persists more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache.
 These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Distributed by:

with domestic and imported ingredients
Factory Certified

752CH0BWMTLR

LOT: _____

UNVARNISHED AREA

EXP: _____

6 81131 37870 3

READ ENTIRE LABEL INCLUDING DIRECTIONS & PRODUCT INFORMATION **PEEL BACK HERE** ▶

Drug Facts (continued)

Directions
 ■ take only as directed ■ do not exceed 4 doses per 24 hrs
 ■ only use the dose cup provided

adults & children 12 yrs & over	30 mL every 6 hrs
children 6 to under 12 yrs	15 mL every 6 hrs
children 4 to under 6 yrs	do not use unless directed by a doctor
children under 4 yrs	do not use

Other information
 ■ each 15 mL contains: potassium 5 mg, sodium 5 mg ■ store at room temperature

Inactive ingredients anhydrous citric acid, FD&C Red No. 40, flavor, potassium citrate, potassium sorbate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose

Questions or comments? 1-866-467-2748

NIGHTTIME CHILDRENS MULTI SYMPTOMS COLD AND COUGH MULTI-SYMPTOM RELIEF

chlorpheniramine maleate and dextromethorphan hydrobromide solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-545
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg in 15 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	RED	Score	
Shape		Size	
Flavor	CHERRY (Natural Cherry Flavor)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-545-08	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/30/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/30/2020	

Labeler - WAL-MART STORES,INC. (051957769)

