

**SODIUM BICARBONATE 5 GR (325 MG)- sodium bicarbonate tablet**  
**CitraGen Pharmaceuticals Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Sodium Bicarbonate Tablets, USP 5 gr (325 mg)**

***Drug Facts***

**Active ingredient (in each tablet)**

Sodium Bicarbonate 5 gr (325 mg)

***Purpose***

Antacid

***Uses***

relieves:

acid indigestion

heartburn

sour stomach

upset stomach associated with these symptoms

***Warnings***

**Do not take** more than 48 tablets for adults up to 60 years of age (or 24 tablets for adults 60 years of age and older) in a 24-hour period nor use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

**Ask a doctor before use if you have** a sodium restricted diet.

**Ask a doctor or pharmacist before use if you are** taking a prescription drug.

Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if** symptoms last more than 2 weeks.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

***Directions***

- do not use the maximum dosage for more than 2 weeks
- tablets may be swallowed whole or dissolved in water prior to use
- **adults 60 years of age and over:** 2-4 tablets every 4 hours, not more than 24 tablets in 24 hours
- **adults under 60 years of age:** 2-8 tablets every 4 hours, not more than 48 tablets in 24 hours

***Other information***

each tablet contains: sodium 89 mg

store at room temperature 15° - 30°C (59° - 86°F)

### Inactive ingredients

Hydrogenated Vegetable Oil, NF and Microcrystalline Cellulose, NF

### Questions or comments?

Phone: +1-510-249-9066 (9AM-5PM PST, Mon-Fri); e-mail: info@citragenpharma.com

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

### Manufactured by:

CitraGen Pharmaceuticals, Inc.,  
Fremont, CA 94538.

www.citragenpharma.com

Rev. 03/18 R-00

### CitraGen Pharmaceuticals, Inc.

NDC: 70369-002-01

**Sodium Bicarbonate Tablets, USP 5 gr (325 mg)**

**ANTACID**

1000 Tablets

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN



# Sodium Bicarbonate

Tablets, USP 5 gr (325 mg)

**ANTACID**

THIS PACKAGE IS FOR HOUSEHOLDS  
WITHOUT YOUNG CHILDREN

1000 Tablets

<b>TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING</b>	<b>Drug Facts</b>
	<b>Active Ingredient (in each tablet)</b> Sodium Bicarbonate 5 gr (325 mg).....Antacid
	<b>Purpose</b> Antacid
	<b>Uses:</b> relieves: •acid indigestion •heartburn •sour stomach •upset stomach associated with these symptoms
	<b>Warnings</b> Do not take more than 48 tablets for adults up to 60 years of age (or 24 tablets for adults 60 years of age and older) in a 24-hour period nor use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician. Ask a doctor before use if you have a sodium restricted diet. Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs. Stop use and ask a doctor if symptoms last more than 2 weeks. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.
	<b>Directions</b> •do not use the maximum dosage for more than 2 weeks •tablets may be swallowed whole or dissolved in water prior to use •adults 60 years of age and over: 2-4 tablets every 4 hours, not more than 24 tablets in 24 hours •adults under 60 years of age: 2-8 tablets every 4 hours, not more than 48 tablets in 24 hours
	<b>Other information</b> •each tablet contains: sodium 89 mg •store at room temperature 15° - 30°C (59° - 86°F)
	<b>Inactive ingredients:</b> Hydrogenated Vegetable Oil, NF and Microcrystalline Cellulose, NF
	<b>Questions or comments?</b> Phone: +1-510-249-9066, 9AM-5PM PST, Mon-Fri; e-mail: info@citragenpharma.com
	<b>Rev. 03/18</b>

R-00

Manufactured by:  
CitraGen Pharmaceuticals, Inc.,  
Fremont, CA 94538.  
www.citragenpharma.com

Lot No. :  
Exp. Date:

## SODIUM BICARBONATE 5 GR (325 MG)

sodium bicarbonate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70369-002	
<b>Route of Administration</b>	ORAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:L4YR4M0NH37)		SODIUM BICARBONATE	325 mg	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
HYDROGENATED COTTONSEED OIL (UNII: Z82Y2C65EA)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
<b>Product Characteristics</b>				
<b>Color</b>	white	<b>Score</b>	2 pieces	
<b>Shape</b>	ROUND	<b>Size</b>	9mm	
<b>Flavor</b>		<b>Imprint Code</b>	CG002	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:70369-002-01	1000 in 1 BOTTLE; Type 0: Not a Combination Product	04/20/2018	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC monograph final	part331	04/20/2018		

**Labeler** - CitraGen Pharmaceuticals Inc. (024949457)

**Registrant** - CitraGen Pharmaceuticals Inc. (024949457)

### Establishment

Name	Address	ID/FEI	Business Operations
CitraGen Pharmaceuticals Inc		024949457	manufacture(70369-002)