

ALL CALM CLINICAL REDNESS CORRECTOR SPF 50- titanium dioxide and zinc oxide liquid
Colorescience

All Calm™ Clinical Redness Corrector SPF 50

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 11.6%	Sunscreen
Zinc Oxide 8.6%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Cyclopentasiloxane, Caprylic/Capric Triglyceride, Water/Aqua/Eau, Dimethicone Crosspolymer, Niacinamide, Distearidimonium Hectorite, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Carbonate, Disodium Lauriminodipropionate Tocopheryl

Phosphates, Crithmum Maritimum Extract, Magnolia Officinalis Bark Extract, Zingiber Officinale (Ginger) Root Extract, Magnesium Carboxymethyl Beta-Glucan, Jojoba Esters, Bisabolol, Silica, Polyhydroxystearic Acid, Dimethiconol, Alumina, Glyceryl Behenate/Eicosadioate, Phenoxyethanol, Triethoxycaprylylsilane, Ethylhexylglycerin, Tocopherol, Dehydroacetic Acid, Benzoic Acid, Glycolic Acid, Chloroacetic Acid, Chromium Oxide Greens (CI 77288), Iron Oxides (CI 77491, CI 77492, CI 77499).

Other information

- Protect this product from excessive heat and direct sun.

Questions or comments?

Call toll free 866.426.5673

Dist. in USA by
colorescience[®]
Carlsbad, CA 92011

PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton

colorescience[®]

ALL CALM[™]

CLINICAL REDNESS
CORRECTOR

Instantly neutralizes redness
Soothes sensitive skin

50
Broad Spectrum
SPF 50 Sunscreen
PA++++

1 fl. oz. / 30 mL

0.75000



ALL CALM®
SPF 50

1.17187

colorescience®

ALL CALM®

CLINICAL REDNESS
CORRECTOR

Instantly neutralizes redness
Soothes sensitive skin

For USA only

Drug Facts (continued)

Inactive ingredients

Cyclopentasiloxane, Caprylic/Capric Triglyceride, Dimethicone Crosspolymer, Water/Aqua/Eau, Niacinamide, Dimethicone/Vinyl Dimethicone Crosspolymer, Distearldimonium Hectorite, Propylene Carbonate, Disodium Lauriminodipropionate Tocopheryl Phosphates, Crithmum Maritimum Extract, Magnolia Officinalis Bark Extract, Zingiber Officinale (Ginger) Root Extract, Magnesium Carboxymethyl Beta-Glucan, Jojoba Esters, Bisabolol, Silica, Polyhydroxystearic Acid, Dimethiconol, Alumina, Glyceryl Behenate/Eicosadiolate, Phenoxyethanol, Triethoxycaprylsilane, Ethylhexylglycerin, Tocopherol, Dehydroacetic Acid, Benzoic Acid, Glycolic Acid, Chloroacetic Acid, Chromium Oxide Greens (CI 77288), Iron Oxides (CI 77491, CI 77492, CI 77499).

Other information

- Protect this product from excessive heat and direct sun.

Questions or comments?

Call toll free 866.426.5673

Ingredients (EU)

Cyclopentasiloxane, Caprylic/Capric Triglyceride, Titanium Dioxide, Zinc Oxide, Dimethicone Crosspolymer, Aqua/Water, Niacinamide, Dimethicone/Vinyl Dimethicone Crosspolymer, Distearldimonium Hectorite, Propylene Carbonate, Disodium Lauriminodipropionate Tocopheryl Phosphates, Crithmum Maritimum Extract, Magnolia Officinalis Bark Extract, Zingiber Officinale (Ginger) Root Extract, Magnesium Carboxymethyl Beta-Glucan, Jojoba Esters, Bisabolol, Silica, Polyhydroxystearic Acid, Phenoxyethanol, Triethoxycaprylsilane, Ethylhexylglycerin, Tocopherol, Dehydroacetic Acid, Benzoic Acid, Glycolic Acid, Chloroacetic Acid, Chromium Oxide Greens (CI 77288), Iron Oxides (CI 77491, CI 77492, CI 77499).

50 Broad Spectrum
SPF 50 Sunscreen
PA++++

1 fl. oz. / 30 mL

Dimeritoneol, Alumina, Glyceryl benzoate/cinnamate,
Phenoxyethanol, Triethoxycaprylylsilane, Ethylhexylglycerin,
Tocopherol, Dehydroacetic Acid, Benzoic Acid, Glycolic Acid,
Chloroacetic Acid, CI 77288, Iron Oxides (CI 77491, CI
77492, CI 77499).

How to Use (EU)

Do not stay too long in the sun, even while using
a sunscreen product. Keep babies and young
children out of direct sunlight. Over-exposure to
the sun is a serious health threat. Reducing the
quantity of sunscreen product applied will lower
the level of protection significantly. Generously
apply sunscreen products before sun exposure.
Keep out of eyes. Stop use and ask a doctor if
adverse reaction occurs.



1.54687

0.75000



Find Your Calm

This 3-in-1 proprietary formula instantly neutralizes the appearance of redness, helps soothe and calm sensitive skin, and provides SPF 50 protection while its patent pending BioSolace® complex helps provide ongoing relief from sensitivity and the appearance of redness.

Experience the confidence and ease of Colorescience®

- + Trusted and personally used by thousands of physicians.
- + 365-day defense from UV rays and environmental stressors.

How to Use

Apply liberally to a moisturized face ensuring even coverage as the first step in your makeup application and 15 minutes before sun exposure. Store at room temperature.

Discover our full line of uncompromising, health-forward products designed to fit your life at colorescience.com

Dist. in USA by | Dist. pour
colorescience®
Carlsbad, CA 92011
Made in USA | Fab aux É-U.

BIORIUS
EU: 7170 Manage, BE
UK: London WC2H 9JQ, GB
1709107R1



For USA only

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 11.6%.....	Sunscreen
Zinc Oxide 8.6%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.


Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.

- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.

Continued on opposite side panel ▶



ALL CALM CLINICAL REDNESS CORRECTOR SPF 50

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68078-023
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	116 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	86 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
Niacinamide (UNII: 25X51I8RD4)	
Disteardimonium Hectorite (UNII: X687XDK09L)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
Propylene Carbonate (UNII: 8D08K3S51E)	
DISODIUM LAURIMINODIPROPIONATE TOCOPHERYL PHOSPHATES (UNII: 0K5Y9U1P6M)	
CHROMIC OXIDE (UNII: X5Z09SU859)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

DIMETHICONOL (100000 CST) (UNII: OSA9UP217S)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
JOJOBA OIL (UNII: 724GKU717M)
POLYHYDROXYSTEARIC ACID STEARATE (UNII: 8KQ7I65XZE)
Glyceryl Behenate/Eicosadioate (UNII: 73CJJ317SR)
LEVOMENOL (UNII: 24WE03BX2T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
Phenoxyethanol (UNII: HIE492ZZ3T)
CRITHMUM MARITIMUM WHOLE (UNII: J7IHY79BKY)
Triethoxycaprylylsilane (UNII: LDC331P08E)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
Tocopherol (UNII: R0ZB2556P8)
MAGNOLIA OFFICINALIS BARK (UNII: 5M609NV974)
Benzoic Acid (UNII: 8SKN0B0MIM)
GINGER (UNII: C5529G5JPQ)
Dehydroacetic Acid (UNII: 2KAG279R6R)
Glycolic Acid (UNII: 0WT12SX38S)
Chloroacetic Acid (UNII: 5GD84Y125G)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68078-023-24	1 in 1 CARTON	08/02/2017	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:68078-023-02	1 mL in 1 PACKET; Type 0: Not a Combination Product	08/02/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/02/2017	

Labeler - Colorescience (128731929)