

COVER ALL MAX PART B- sodium chlorite solution

Cover All Max Part B

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Cover All Max Part B

Cover All Max Part B

Cover All Max™ is a concentrated two part chlorine dioxide teat dip that will aid in the prevention of the spread of mastitis causing organisms. Cover All Max™ contains alpha hydroxy acids to aid in the exfoliation of teat skin and soften the hyperkeratosis at the teat end.

MIXING INSTRUCTIONS:

Cover All Max™ is a two part concentrate that must be mixed prior to use. The mix ratio is

98:1:1. Mix enough Cover All Max™ to last for 24 hours. In a clean container add 98 parts

water, 1 part of Cover All Max Part A™ and 1 part Cover All Max Part B™. Mix gently and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed 800ppm chlorine dioxide within 15 minutes. Keep the containers tightly closed and store in a cool, dry area away from direct sunlight.

USE INSTRUCTIONS:

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray, or foam each teat with Cover All Max™ chlorine dioxide. Leave on teats

a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover All Max™ chlorine dioxide

teat dip. Allow to air dry.

Always use this mixture full strength. If product in dip cup becomes dirty, discard contents

and fill with a fresh solution.

If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients:

Sodium Chlorite: 13.44%

Hazard statement(s):

Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage. May cause damage to organs (blood, kidneys, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life

Precautionary statement(s):

Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke

while

using this product. Wear protective gloves, clothing, and eye and face protection. Do

not

breathe dusts or mists. Use only outdoors or in a well ventilated area. Avoid release to

the

environment. Store locked up. Dispose of contents and container to a hazardous or

special

waste collection point, in accordance with local, regional, national and/or international

regulation.

Hazards not otherwise classified: No additional information available.

Storage and Disposal: Keep in a cool, well-ventilated place away from heat. Store always

product in

container of same material as original container. Store locked up. Dispose of

contents/container to a

hazardous or special waste collection point.

First Aid:

General: Call a poison center/doctor/physician if you feel unwell.

External: Rinse skin with water/shower. Remove/Take off immediately all contaminate

clothing.

Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Internal: Rinse mouth. Do not induce vomiting. Call a physician immediately.

Inhalation of vapors: Remove person to fresh air and keep comfortable for breathing.

Call a

poison center/doctor/physician if you feel unwell.

Get medical attention immediately.

Most important symptoms/effects, acute and delayed:

Symptoms/effects after inhalation: Harmful if inhaled.

Symptoms/effects after skin contact: Burns.

Symptoms/effects after eye contact: Serious damage to eyes.

Symptoms/effects after ingestion: Harmful if swallowed. Burns

Other medical advice or treatment: Treat symptomatically.

Immediate medical attention and special treatment needed, if any:

Other medical advice or treatment: Treat symptomatically

Cover All Ultra Part B

DANGER



Cover All Max Part B™

Sodium Chlorite

For Use Only With Cover All Max Part A™
Activator

FOR FARM OR INDUSTRIAL USE ONLY -
KEEP OUT OF REACH OF CHILDREN

Hazard statement(s):
Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage. May cause damage to organs (blood, kidneys, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life

Precautionary statement(s):
Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection. Do not breathe dusts or mists. Use only outdoors or in a well ventilated area. Avoid release to the environment. Store locked up. Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Hazards not otherwise classified: No additional information available.

Storage and Disposal: Keep in a cool, well-ventilated place away from heat. Store always product in container of same material as original container. Store locked up. Dispose of contents/container to a hazardous or special waste collection point.

First Aid:
General: Call a poison center/doctor/physician if you feel unwell.
External: Rinse skin with water/shower. Remove/Take off immediately all contaminate clothing.
Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Internal: Rinse mouth. Do not induce vomiting. Call a physician immediately.
Inhalation of vapors: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
Get medical attention immediately.

Most important symptoms/effects, acute and delayed:
Symptoms/effects after inhalation: Harmful if inhaled.
Symptoms/effects after skin contact: Burns.
Symptoms/effects after eye contact: Serious damage to eyes.
Symptoms/effects after ingestion: Harmful if swallowed. Burns
Other medical advice or treatment: Treat symptomatically.
Immediate medical attention and special treatment needed, if any:
Other medical advice or treatment: Treat symptomatically

**FOR CHEMICAL EMERGENCIES:
CALL CHEMTREC 1-800-424-9300**




ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
800.279.7761 www.proactivesolutionsusa.com



Net Contents: 5 gal. 15 gal. 55 gal. 275 gal. 310 gal. 330 gal.
Case Contents: 4x1 gal (total: 4 gal.)



UN1908
CHLORITE SOLUTION, 8, PG II



REV Date: 2/9/2026

DANGER



Cover All Max Part B™

Sodium Chlorite

For Use Only With Cover All Max Part A™
Activator

FOR FARM OR INDUSTRIAL USE ONLY -
KEEP OUT OF REACH OF CHILDREN

Hazard statement(s):
Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage. May cause damage to organs (blood, kidneys, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life

Precautionary statement(s):
Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection. Do not breathe dusts or mists. Use only outdoors or in a well ventilated area. Avoid release to the environment. Store locked up. Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Hazards not otherwise classified: No additional information available.

Storage and Disposal: Keep in a cool, well-ventilated place away from heat. Store always product in container of same material as original container. Store locked up. Dispose of contents/container to a hazardous or special waste collection point.

First Aid:
General: Call a poison center/doctor/physician if you feel unwell.
External: Rinse skin with water/shower. Remove/Take off immediately all contaminate clothing.
Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Internal: Rinse mouth. Do not induce vomiting. Call a physician immediately.
Inhalation of vapors: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
Get medical attention immediately.

Most important symptoms/effects, acute and delayed:
Symptoms/effects after inhalation: Harmful if inhaled.
Symptoms/effects after skin contact: Burns.
Symptoms/effects after eye contact: Serious damage to eyes.
Symptoms/effects after ingestion: Harmful if swallowed. Burns
Other medical advice or treatment: Treat symptomatically.
Immediate medical attention and special treatment needed, if any:
Other medical advice or treatment: Treat symptomatically

**FOR CHEMICAL EMERGENCIES:
CALL CHEMTREC 1-800-424-9300**




ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
800.279.7761 www.proactivesolutionsusa.com



Net Contents: 5 gal. 15 gal. 55 gal. 275 gal. 310 gal. 330 gal.
Case Contents: 4x1 gal (total: 4 gal.)



UN1908
CHLORITE SOLUTION, 8, PG II



REV Date: 2/9/2026

DANGER



Hazard statement(s):
Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage. May cause damage to organs (blood, kidneys, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life

Precautionary statement(s):
Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection. Do not breathe dusts or mists. Use only outdoors or in a well ventilated area. Avoid release to the environment. Store locked up. Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Hazards not otherwise classified: No additional information available.

Storage and Disposal: Keep in a cool, well-ventilated place away from heat. Store always product in container of same material as original container. Store locked up. Dispose of contents/container to a hazardous or special waste collection point.

First Aid:
General: Call a poison center/doctor/physician if you feel unwell.
External: Rinse skin with water/shower. Remove/Take off immediately all contaminate clothing.
Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Internal: Rinse mouth. Do not induce vomiting. Call a physician immediately.
Inhalation of vapors: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
Get medical attention immediately.

Most important symptoms/effects, acute and delayed:
Symptoms/effects after inhalation: Harmful if inhaled.
Symptoms/effects after skin contact: Burns.
Symptoms/effects after eye contact: Serious damage to eyes.
Symptoms/effects after ingestion: Harmful if swallowed. Burns
Other medical advice or treatment: Treat symptomatically.
Immediate medical attention and special treatment needed, if any:
Other medical advice or treatment: Treat symptomatically

**FOR CHEMICAL EMERGENCIES:
CALL CHEMTREC 1-800-424-9300**




ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
800.279.7761 www.proactivesolutionsusa.com



DO NOT FREEZE

UN1908
CHLORITE SOLUTION, 8, PG II



REV Date: 2/9/2026

Cover All Max Part B™

Sodium Chlorite

For Use Only With Cover All Max Part A™
Activator

FOR FARM OR INDUSTRIAL USE ONLY -
KEEP OUT OF REACH OF CHILDREN

Cover All Max™ is a concentrated two part chlorine dioxide teat dip that will aid in the prevention of the spread of mastitis causing organisms. Cover All Max™ contains alpha hydroxy acids to aid in the exfoliation of teat skin and soften the hyperkeratosis at the teat end.

MIXING INSTRUCTIONS:

Cover All Max™ is a two part concentrate that must be mixed prior to use. The mix ratio is 98:1:1. Mix enough Cover All Max™ to last for 24 hours. In a clean container add 98 parts water, 1 part of Cover All Max Part A™ and 1 part Cover All Max Part B™. Mix gently and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed 800ppm chlorine dioxide within 15 minutes. Keep the containers tightly closed and store in a cool, dry area away from direct sunlight.

USE INSTRUCTIONS:

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray, or foam each teat with Cover All Max™ chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover All Max™ chlorine dioxide teat dip. Allow to air dry.
Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.
If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients:

Sodium Chlorite: 13.44%

Net Contents: 5 gal. 15 gal. 55 gal. 275 gal. 310 gal. 330 gal.
Case Contents: 4x1 gal (total: 4 gal.)



DANGER



Hazard statement(s):
Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage. May cause damage to organs (blood, kidneys, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life

Precautionary statement(s):
Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection. Do not breathe dusts or mists. Use only outdoors or in a well ventilated area. Avoid release to the environment. Store locked up. Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Hazards not otherwise classified: No additional information available.

Storage and Disposal: Keep in a cool, well-ventilated place away from heat. Store always product in container of same material as original container. Store locked up. Dispose of contents/container to a hazardous or special waste collection point.

First Aid:
General: Call a poison center/doctor/physician if you feel unwell.
External: Rinse skin with water/shower. Remove/Take off immediately all contaminate clothing.
Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Internal: Rinse mouth. Do not induce vomiting. Call a physician immediately.
Inhalation of vapors: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
Get medical attention immediately.

Most important symptoms/effects, acute and delayed:
Symptoms/effects after inhalation: Harmful if inhaled.
Symptoms/effects after skin contact: Burns.
Symptoms/effects after eye contact: Serious damage to eyes.
Symptoms/effects after ingestion: Harmful if swallowed. Burns
Other medical advice or treatment: Treat symptomatically.
Immediate medical attention and special treatment needed, if any:
Other medical advice or treatment: Treat symptomatically

**FOR CHEMICAL EMERGENCIES:
CALL CHEMTREC 1-800-424-9300**




ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
800.279.7761 www.proactivesolutionsusa.com



DO NOT FREEZE

UN1908
CHLORITE SOLUTION, 8, PG II



REV Date: 2/9/2026

Cover All Max Part B™

Sodium Chlorite

For Use Only With Cover All Max Part A™
Activator

FOR FARM OR INDUSTRIAL USE ONLY -
KEEP OUT OF REACH OF CHILDREN

Cover All Max™ is a concentrated two part chlorine dioxide teat dip that will aid in the prevention of the spread of mastitis causing organisms. Cover All Max™ contains alpha hydroxy acids to aid in the exfoliation of teat skin and soften the hyperkeratosis at the teat end.

MIXING INSTRUCTIONS:

Cover All Max™ is a two part concentrate that must be mixed prior to use. The mix ratio is 98:1:1. Mix enough Cover All Max™ to last for 24 hours. In a clean container add 98 parts water, 1 part of Cover All Max Part A™ and 1 part Cover All Max Part B™. Mix gently and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed 800ppm chlorine dioxide within 15 minutes. Keep the containers tightly closed and store in a cool, dry area away from direct sunlight.

USE INSTRUCTIONS:


Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray, or foam each teat with Cover All Max™ chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover All Max™ chlorine dioxide teat dip. Allow to air dry.
Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.
If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients:

Sodium Chlorite: 13.44%

Net Contents: 5 gal. 15 gal. 55 gal. 275 gal. 310 gal. 330 gal.
Case Contents: 4x1 gal (total: 4 gal.)



COVER ALL MAX PART B

sodium chlorite solution

Product Information

Product Type

OTC ANIMAL DRUG

Item Code (Source)

NDC:63927-4132

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6)	SODIUM CHLORITE	13.44 kg in 100 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63927-4132-6	20.8 kg in 1 JUG		
2	NDC:63927-4132-2	62.4 kg in 1 DRUM		
3	NDC:63927-4132-3	228.9 kg in 1 DRUM		
4	NDC:63927-4132-4	1144.3 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
5	NDC:63927-4132-5	1373.2 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/10/2025	

Labeler - Cover All Max Part B (029368225)**Registrant** - ProActive Solutions USA, LLC (029368225)**Establishment**

Name	Address	ID/FEI	Business Operations
ProActive Solutions USA, LLC		029368225	api manufacture, manufacture, label, pack, repack

Establishment

Name	Address	ID/FEI	Business Operations
ProActive Solutions USA, LLC		043147537	api manufacture, manufacture, label, pack, repack