

MINERAL OIL- mineral oil oil
P & L Development, LLC

Drug Facts

Active ingredient

Mineral oil 100%

Purpose

Lubricant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 8 hours

Warnings

Do not use

- in children under 12 years of age, pregnant women, bedridden patients or aged, or if you have difficulty swallowing
- if you are presently taking a stool softener laxative
- for longer than 1 week

Ask a doctor before use if you have

- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks

When using this product

- do not take with meals
- take only at bedtime

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take with meals
- take only at bedtime
- may be taken as a single daily dose or in divided doses
- adults and children 12 years of age and over: oral dosage is a minimum single dose of 15 mL to a maximum daily dose of 45 mL
- children 6 years to under 12 years of age: oral dosage is a minimum single dose of 5 mL to a maximum daily dose of 15 mL
- children under 12 years, consult a doctor

Other information

- keep tightly closed
- protect from direct light

Inactive ingredients

Vitamin E as stabilizer

Principal Display Panel

Mineral Oil

lubricant laxative

- odorless
- tasteless
- colorless

FL OZ (mL)

Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Manufactured by:

PL Developments

513 Old Griffin Road

Piedmont, SC 29673

Package Label

NDC 49580-0334-6



mineral oil

lubricant laxative

- odorless
- tasteless
- colorless



Manufactured by:
PL Developments
 513 Old Griffin Road
 Piedmont, SC 29673

Questions or comments?
 Call 1-877-753-3935 Monday-Friday
 9AM-5PM EST

PLD-I280C LB010289



3 49580 33416 8

16 fl oz (1 PT) 473 mL

Drug Facts

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Active ingredient	Purpose
Mineral oil 100%.....	Lubricant laxative
Uses ■ relieves occasional constipation (irregularity) ■ generally produces bowel movement in 6 to 8 hours	
Warnings	
Do not use ■ in children under 6 years of age, pregnant women, bedridden patients or aged, or if you have difficulty swallowing ■ if you are presently taking a stool softener laxative ■ for a period longer than 1 week	
Ask a doctor before use if you have ■ abdominal pain, nausea, or vomiting ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks	
When using this product ■ do not take with meals ■ take only at bedtime	
Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Directions ■ do not take with meals ■ take only at bedtime ■ may be taken as a single daily dose or in divided doses ■ adults and children 12 years of age and over: oral dosage is a minimum single dose of 15 mL to a maximum daily dose of 45 mL ■ children 6 to under 12 years of age: oral dosage is a minimum single dose of 5 mL to a maximum daily dose of 15 mL ■ children under 6 years of age: consult a doctor	
Other information ■ keep tightly closed ■ protect from direct light	
Inactive ingredient Vitamin E as stabilizer	PLD-H280C LB010215

READYinCASE Mineral Oil

MINERAL OIL

mineral oil oil

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49580-0334
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINERAL OIL (UNII: T5L8T28FGP) (MINERAL OIL - UNII:T5L8T28FGP)	MINERAL OIL	100 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength
TOCOPHEROL (UNII: R0ZB2556P8)	

Packaging

	Marketing Start	Marketing End
--	------------------------	----------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49580-0334-6	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/31/2014	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	08/31/2014		

Labeler - P & L Development, LLC (101896231)

Revised: 2/2025

P & L Development, LLC