# UEC MEDICAL FIRST AID ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

United Exchange Corp.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# UEC Medical Triple Antibiotic Ointment 0.5g NBE Neosporin 20 and 144 ct- 10391 and 10395 (2018)

Active ingredients Purpose

Neomycin sulfate 5 mg (equivalent to 3.5 mg Neomycin)......First aid antibiotic

Polymyxin B sulfate 5,000 units......First aid antibiotic

Uses

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

## Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

## Other information

• store at 15° to 25°C (59° to 77°F)

Inactive ingredients

white soft paraffin

Distributed by:

**UEC Medical** 

17211 Valley View Ave.

Cerritos, CA 90703







# TRIPLE ANTIBIOTIC

First Aid Antibiotic Ointment

Compare to NEOSPORIN® Original active ingredients\*

#### **Drug Facts**

Active ingredients Purpose
Bacitracin zinc 400 units. First aid antibiotic
Polymyxin B sulfate 5,000 units. First aid antibiotic

Uses first aid to help prevent infection in minor: ■ cuts ■ scrapes ■ burns

## Warnings

#### For external use only

Do not use ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of the body

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and ask a doctor if ■ you need to use longer than 1 week
■ condition persists or gets worse ■ rash or other allergic reaction develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage

Other information
store at 15° to 25° C (59° to 77° F)

Inactive ingredients white soft paraffin



#### Compare to NEOSPORIN®

Original active ingredients

First Aid Antibiotic Ointment

# TRIPLE **ANTIBIOTIC**

PUSH TO OPEN Dispense through opening
Do not use if packet is torn or damaged

20 Packets 1/32 oz (0.9 g) each



# **+** UEC Medical<sup>™</sup>

Compare to **NEOSPORIN®** Original active ingredients\*

First Aid Antibiotic Ointment

# TRIPLE ANTIBIOTIC

#### ORIGINAL STRENGTH

Helps prevent infection cuts, scrapes & burns

20 Packets 1/32 oz (0.9 g) each



Compare to **NEOSPORIN®**Original active ingredients\*

First Aid Antibiotic Ointment

# **TRIPLE ANTIBIOTIC**



\*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, Inc. owner of the registered trademark Neosporin® Original



Reorder No. 10392 Ointment Made in Israel Packaged in the U.S.A.



## **UEC MEDICAL FIRST AID ANTIBIOTIC**

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

## **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:65923-391

Route of Administration TOPICAL

# **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
BACITRACIN ZINC (UNII: 89 Y4M234ES) (BACITRACIN - UNII:58 H6 RWO 52I)	BACITRACIN	400 [iU] in 1 g

## **Inactive Ingredients**

Ingredient Name	Strength
PARAFFIN (UNII: 1900 E3H2ZE)	

P	Packaging						
#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>			
1	NDC:65923-391-20	20 in 1 BOX	04/04/2016				
1		0.5 g in 1 PACKET; Type 0: Not a Combination Product					
2	NDC:65923-391-44	144 in 1 BOX	04/04/2016				
2		0.5 g in 1 PACKET; Type 0: Not a Combination Product					
3	NDC:65923-391-21	20 in 1 BOX	04/04/2016				
3		0.9 g in 1 PACKET; Type 0: Not a Combination Product					
4	NDC:65923-391-45	144 in 1 BOX	04/04/2016				
4		0.9 g in 1 PACKET; Type 0: Not a Combination Product					

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC monograph final	part333B	04/04/2016				

# **Labeler -** United Exchange Corp. (840130579)

Revised: 4/2018 United Exchange Corp.