

**STAFAC 20- virginiamycin powder**  
**Phibro Animal Health**

-----  
**Stafac® 20**  
**(virginiamycin)**  
**TYPE A MEDICATED ARTICLE**

**Active Drug Ingredient**

Virginiamycin . . . . . 4.4%

(Contains 20 g virginiamycin activity per lb)

**CAUTION:**

**Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.**

**Ingredients:**

Processed grain by-products, roughage products, calcium carbonate, carboxymethylcellulose, mineral oil

**(20 g virginiamycin activity per lb)**

**For use in swine and poultry feeds as specified below**

**Directions for Use**

**Mixing Directions**

Stafac 20 Type A Medicated Article must be thoroughly mixed in the feed to assure even distribution. Determine the appropriate amount of Stafac 20 required from the table below. Dilute Stafac 20 with a portion of one of the feed ingredients (enough to make a quantity equal to 10 lb per ton) before final mixing.

<b>Swine</b>	<b>Required level of virginiamycin activity per ton of Type C Medicated Feed (complete feed)</b>	<b>Required amount of Stafac 20 per ton of Type C Medicated Feed (complete feed)</b>	<b>Amount of virginiamycin activity provided to animal per lb of body weight per day</b>
Treatment of swine dysentery in nonbreeding swine weighing over 120 lb	100 g for 2 weeks	5.00 lb	2.27 mg
Treatment and control of swine dysentery in swine weighing up to 120 lb	100 g for 2 weeks followed by 50g	5.00 lb 2.50 lb	2.27 mg 1.14 mg
Aid in control of swine dysentery in swine weighing up to 120 lb For use in animals or on premises with a history of swine dysentery but where symptoms have not yet	25 g	1.25 lb	0.57 mg

occurred			
<b>CAUTION: Not for use in breeding swine over 120 lbs.</b>			
<b>Poultry</b>	<b>Required level of virginiamycin activity per ton of Type C Medicated Feed (complete feed)</b>	<b>Required amount of Stafac 20 per ton of Type C Medicated Feed (complete feed)</b>	
Prevention of necrotic enteritis caused by <i>Clostridium perfringens</i> susceptible to virginiamycin <b>Not for Use in Laying Chickens</b>	20 g	1.00 lb	

**Feed Continuously as Sole Ration**

**Store at Or Below 25°C (77°F), Excursions Permitted Up To 40°C (104°F)**

**Close Container After Use**

For further manufacture only.

**Follow Directions on Back Panel**

**Stafac is a registered trademark of Phibro Animal Health Corporation**

**Phibro Animal Health Corporation, Teaneck, NJ 07666**

**Net Weight 50 lb (22.6 kg)**

NADA #91-467, Approved by FDA

9907000

101-9007-11A

**Warnings**

**NOT FOR HUMAN USE**

**Restricted Drug (California) – Use Only as Directed**



# Stafac<sup>®</sup> 20 (virginiamycin)

TYPE A  
MEDICATED ARTICLE

(20 g virginiamycin activity per lb)  
For use in swine and poultry feeds as specified below

**Directions for Use**

**Mixing Directions**

Stafac 20 Type A Medicated Article must be thoroughly mixed in the feed to ensure even distribution. Determine the appropriate amount of Stafac 20 required from the table below. Stir the Stafac 20 into a portion of one of the feed ingredients (enough to make a quantity equal to 10 lb per ton) before final mixing.

Service	Required level of virginiamycin activity per ton of Type C Medicated Feed (complete feed)	Required amount of Stafac 20 per ton of Type C Medicated Feed (complete feed)	Amount of virginiamycin activity provided by amount per lb of body weight per day
Treatment of swine deworming in non-lactating swine weighing over 120 lb	100 g	5.00 lb	2.27 mg
Treatment and control of swine deworming in swine weighing up to 120 lb	100 g for 2 weeks followed by 20 g	5.00 lb 2.00 lb	2.27 mg 1.14 mg
Not in control of swine deworming in swine weighing up to 120 lb	25 g	1.25 lb	0.57 mg

**CAUTION:** Not for use in breeding swine or or 120 lb.

Service	Required level of virginiamycin activity per ton of Type C Medicated Feed (complete feed)	Required amount of Stafac 20 per ton of Type C Medicated Feed (complete feed)
For use in broiler chickens	20 g	1.00 lb

**Poultry**

For use in broiler chickens

Prevention of necrotic enteritis caused by Clostridium perfringens susceptible to virginiamycin

Not for Use in Laying Chickens

Feed Concentrate or Sole Feeder

Store At or Below 25°C (77°F). Excursions Permitted Up to 40°C (104°F)

Close Container After Use

Not For Human Use

Restricted Drug (Xerxes) - Use Only as Directed

101-907-11A

Manufactured by  
Phibro Animal Health Corporation  
Teaneck, NJ 07666

Stafac<sup>®</sup> 20  
(virginiamycin)

Phibro  
ANIMAL HEALTH CORPORATION

# Stafac<sup>®</sup> 20 (virginiamycin)

TYPE A  
MEDICATED ARTICLE

Active Drug Ingredient  
Virginiamycin . . . . . 4.4%  
(Contains 20 g virginiamycin activity per lb)

**CAUTION:** Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

**Ingredients:**  
Processed grain by-products, roughage products, calcium carbonate, carboxymethylcellulose, mineral oil

For further manufacture only.

Follow Directions on Back Panel

Stafac is a registered trademark of Phibro Animal Health Corporation  
Phibro Animal Health Corporation, Teaneck, NJ 07666

NADA #91-407, Approved by FDA  
9907000  
101-9007-11A

Net Weight 50 lb (22.6 kg)

Phibro  
ANIMAL HEALTH CORPORATION

Phibro  
Stafac<sup>®</sup> 20  
(virginiamycin)

## STAFAC 20

virginiamycin powder

### Product Information

<b>Product Type</b>	VFD TYPE A MEDICATED ARTICLE ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:66 104-1220
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
VIRGINIAMYCIN (UNII: C49 WS9 N75L) (VIRGINIAMYCIN - UNII:C49 WS9 N75L)	VIRGINIAMYCIN	20 g in 0.45 kg

### Inactive Ingredients

Ingredient Name	Strength
RICE BRAN (UNII: R60 QEP13IC)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:66 104-1220-0	22.6 kg in 1 BAG		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
NADA	NADA091467	03/24/2010		

**Labeler** - Phibro Animal Health (006989008)

**Registrant** - Wyniece Franklin (006989008)

Revised: 12/2018

Phibro Animal Health