#### ISOPROPYL ALCOHOL- isopropyl alcohol liquid Safeway, Inc.

-----

# **Drug Facts**

# Active ingredient (by volume)

Isopropyl alcohol (70% conc.)

# Purpose

First aid antiseptic

# Uses

first aid to help prevent the risk of infection in minor cuts, scrapes, and burns.

#### Warnings

#### For external use only.

• If taken internaly, serious gastic disturbances will result

#### Flammable, keep away from fire or flame

• use only in a well-ventilated area; fumes may be toxic

# Ask a doctor before use if you have

deep or puncture wounds, animal bites or serious burns.

#### When using this product

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

# Stop use and ask a doctor if

condition persists or gets worse.

# Keep out of reach of children.

In case of ingestion, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

- clean affected area
- apply small amount of this product on the area 1-3 times daily
- if bandaged, let dry first

• may be covered with a sterile bandage

#### Other information

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol

# **Inactive ingredient**

purified water

#### **Principal Display Panel**

#### 70% Isopropyl Rubbing Alcohol

First aid antiseptic

#### WARNING FLAMMABLE | keep away from heat, spark, electrical, fire or flame

FL OZ (mL)

# TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

# **DISTRIBUTED BY:**

BETTER LIVING BRANDS LLC P.O. BOX 99, PLEASANTON, CA 94566-0009 ≠1-888-723-3929

Package Label



70% Isopropyl Rubbing Alcohol

Active ingredie			IF PRINTED EN OR MISSING. Purpose t aid antiseptic
Uses first aid to he cuts, scrapes, and burr		k of infect	ion in minor
Warnings For external use only. If taken internally, se Flammable, keep awa use only in a well-v	rious gastric dist. ay from fire or fla	ame.	
Ask a doctor before u animal bites, or serious When using this prod do not apply over lar do not use longer the Stop use and ask a di Keep out of reach of of help or contact a Poison	s burns. uct ■ do not ge ge areas of the bo an one week unle octor if condition children. In case	t into eye ody ss directe persists o of ingestic	s d by a doctor ir gets worse. on, get medical
Directions = cl apply small amount if bandaged, let dry f may be covered with	lirst	the area	1-3 times daily cv
Other informati store at room tempe does not contain, no substitute for grain o	rature r is intended as a		2113
Inactive ingred	<i>ient</i> purified v	vater	
OVE TT B	ISTRIBUTED BY: ETTER LIVING BRAU 0. BOX 99		8050
OR IT'S ON US\$ P	LEASANTON, CA 94 1-888-723-3929	000 0000	

# 70% Isopropyl Rubbing Alcohol

ISOPROPYL ALCOHO	L							
Product Information								
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:21130-978				
Route of Administration	TOPICAL							
Active Ingredient/Active Moiety								
Ingredient Name			Basis of Strengtl		Strength			
			ISOPROPYL ALCOHOL	-	70 mL in 100 mL			
Inactive Ingredients								
Ing	redient Name			Streng	gth			
WATER (UNII: 059QF0K00R)								

-16 C:21130-	:21130- 473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a	Marketing Start Date 01/31/2023	Marketing End Date
-16 C:21130-		01/31/2023	
-32	· · · · · ·	01/31/2023	
keting	keting Information		
larketing Category		ph Marketing Start Date	Marketing End Date
	nograph Drug M003	01/31/2023	
la	R R	rketing Application Number or Monogra	rketing Application Number or Monograph Marketing Start tegory Citation Date

# Labeler - Safeway, Inc. (009137209)

Revised: 5/2025

Safeway, Inc.