# CHILDRENS LORATADINE SUGAR FREE- loratadine solution American Sales Company

-----

Children's Loratadine Oral Solution Sugar Free

**Drug Facts** 

# Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

# Purpose

Antihistamine

## Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

# Warnings

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed.

Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

## **Directions**

• use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
Children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

## Other information

- do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing.
- see bottom panel for lot number and expiration date
- store between 20° and 25°C (68° and 77°F)

# **Inactive ingredients**

butylated hydroxyanisole, glycerin, grape flavor, maltitol solution, masking agent, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium phosphate monobasic dihydrate, sorbitol solution, sucralose powder.

# Questions?

Call 1-866-923-4914

DISTRIBUTED BY FOODHOLD U.S.A., LLC LANDOVER, MD 20785

## PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

NDC 41520-131-08

 $CAREone^{\mathbb{R}}$ 

Compare to active ingredient in Children's Claritin®\*

Ages 2 years and Older

**SUGAR** 

**FREE** 

CHILDREN'S

ALLERGY

Loratadine

**Oral Solution** 

USP, 5 mg/5 mL

(Antihistamine) Allergy

Dosing cup

enclosed

Grape

Flavor

24hr

Indoor & Outdoor Allergies

24 HOUR RELIEF OF:

- Sneezing Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Non-drowsy<sup>†</sup>

†When taken as directed. See Drug Facts Panel.

• Dye Free

**OUR PHARMACISTS** 

Rx

# RECOMMEND

4 FL OZ (120 mL)



# CHILDREN'S LLERGY

Loratadine **Oral Solution** USP, 5 mg/5 mL (Antihistamine) Allergy

NDC 41520-131-08

CAREONE

Compare to active ingredient in Children's Claritin®\*

Ages 2 years and Older



# DREN'S ERGY

Loratadine **Oral Solution** USP, 5 mg/5 mL (Antihistamine) Allergy



Grape Flavor



Indoor & Outdoor Allergies 24 HOUR RELIEF OF:

- Sneezing Runny Nose
  - Itchy, Watery Eyes
  - Itchy Throat or Nose

Non-drowsv†

†When taken as directed. See Drug Facts Panel.

Dye Free



Compare to active ingredient in Children's Claritin®

Ages 2 years and Older



# DREN'S ERGY

Loratadine **Oral Solution** USP, 5 mg/5 mL (Antihistamine) Allergy



Grape Flavor



Indoor & Outdoor Allergies

# 24 HOUR RELIEF OF:

- Sneezing Runny Nose
  - Itchy, Watery Eyes
  - Itchy Throat or Nose

Non-drowsv<sup>†</sup>

†When taken as directed. See Drug Facts Panel.

Dye Free





# NO COPY ON THIS FLAP FOR LOT # AND EXPIRY DATE PRINT

T181C

S-345



NO VARNISH ON THIS FLAP

NDC 41520-131-08

# CARE**ONE**

Compare to active ingredient in Children's Claritin®\*

Ages 2 years and Older



# CHILDREN'S ALLERGY

Loratadine Oral Solution USP, 5 mg/5 mL (Antihistamine) Allergy



# SEALED WITH PRINTED NECKBAND

# **Drug Facts**

## Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg.......Antihistamine

**Uses** temporarily relieves these symptoms due to hay fewer or other upper respiratory allergies:

- runny nose
- · itchy, watery eyes
- sneezing
- · itching of the nose or throat

Purpose

# Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease, Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1–800-222-1222)

Directions	· use only with	enclosed dosing cup
------------	-----------------	---------------------

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours	
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours	
children under	ask a doctor	

DISTRIBUTED BY FOODHOLD U.S.A., LLC LANDOVER, MD 20785 • 1-877-846-9949 © 2018 S&S Brands, LLC MADE IN CANADA Quality guaranteed or your money back.

\*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Children's Claritin®. 2 years of age

consumers with liver ask a doctor or kidney disease

## Other information

- do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing.
- · see bottom panel for lot number and expiration date
- . store between 20° and 25°C (68° and 77°F)

Inactive ingredients butylated hydroxyanisole, glycerin, grape flavor, maltitol solution, masking agent, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium phosphate monobasic dihydrate, sorbitol solution, sucralose powder.

Questions? Call 1-866-923-4914

NO VARNISH ON THIS FLAP PPK-7077-2 0718-2 28

## CHILDRENS LORATADINE SUGAR FREE

loratadine solution

## **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:41520-131

**Route of Administration** ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Loratadine (UNII: 7AJO3BO7QN) (Loratadine - UNII:7AJO3BO7QN)	Loratadine	5 mg in 5 mL

# Ingredient Name Strength butylated hydroxyanisole (UNII: REK4960K2U) glycerin (UNII: PDC6A3C0OX) sorbitol (UNII: 506T60A25R) polyethylene glycol, unspecified (UNII: 3WJQ0SDW1A) phosphoric acid (UNII: E4GA8884NN) propylene glycol (UNII: 6DC9Q167V3) water (UNII: 059QF0KO0R) sodium benzoate (UNII: OJ245FE5EU) Sodium Phosphate, Monobasic, Dihydrate (UNII: 5QWK665956)

Product Characteristics			
Color	YELLOW (Colorless to slightly yellow)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

	Packaging			
:	# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
	NDC:41520-131-08	1 in 1 CARTON	07/27/2017	
	1	120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076805	03/17/2017	

# Labeler - American Sales Company (809183973)

Revised: 11/2019 American Sales Company