MUCUS RELIEF D- guaifenesin and pseudoephedrine hcl tablet, extended release

LEADER/ Cardinal Health 110, Inc.

Drug Facts

Active ingredient(s)

Guaifenesin USP, 1200

mg.....Expectorant

Pseudoephedrine HCI USP, 120 mg.....Nasal Decongestant

Purpose

Expectorant and Nasal Decongestant

Use(s)

■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bother some mucus and make coughs more productive

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure_

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if

- heart disease
- high blood pressure

- thyroid disease
- diabetes

■ trouble urinating due to an enlarged prostate gland

■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

■ cough accompanied by too much phlegm (mucus)

When using this product

do not use more than directed

Stop use and ask doctor if

■ you get nervous, dizzy, or sleepless

■ symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

Pregnancy/Breastfeeding

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- children under 12 years of age: do not use

For 600 mg/60 mg

■ adults and children 12 years and older: 2 tablets every 12 hours; not more than 4 tablets in 24 hours

For 1200 mg/120 mg

■ adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours

Other information

■ tamper evident: do not use if carton is open or if printed seal on blister is broken or missing.

Storage

■ store between 20°-25°C (68°-77°F)

Inactive ingredients

FD & C yellow #6, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide.

Questions

call 1-888-375-3784

You may also report side effect to this phone number.

Keep the carton.

It contains important information.

See end panel for expiration date.

Manufactured by:

Dr. Reddy's Laboratories Limited

Srikakulam - 532 409 INDIA

Principal Display Panel- Carton

Guaifenesin and Pseudoephedrine HCI ER Tablets 1200 mg/120 mg: 24s

		i contra de la con	Keepthe carton. It contains important in formation. See end panel for expiration date. "Thispaductisnetransbaedordist blueduy Reith Benziser ULC on reot Perepting that a demark Mune "O Heamur Jengh.		Ì
Glue - No Coating	Image: I	Neximum Strength Mucus Relief D	DECADACIÓN DE CONTRACTOR DE CADACIÓN DE CA	12-Hour Clears Nasal, Sinus Congestion Thins and Loosens Mucus 24 EXTENDED-RELEASE Musa Musa Musa Musa Musa Musa Musa Musa	hakinum Strength Mucus Relief D
			DDDRUUED BY CARENAL HARUNT DUBLIN, ONI ON KONT New mykader.com 1-800-200-6313 Nade in India LOT LOT	sor Recurring prace or parchase in not satisfied.	

MUCUS RELIEF D

guaifenesin and pseudoephedrine hcl tablet, extended release

HUMAN OTC DRUG	Item Code (Source) NDC:70000-0608(NDC:		NDC:55111-799)						
ORAL									
A oioty									
Active Ingredient/Active Moiety									
Ingredient Name									
Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ) Guaifenesin									
Pseudoephedrine Hydrochloride (UNII: 6V9V2RYJ8N) (Pseudoephedrine - UNII:7CUC9DDI9F)			120 mg						
Inactive Ingredients									
193A8)									
HYPROMELLOSES (UNII: 3NXW29V3WO)									
WQ57Q8I5X)									
97M6I30)									
	DRAL Noiety ient Name Suaifenesin - UNII:49 (UNII: 6V9V2RYJ8N) Ingredient Na 193A8) WO) MQ57Q8I5X)	DRAL Moiety ient Name Guaifenesin - UNII:495W7451VQ) (UNII: 6V9V2RYJ8N) (Pseudoephedrine - PH I93A8) WO) MQ57Q8I5X)	DRAL Moiety ient Name Basis of Streng Guaifenesin (UNII: 6V9V2RYJ8N) (Pseudoephedrine - Hydrochloride Ingredient Name 193A8) WO) MQ57Q8I5X)						

CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)											
POVIDONE (UNII: FZ989GH94E)											
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)											
Product Char	acteristics										
Color	ORANGE	Score	Score								
Shape	CAPSULE	Size	Size								
Flavor		Imprint Code	Imprint Code								
Contains											
Packaging											
Tuckuging			Marketing Start								
# Item Code	Package Desc	Package Description		Marketing End Date							
1 NDC:70000- 0608-1	2 in 1 CARTON	ARTON									
1	12 in 1 BLISTER PACK; Type 0: Product	Not a Combination									
Marketing	Information										
Marketing Category		Application Number or Monograph Citation		Marketing End Date							
ANDA	ANDA208369		05/16/2022								

Labeler - LEADER/ Cardinal Health 110, Inc. (063997360)

Revised: 4/2022

LEADER/ Cardinal Health 110, Inc.