

## **PAIN RELIEVING CLEANSING- benzalkonium 0.13%, lidocaine hcl 2.5% spray**

### **Target**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Benzalkonium 0.13%	First Aid Antiseptic
Lidocaine HCl 2.5%	Pain Relieving Spray

### **Uses**

First aid to help prevent bacterial contamination or skin infection, and for temporary relief of pain and itching associated with minor: cuts, scrapes, burns, sunburn, skin irritations

### **Warnings**

☐ **For external use only**

☐ **Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

☐ **When using this product**

- do not use in or near the eyes
- do not apply over large area of the body or in large quantities
- do not apply over raw surfaces or blistered areas

☐ **Stop use and ask a doctor if**

- condition worsens
- symptoms persist for more than 7 days, or clear up and occur again within a few days

☐ **Keep out of reach of children**

☐ If swallowed get medical help or contact a Poison Control Center right away

### **Directions**

• Adults and children 2 years and older: clean the affected area. Apply small amount on the area 1-3 times daily; may be covered with a sterile bandage (let dry first) • Children Under 2 years: Consult a physician.

### **Other information**

Avoid excessive heat

### **Inactive ingredients**


Diazolidinyl Urea, Disodium EDTA, Fragrance, Methylparaben, Nonoxynol 9, Propylene Glycol, Propylparaben, Sodium Phosphate Dibasic, Water

Questions? 1-800-910-6874

**Compare to Bactine®\***

# pain relieving cleansing spray

helps relieve pain on contact  
antiseptic helps prevent infection  
no sting  
antiseptic anesthetic



5 FL OZ (147.8 mL)

**Drug Facts**

Active ingredients	Purpose
Benzalkonium Cl 0.13%.....	First Aid Antiseptic
Lidocaine HCl 2.5%.....	Pain Relief

**Uses** First aid to help prevent skin infection and bacterial contamination and for temporary relief of itching and pain associated with minor: • scrapes • burns • cuts • skin irritations • sunburns

**Warnings**  
For external use only

**Ask a doctor before use if you have** • deep or puncture wounds • animal bites • serious burns

**When using this product** • do not use in or near the eyes • do not apply over large areas of the body or in large quantities • do not apply over raw surfaces or blistered areas

**Stop use and ask a doctor if** • condition worsens • symptoms persist for more than 7 days, or clear up and occur again within a few days.

**Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center immediately.

**Directions** • Adults and children 2 years and older: clean the affected area. Apply small amount on the area 1-3 times daily; may be covered with a sterile bandage (let dry first) • Children Under 2 Years: Consult a physician.

**Other information** Avoid excessive heat

**Inactive ingredients** Diazolidinyl Urea, Disodium EDTA, Fragrance, Methylparaben, Nonoxynol 9, Propylene Glycol, Propylparaben, Sodium Phosphate Dibasic, Water.

**Questions?** 1-800-910-6874

Dist. by Target Corp., Mpls., MN 55403  
**Made in U.S.A. with US and imported materials**  
 ©2015 Target Brands, Inc. Shop Target.com  
 Guest Services 1-800-910-6874  
 \*This product is not manufactured or distributed by the owners of the registered trademark Bactine®.

245 07 0514 R00 ID295422



7 27510 00378 8

## PAIN RELIEVING CLEANSING

benzalkonium 0.13%, lidocaine hcl 2.5% spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11673-778
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	25 mg in 1 mL
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM -	BENZALKONIUM	1.3 mg

UNII:7N6JUD5X6Y)

CHLORIDE

in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
Diazolidinyl Urea (UNII: H5RIZ3MPW4)	
EDETATE DISODIUM ANHYDRO US (UNII: 8NLQ36F6MM)	
Methylparaben (UNII: A2I8C7HI9T)	
NONOXYNOL-9 (UNII: 48Q180SH9T)	
Propylene Glycol (UNII: 6DC9Q167V3)	
Propylparaben (UNII: Z8IX2SC1OH)	
SODIUM PHOSPHATE, DIBASIC, ANHYDRO US (UNII: 22ADO53M6F)	
Water (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-778-04	148 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/02/2013	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	05/02/2013	

**Labeler** - Target (006961700)**Registrant** - Product Quest Mfg (927768135)**Establishment**

Name	Address	ID/FEI	Business Operations
Product Quest Mfg		927768135	manufacture(11673-778) , label(11673-778)

Revised: 7/2018

Target