

**ALLERGY RELIEF- diphenhydramine hcl tablet, film coated  
DOLGENCORP, LLC**

-----  
**Allergy Relief**

***Active ingredient (in each tablet)***

Diphenhydramine HCl 25 mg

***Purpose***

Antihistamine

***Uses***

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - itchy, watery eyes
  - itching of the nose or throat
  - sneezing
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

***Warnings***

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **do not take more than directed**
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

**Other information**

- **each tablet contains:** calcium 30 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package
- protect from moisture

**Inactive ingredients**

corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

**Principal Display Panel**

Since 1903

**Rexall®**

**Allergy Relief**

Diphenhydramine HCl, 25 mg

Antihistamine

*Relief of*

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat

Actual  
Size

**365  
Tablets**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

50844 REV0721D32951

**Visit us at: Rexall.com or call 1-866-4-REXALL**

MANUFACTURED FOR OLD EAST MAIN CO.

100 MISSION RIDGE, GOODLETTSVILLE, TN 37072 USA

**Relief of**

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat

**365 Tablets**

Do Not Print/No Varnish Area  
Lot # & Exp Date

<b>Drug Facts</b>	<p><b>Purpose</b></p> <p>Diphenhydramine HCl 25 mg.....Antihistamine</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:                             <ul style="list-style-type: none"> <li>runny nose</li> <li>itchy, watery eyes</li> <li>itching of the nose or throat</li> </ul> </li> <li>temporarily relieves these symptoms due to the common cold:                             <ul style="list-style-type: none"> <li>runny nose</li> <li>sneezing</li> </ul> </li> </ul>
<b>Warnings</b>	<p>Do not use</p> <ul style="list-style-type: none"> <li>to make a child sleepy</li> <li>with any other product containing diphenhydramine, even one used on skin</li> </ul> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>glaucoma</li> <li>a breathing problem such as emphysema or chronic bronchitis</li> <li>difficulty in urination due to enlargement of the prostate gland</li> </ul>

A0092

N 3 50844 32951 6

PEEL HERE FOR MORE DRUG FACTS

50844 REV0721D32951  
Visit us at: Rexall.com or call 1-866-4-REXALL  
MANUFACTURED FOR OLD EAST MAIN CO.  
100 MISSION RIDGE, GOODLETTSVILLE, TN 37072 USA

Adhesive Area

STOP PEELING

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

**When using this product:**

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not take more than directed
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

**Other information**

- each tablet contains: calcium 30 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package
- protect from moisture

**Inactive ingredients** com starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

**Rexall 44-329**

**ALLERGY RELIEF**

diphenhydramine hcl tablet, film coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-329
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>D&amp;C RED NO. 27 ALUMINUM LAKE</b> (UNII: ZK64F7XSTX)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

**Product Characteristics**

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	44;329
<b>Contains</b>			

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:55910-329-12	1 in 1 CARTON	06/27/2023	
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:55910-329-51	365 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/02/1990	
3	NDC:55910-329-08	1 in 1 CARTON	03/02/1990	02/15/2021
3		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M012	03/02/1990	

**Labeler** - DOLGENCORP, LLC (068331990)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(55910-329)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55910-329) , pack(55910-329)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(55910-329)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(55910-329)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(55910-329)

Revised: 6/2023

DOLGENCORP, LLC