

**MENSTRUAL COMPLETE MAXIMUM STRENGTH- acetaminophen, caffeine and
pyrilamine maleate tablet, film coated
Rite Aid Corporation**

Rite Aid 44-390 MS

Active ingredients (in each caplet)

Acetaminophen 500 mg
Caffeine 60 mg
Pyrilamine maleate 15 mg

Purpose

Pain reliever
Diuretic
Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- muscle aches
- cramps
- backache
- fatigue
- water-weight gain

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children
- be careful when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than the recommended dose**
- adults and children 12 years and over:
 - take 2 caplets with water
 - repeat every 6 hours, as needed

- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal Display Panel

Compare to active ingredients in **Midol® Complete***

NDC 11822-0390-9

MAXIMUM STRENGTH

MENSTRUAL COMPLETE

ACETAMINOPHEN, CAFFEINE, PYRILAMINE MALEATE
pain Reliever • diuretic • antihistamine

MULTI-SYMPTOM RELIEF

of cramps, bloating, fatigue,
headache & backache

24

CAPLETS

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by
Bayer HealthCare LLC, owner of the registered
trademark Midol® Complete.

50844 REV0517B39008

**DISTRIBUTED BY: RITE AID,
200 NEWBERRY COMMONS
ETTERS, PA 17319 www.riteaid.com**

SATISFACTION GUARANTEE

If you're not satisfied, we'll
happily refund your money.



Compare to active ingredients in Midol® Complete*

NDC 11822-0390-9

MAXIMUM STRENGTH MENSTRUAL COMPLETE

ACETAMINOPHEN, CAFFEINE, PYRILAMINE MALEATE

pain reliever • diuretic • antihistamine

MULTI-SYMPTOM RELIEF

of cramps, bloating, fatigue,
headache & backache



ACTUAL SIZE

24
CAPLETS

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol® Complete.
50844 REV0517B390008
DISTRIBUTED BY: RITE AID,
200 NEUBERRY COMMONS
ETTERS, PA 17319 www.riteaid.com

**SATISFACTION
GUARANTEE**
If you're not satisfied, we'll
happily refund your money.



no print / no varnish area
for no. & exp. date

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

B-1702-390-08-R3
REV0517B390008

Drug Facts
FOR COMPLETE
PRODUCT INFORMATION
KEEP OUTER PACKAGE

Active ingredients
(in each caplet)
Acetaminophen 500 mg Pain reliever
Caffeine 60 mg
Difenhydramine HCl 25 mg
Pyrilamine maleate 15 mg Antihistamine

Uses
for the temporary relief of these
symptoms associated with menstrual periods:
■ bloating ■ headache ■ muscle aches
■ cramps ■ backache ■ fatigue
■ water-weight gain

Warnings
Liver warning: This product contains
acetaminophen. Severe liver damage may occur if
you take
■ more than 4,000 mg of acetaminophen in 24
hours
■ with other drugs containing acetaminophen
■ 3 or more alcoholic drinks every day while
using this product
Alergy alert: Acetaminophen may cause severe
skin reactions. Symptoms may include:
■ skin reddening ■ blisters ■ rash

Drug Facts (continued)
Keep out of reach of children. In case of
accidental overdose, get medical help or contact
Poison Control Center right away. Prompt medical
attention is critical for adults as well as for
children even if you do not notice any signs or
symptoms.
Directions
do not take more than the recommended dose
■ adults and children 12 years and over:
■ take 2 caplets with water
■ repeat every 6 hours, as needed
■ do not exceed 6 caplets per day
■ children under 12 years: ask a doctor

Drug Facts (continued)
Other information
■ store at 25°C (77°F); excursions permitted
between 15°-30°C (59°-86°F)
■ see end flap for expiration date and lot number
Inactive ingredients com starch,
croscarmellose sodium, crospovidone,
hypromellose, magnesium stearate,
microcrystalline cellulose, polydextrose,
polyethylene glycol, povidone, silicon dioxide,
stearic acid, titanium dioxide, triacetin
Questions or comments?
1-800-426-9391

Drug Facts (continued)
If a skin reaction occurs, stop use and seek medical
help right away.
Do not use
■ with any other drug containing acetaminophen
(prescription or nonprescription). If you are not
sure whether a drug contains acetaminophen,
ask a doctor or pharmacist.
■ if you have ever had an allergic reaction to this
product or any of its ingredients
Ask a doctor before use if you have
■ difficulty in urination due to enlargement of the
prostate gland ■ liver disease
■ a breathing problem such as emphysema or
chronic bronchitis ■ glaucoma
Ask a doctor or pharmacist before use if you are
■ taking the blood thinning drug warfarin
■ taking sedatives or tranquilizers
When using this product ■ you may get drowsy
■ avoid alcoholic beverages

Drug Facts (continued)
alcohol, sedatives, and tranquilizers may
increase drowsiness
■ excitability may occur, especially in children
■ be careful when driving a motor vehicle or
operating machinery
■ limit the use of caffeine-containing medications,
foods, or beverages while taking this product
because too much caffeine may cause
nervousness, irritability, sleeplessness, and,
occasionally, rapid heartbeat. The
recommended dose of this product contains
about as much caffeine as a cup of coffee.
Stop use and ask a doctor if
■ new symptoms occur
■ redness or swelling is present
■ pain gets worse or lasts more than 10 days
■ fever gets worse or lasts more than 3 days
These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health
professional before use.

Rite Aid 44-390

MENSTRUAL COMPLETE MAXIMUM STRENGTH

acetaminophen, caffeine and pyrilamine maleate tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0390
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;390
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0390-9	1 in 1 CARTON	04/29/2002	
1		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:11822-0390-1	1 in 1 CARTON	04/29/2002	
2		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

3	NDC:11822-0390-8	3 in 1 CARTON	04/29/2002	07/08/2018
3		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/29/2002	

Labeler - Rite Aid Corporation (014578892)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(11822-0390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11822-0390) , pack(11822-0390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(11822-0390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(11822-0390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(11822-0390)

Revised: 6/2024

Rite Aid Corporation