MUCUS RELIEF DM EXTENDED RELEASE CAPLETS- guaifenes in, dextromethorphan hbr tablet Dugby Laboratorica, Inc.

Rugby Laboratories, Inc.

Drug Facts

Active ingredients (in each extended-release tablet)

Dextromethorphan HBr 30 mg

Guaifenesin 600 mg

Purpose

Cough Suppressant

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product,

do not use more than directed.

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regards for timing of meals
- adults and children 12 years of age and older: 1 or 2 tablet every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

carbomer, colloidal silicon dioxide, D&Cyellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredients in Mucinex® DM*

Mucus Relief DM ER

Guaifenesin 600 mg

Expectorant HBr 30 mg

Dextromethorphan HBr 30 mg

Cough suppressant

- 12-hour relief
- Controls cough
- Thins & Loosens mucus

Extended-release tablets

*This product is not manufactured or distributed Reckitt Benckiser LLC, distributor of Mucinex® DM.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by: Rugby Laboratories 17177 N Laurel Park Drive, Suite 233 Livonia, MI 48152 www.rugbylaboratories.com

Package Label

Active ingredients Purposes	Andrew States (Rugby S
(in each extended-release tablet) bextomethorphan HBr 30 mg	NDC 0536-1161-
Uses helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of	Compare to the act
bothersome mucus and make coughs more productive itemporarily relieves is cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants ithe intensity of coughing ithe implies to cough to help you get to sleep	ingredients in Mucinex® D
Warnings Do not use ■ for children under 12 years of age If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.	Mucus Relief DM E
Ask a doctor before use if you have ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema ■ cough accompanied by too much philegm (mucus)	Guaifenesin 600 mg
When using this product, do not use more than directed.	
Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.	Expectorant
If pregnant or breast-feeding, ask a health professional before use. Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center fight away (1-800-222-1222).	Dextromethorphan HBr 30 mg Cough suppressant
Directions a do not crush, chew, or break tablet take with a full glass of water b this product can be administered without regard for timing of meals adults and children 12 years of age and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours children under 12 years of age; do not use	
Other information	•12-hour relief
store between 20° to 25°C (68° to 77°F)	Controls cough
Inactive ingredients carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc	•Thins and loosens mucus
Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	
*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex® DM.	2
re-order No. 370580 PLD-A519A FC004925	
Istributed by: Iugby Laboratories T177 N Laurel Park Drive, Suite 233 Vonia, MI 48152	20 Extended-release tablets
ww.rugbylaboratories.com 3 "05361"16134''' 7	
	TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPE KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.: Exp. Date:

RUGBY Mucus Relief DM ER

MUCUS RELIEF DM EX guaifenesin, dextromethorphan hb		CAPLET	'S		
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:0536-1161	
Route of Administration	ORAL				
Active Ingredient/Active Moi	ety				
Ingre		Basis of Strength		Strength	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)			GUAIFENESIN		600 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)			DEXTROMETHORE HYDROBROMIDE	PHAN	30 mg

Inactive Ingredi	ents					
	Strength					
SILICON DIO XIDE (U						
MAGNESIUM STEAR	ATE (UN	III: 70097M6I30)				
CARBOMER 934 (UN	NII: Z135V	VT9208)				
CELLULOSE, MICRO						
POVIDONE (UNII: FZ	989GH94	4E)				
D&C YELLOW NO. 1	l o (UNII:	35SW5USQ3G)				
HYPROMELLOSE, U						
LACTOSE MONOHY						
TALC (UNII: 7SEV7J4						
Product Charact	eristic	S				
Color		YELLOW	Score		no score	
Shape		OVAL	Size		16 mm	
Flavor			Imprint Code		AN038	
Contains						
Packaging		Package Descript	tion	Marketing Start Date	e Marketing End Date	
Packaging # Item Code	20 in 1 C	.	tion	Marketing Start Dat 12/13/2018	e Marketing End Dat	
Packaging # Item Code 1 NDC:0536-1161-34		.			e Marketing End Dat	
Packaging # Item Code 1 NDC:0536-1161-34 1	1 in 1 BL	CARTON JISTER PACK; Type 0: Not a (e Marketing End Dat	
 Packaging # Item Code 1 NDC:0536-1161-34 1 2 NDC:0536-1161-37 	1 in 1 BL 40 in 1 C	CARTON JISTER PACK; Type 0: Not a (Combination Product	12/13/2018	e Marketing End Date	
Packaging	1 in 1 BL 40 in 1 C	CARTON JISTER PACK; Type 0: Not a C CARTON	Combination Product	12/13/2018	e Marketing End Date	
 Packaging # Item Code 1 NDC:0536-1161-34 1 2 NDC:0536-1161-37 	1 in 1 BL 40 in 1 C	CARTON JISTER PACK; Type 0: Not a C CARTON	Combination Product	12/13/2018	e Marketing End Date	
Example Item Code NDC:0536-1161-34 I NDC:0536-1161-37	1 in 1 BL 40 in 1 C 1 in 1 BL	CARTON JISTER PACK; Type 0: Not a C CARTON JISTER PACK; Type 0: Not a C	Combination Product	12/13/2018	e Marketing End Date	
Packaging Item Code NDC:0536-1161-34 NDC:0536-1161-37 NDC:0536-1161-37	1 in 1 BL 40 in 1 C 1 in 1 BL	CARTON JISTER PACK; Type 0: Not a C CARTON JISTER PACK; Type 0: Not a C	Combination Product Combination Product	12/13/2018	e Marketing End Date Marketing End Date	

Labeler - Rugby Laboratories, Inc. (079246066)

Revised: 10/2019

Rugby Laboratories, Inc.