

**CHILDREN ALLERGY RELIEF BUBBLEGUM FLAVOR- diphenhydramine hcl liquid  
TARGET CORPORATION**

-----  
**Target Children's allergy liquid Diphenhydramine HCl**

***Active ingredient (in each 5 mL)***

Diphenhydramine HCl USP 12.5 mg

***Purpose***

Antihistamine

***Uses***

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat

***Warnings***

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if the child has**

- a breathing problem such as chronic bronchitis
- glaucoma

**Ask a doctor or pharmacist before use if the child is**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away at

(1-800-222-1222).

### **Directions**

- find right dose on chart below
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours
- mL = milliliter

| <b>Age (yr)</b>        | <b>Dose (mL)</b>                       |
|------------------------|--|
| children under 2 years | do not use                             |
| children 2 to 5 years  | do not use unless directed by a doctor |
| children 6 to 11 years | 5 mL to 10 mL                          |

**Attention:** use only enclosed dosing cup designed for use with this product. Do not use any other dosing device.

### **Other information**

- **each 5 mL contains:** sodium 15 mg
- store at room temperature
- see bottom panel for lot number and expiration date
- protect from light
- contains low sodium

### **Inactive ingredients**

anhydrous citric acid, carboxymethylcellulose sodium, flavor, glycerin, potassium citrate, purified water, sodium benzoate, sorbitol, sucralose.

### **Questions or comments?**

**1-800-910-6874**

### **Principal display panel**

NDC 11673-832-04

**Compare to active ingredient Children's Benadryl® Dye-Free\*  
dye-free**

**children's allergy relief**

diphenhydramine HCl 12.5 mg,

Antihistamine/5 mL Oral Solution

Sugar free

for relief of:

- Runny Nose
- Sneezing
- Itchy, Watery Eyes
- Itchy Throat or Nose

## **BUBBLEGUM FLAVOR**

**Naturally and Artificially Flavored**

**AGES 6+ YEARS**

4 FL OZ (118 mL)

100% satisfaction guaranteed or your money back.

Each year we give 5% of our profit to communities, which add up to more than \$4 Million a week. See all the good we do together at [Target.com/Community](https://www.target.com/Community).

\*This product is not manufactured or distributed by Johnson & Johnson owner of the registered trademark Children's Benadryl<sup>®</sup> Dye-Free.

**094 04 0378 R01 ID205457**

**Distributed by Target Corporation**

**Minneapolis, MN 55403**

**® & © 2019 Target Brands, Inc.**

**Shop Target.com**

**IMPORTANT: Keep this carton for future reference on full labeling.**

**DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS TORN OR MISSING**



# CHILDREN ALLERGY RELIEF BUBBLEGUM FLAVOR

diphenhydramine hcl liquid

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:11673-832 |
| <b>Route of Administration</b> | ORAL           |                           |               |

## Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

|  |                                  |                    |
|--|----------------------------------|--------------------|
| <b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40)<br>(DIPHENHYDRAMINE - UNII:8GTS82S83M) | DIPHENHYDRAMINE<br>HYDROCHLORIDE | 12.5 mg<br>in 5 mL |
|--|----------------------------------|--------------------|

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)                      |          |
| <b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311) |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                                   |          |
| <b>POTASSIUM CITRATE</b> (UNII: EE90ONI6FF)                          |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                                      |          |
| <b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)                            |          |
| <b>SORBITOL</b> (UNII: 506T60A25R)                                   |          |
| <b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)                                  |          |

### Product Characteristics

|                 |   |                     |  |
|-----------------|---|---------------------|--|
| <b>Color</b>    |   | <b>Score</b>        |  |
| <b>Shape</b>    |   | <b>Size</b>         |  |
| <b>Flavor</b>   | BUBBLE GUM (Naturally and Artificially) | <b>Imprint Code</b> |  |
| <b>Contains</b> |   |                     |  |

### Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:11673-832-04 | 1 in 1 CARTON  | 04/17/2019           |                    |
| 1 |                  | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012                                     | 04/17/2019           |                    |

**Labeler** - TARGET CORPORATION (006961700)

Revised: 4/2024

TARGET CORPORATION