

**TRIPLE ANTIBIOTIC PLUS - polymyxin b sulfate, bacitracin zinc, neomycin sulfate, pramoxine hcl ointment**  
**Cosette Pharmaceuticals, Inc.**

-----  
**Triple Antibiotic Plus Ointment**  
**Polymyxin B Sulfate • Bacitracin Zinc • Neomycin Sulfate • Pramoxine HCl**

<b><i>Active ingredients (in each gram)</i></b>	<b><i>Purpose</i></b>
Bacitracin zinc 500 units	First aid antibiotic
Neomycin 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine hydrochloride 10.0 mg	Topical analgesic

**USES**

first aid to help prevent infection and provide temporary relief of pain or discomfort in minor • cuts • scrapes • burns

**WARNINGS**

**For external use only.**

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor.

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- the condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- a rash or other allergic reaction develops

**KEEP OUT OF REACH OF CHILDREN**

If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

- adults and children 2 years of age and older
  - clean the affected area

- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

## **OTHER INFORMATION**

store at room temperature

## **INACTIVE INGREDIENT**

light mineral oil, white petrolatum

## **PRINCIPAL DISPLAY PANEL**

**Triple Antibiotic Plus Ointment**

**Polymyxin B Sulfate • Bacitracin Zinc • Neomycin Sulfate • Pramoxine HCl**

**FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT**

**Net Wt. 1 oz**

**(28.4 g)**

# Triple Antibiotic Plus Ointment

Polymyxin B Sulfate • Bacitracin Zinc • Neomycin Sulfate • Pramoxine HCl

Helps prevent infection and provide temporary relief of pain or discomfort in minor cuts, scrapes and burns



## Triple Antibiotic Plus Ointment

Polymyxin B Sulfate • Bacitracin Zinc • Neomycin Sulfate • Pramoxine HCl

FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT

Net Wt. 1 oz (28.4 g)



Manufactured for:  
Cosanto Pharmaceuticals, Inc.  
111 Coolidge Street  
South Plainfield, NJ 07080  
Visit our website at [www.cosantopharma.com](http://www.cosantopharma.com)  
GW710222  
29-02231CP/LNC1  
Iss. 07/2019

<b>Drug Facts</b>
<b>Active ingredients (in each gram)</b>
Each gram contains:
Neomycin Sulfate 10,000 units
Polymyxin B Sulfate 10,000 units
Famoxone hydrochloride 10.0 mg
Topical anesthetic
<b>Purpose</b>
First aid antibiotic
First aid antibiotic
First aid antibiotic
<b>Warnings</b>
For external use only
Do not use
• if you are allergic to any of the ingredients
• over large areas of the body
• in the eyes
• longer than 1 week unless directed by a doctor
<b>Ask a doctor before use if you have</b>
• deep or puncture wounds • animal bites • serious burns
<b>Stop use and ask a doctor if</b>
• the condition persists or gets worse • symptoms persist for more than 1 week or clear up and occur again within a few days
• a rash or other allergic reaction develops
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.
<b>Directions</b>
• adults and children 2 years of age and older
• clean the area first
• apply small amount of this product (amount equal to the surface area of the spot a finger [on the area] to 25 times daily
• may become red with a few days
• children under 2 years of age: consult a doctor
<b>Other information</b>
• contains 100% water
<b>Inactive ingredients</b>
light mineral oil, white petrolatum

## TRIPLE ANTIBIOTIC PLUS

polymyxin b sulfate, bacitracin zinc, neomycin sulfate, pramoxine hcl ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0713-0622
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Polymyxin B Sulfate</b> (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	10000 [USP'U] in 1 g
<b>Bacitracin Zinc</b> (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin Zinc	500 [USP'U] in 1 g
<b>Neomycin</b> (UNII: I16QD7X297) (Neomycin - UNII:I16QD7X297)	Neomycin	3.5 mg in 1 g
<b>Pramoxine Hydrochloride</b> (UNII: 88AYB867L5) (Pramoxine - UNII:068X84E056)	Pramoxine Hydrochloride	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>Light Mineral Oil</b> (UNII: N6K5787QVP)	
<b>Petrolatum</b> (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0713-0622-31	28.4 g in 1 TUBE; Type 0: Not a Combination Product	02/28/1998	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	02/28/1998	

**Labeler** - Cosette Pharmaceuticals, Inc. (116918230)

**Registrant** - Cosette Pharmaceuticals, Inc. (116918230)

### Establishment

Name	Address	ID/FEI	Business Operations
Cosette Pharmaceuticals NC Laboratories, LLC		079419931	MANUFACTURE(0713-0622)

Revised: 12/2023

Cosette Pharmaceuticals, Inc.