

PHENAGIL CH- phenyleprine hcl, chlorpheniramine maleate and chlophedianol hcl tablet
Gil Pharmaceutical Corp

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

4130-Gil-Phenagil CH

Drug Facts

Active Ingredients (in each tablet)

Chlorpheniramine Maleate 3.5 mg

Phenylephrine HCl 10 mg

Chlophedianol HCl 24 mg

Purposes

Antihistamine

Nasal Decongestant

Cough Suppressant

Uses

Uses

Temporarily relieves runny nose and alleviates sneezing, itchy, watery eyes due to hay fever or other upper respiratory allergies. Temporarily relieves nasal congestion due to the common cold. Temporarily controls cough due to minor bronchial irritation occurring with the common cold.

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- persistent or chronic cough such as occurs with smoking, asthma
- chronic bronchitis, or emphysema
- excessive phlegm (mucus)

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- do not exceed recommended dose
- excitability may occur, especially in children
- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days or occur with a fever
- cough persists for more than 1 week, tends to recur, or is accompanied by a fever, rash or persistent headache

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

Adults and Children 12 years of age and over:	take 1 tablet every 6 hours. Do not exceed 4 tablets in 24 hours
Children 6 to under 12 years of age:	take 1/2 tablet every 6 hours as needed. Do not exceed 2 tablets in 24 hours
Children under 6 years of age:	Consult a physician.

Other information

- store at room temperature, USP
- do not use if imprinted safety seal under cap is broken or missing.

Croscarmellose Sodium, Magnesium Stearate, Microcrystalline Cellulose and Silica.

Questions? Call 787-848-9114

Manufactured for: GIL PHARMACEUTICAL CORP.
Ponce, Puerto Rico 00716

NDC 58552-323-01

PHENAGIL® CH

ANTIHISTAMINE, NASAL DECONGESTANT AND ANTITUSSIVE
SUGAR FREE AND DYE FREE

Each tablet contains:

- Chlorpheniramine Maleate 3.5 mg
- Phenylephrine HCl 10 mg
- Chlophedianol HCl 24 mg

100 Tablets

MANUFACTURED FOR
GIL PHARMACEUTICAL CORP.
PONCE, PUERTO RICO 00716

NDC 58552-323-01

PHENAGIL[®] CH

ANTIHISTAMINE, NASAL
DECONGESTANT AND ANTITUSSIVE

SUGAR FREE AND
DYE FREE


Each tablet contains:

Chlorpheniramine Maleate	3.5 mg
Phenylephrine HCl	10 mg
Chlophedianol HCl	24 mg

100 Tablets

MANUFACTURED FOR:
GIL PHARMACEUTICAL CORP.
PONCE, PUERTO RICO 00716

PEEL HERE FOR MORE INFORMATION



NDC 58552-32301-7

LBL 4130 Label revised: 01/13

Lot # & Exp. Date:

Drug Facts (continued)	<p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers</p> <p>When using this product • do not exceed recommended dose • excitability may occur, especially in children • drowsiness may occur • alcohol, sedatives, and tranquilizers may increase drowsiness • avoid alcoholic drinks • be careful when driving a motor vehicle or operating machinery</p> <p>Stop use and ask a doctor if • nervousness, dizziness, or sleeplessness occurs • symptoms do not improve within 7 days or occur with a fever • cough persists for more than 1 week, tends to recur, or is accompanied by a fever, rash or persistent headache</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p>
Directions	<p>take 1 tablet every 6 hours</p> <p>adults and children 12 years and over: • do not take more than 4 tablets in 24 hours</p> <p>children 6 to under 12 years of age: 1/2 tablet every 6 hours, not to exceed 2 tablets in a 24 hour period</p> <p>children under 6 years: Consult a physician.</p>
Other information	<p>• store at room temperature, USP • do not use if imprinted safety seal under cap is broken or missing.</p>
Inactive Ingredients	Croscarmellose Sodium, Magnesium Stearate, Microcrystalline Cellulose and Silica.
Questions? Call 787-848-9114	Manufactured for: GIL PHARMACEUTICAL CORP., Ponce, Puerto Rico 00716

PHENAGIL CH

phenylephrine hcl, chlorpheniramine maleate and chlophedianol hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58552-323
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLOPHEDIANOL HYDROCHLORIDE (UNII: 69Q58998Y) (CHLOPHEDIANOL - UNII:42C50P12AP)	CHLOPHEDIANOL HYDROCHLORIDE	24 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE -	CHLORPHENIRAMINE	3.5 mg

UNII:3U6IO1965U)	MALEATE	5.5 mg
------------------	---------	--------

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6B30)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	GIL;323
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58552-323-02	12 in 1 BOX	06/17/2015	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:58552-323-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/17/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/17/2015	

Labeler - Gil Pharmaceutical Corp (176826592)

Registrant - Contract Pharmacal Corp. (057795122)

Revised: 12/2020

Gil Pharmaceutical Corp