

**PHENAGIL- phenylephrine hcl and chlorpheniramine maleate tablet**  
**Gil Pharmaceutical Corp**

-----  
**4131-Gil-Phenagil**

***Drug Facts***

**Active Ingredients (in each tablet)**

Chlorpheniramine Maleate 3.5 mg  
Phenylephrine HCl 10 mg

**Purposes**

Antihistamine  
Nasal Decongestant

***Uses***

**Uses**

temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:

• runny nose • sneezing • itchy, watery eyes • nasal congestion • itching of the nose or throat • sinus congestion and pressure

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

**When using this product**

- do not exceed recommended dose

- excitability may occur, especially in children
- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days or occur with a fever.

***If pregnant or breast-feeding***, ask a health professional before use.

**Keep out of the reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

***Directions***

Adults and Children 12 years of age and over:	take 1 tablet every 4-6 hours. Do not exceed 6 tablets in 24 hours
Children 6 to under 12 years of age:	1/2 tablet every 4-6 hours, not to exceed 3 tablets in a 24 our period
Children under 6 years of age:	Consult a physician.

**Other Informaton**

- store at room temperature, USP
- do not use if imprinted safety seal under cap is broken or missing.

Magnesium Stearate, Microcrystalline Cellulose and Silica.

**Questions? Call 787-848-9114**

Manufactured for: GIL PHARMACEUTICAL CORP. Ponce, Puerto Rico 00716

NDC 58552-322-01

**PHENAGIL**

ANTIHISTAMINE AND NASAL DECONGESTANT

SUGAR FREE AND DYE FREE

Each tablet contains:

Chlorpheniramine Maleate 3.5 mg

Phenylephrine HCl 10 mg

**100 Tablets**

MANUFACTURED FOR  
GIL PHARMACEUTICAL CORP.  
PONCE, PUERTO RICO 00716

### Drug Facts (continued)

**When using this product** • do not exceed recommended dose • excitability may occur, especially in children • drowsiness may occur • alcohol, sedatives, and tranquilizers may increase drowsiness • avoid alcoholic drinks • be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** • nervousness, dizziness, or sleeplessness occurs • symptoms do not improve within 7 days or occur with a fever

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

<b>adults and children 12 years and over:</b>	take 1 tablet every 4-6 hours • do not take more than 6 tablets in 24 hours
<b>children 6 to under 12 years of age:</b>	1/2 tablet every 4-6 hours, not to exceed 3 tablets in a 24 hour period
<b>children under 6 years:</b>	Consult a physician.

### Other information

• store at room temperature, USP • do not use if imprinted safety seal under cap is broken or missing.

### Inactive Ingredients

Magnesium Stearate, Microcrystalline Cellulose and Silica.

### Questions? Call 787-848-9114

Manufactured for: GIL PHARMACEUTICAL CORP.  
Ponce, Puerto Rico 00716



**100 Tablets**  
MANUFACTURED FOR:  
GIL PHARMACEUTICAL CORP.  
PONCE, PUERTO RICO 00716

Chlorpheniramine Maleate  
Phenylephrine HCl

3.5 mg  
10 mg

**Each tablet contains:**

FOR THE  
PEDIATRIC  
TRUST

**SUGAR FREE AND  
DYE FREE**

**PHENAGIL®**  
ANTIHISTAMINE AND NASAL  
DECONGESTANT

NDC 58552-3220-01

### Drug Facts

#### Active Ingredients

(in each tablet)

Chlorpheniramine Maleate 3.5 mg ..... Antihistamine  
Phenylephrine HCl 10 mg..... Nasal Decongestant

#### Purposes

#### Uses

temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:  
• runny nose • sneezing • itchy, watery eyes • nasal congestion • itching of the nose or throat • sinus congestion and pressure

#### Warnings

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have** • heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to an enlarged prostate gland • a breathing problem such as emphysema or chronic bronchitis • glaucoma

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers**



LBL 4131 Label revised: 01/13

Lot # & Exp. Date:

PEEL HERE FOR MORE INFORMATION

# PHENAGIL

phenylephrine hcl and chlorpheniramine maleate tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58552-322
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	3.5 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	322;GIL
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58552-322-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	12/14/2012	
2	NDC:58552-322-02	12 in 1 BOX	12/14/2012	
2		2 in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/14/2012	

**Labeler** - Gil Pharmaceutical Corp (176826592)

## Establishment

Name	Address	ID/FEI	Business Operations
Syntho Pharmaceuticals Inc		088797407	manufacture(58552-322)

Revised: 10/2023

Gil Pharmaceutical Corp