

OXYGEN- oxygen gas

Garrett County Memorial Hospital

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Oxygen

Principal for Oxygen Product

OXYGEN, COMPRESSED USP UN 1072																	
DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.																	
Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use. CAS NO: 7782-44-7 <table border="1"><thead><tr><th>Contents</th><th>Size</th></tr></thead><tbody><tr><td>113 Liters</td><td>☐ M4</td></tr><tr><td>165 Liters</td><td>☐ M6</td></tr><tr><td>255 Liters</td><td>☐ C</td></tr><tr><td>425 Liters</td><td>☐ D</td></tr><tr><td>680 Liters</td><td>☐ E</td></tr><tr><td>7080 Liters</td><td>☐ H</td></tr><tr><td>____ Liters</td><td>☐ Other</td></tr></tbody></table>		Contents	Size	113 Liters	☐ M4	165 Liters	☐ M6	255 Liters	☐ C	425 Liters	☐ D	680 Liters	☐ E	7080 Liters	☐ H	____ Liters	☐ Other
Contents	Size																
113 Liters	☐ M4																
165 Liters	☐ M6																
255 Liters	☐ C																
425 Liters	☐ D																
680 Liters	☐ E																
7080 Liters	☐ H																
____ Liters	☐ Other																
DO NOT REMOVE THIS PRODUCT LABEL. WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. ©Applied Home Healthcare Equipment 2014																	
Representative Labeling pursuant to 21 CFR 207.3 (10) Company name and contact information are printed in this box																	

OXYGEN

COMPRESSED

USP

UN 1072

PRODUCED BY AIR LIQUIFICATION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

WARNING: Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

WARNING: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.

DO NOT REMOVE THIS PRODUCT LABEL.

LOT
EXPIRATION DATE

Representative Labeling
pursuant to 21 CFR 207.3 (10)

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:54706-0001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54706-0001-5	113 L in 1 CYLINDER; Type 0: Not a Combination Product	02/04/2010	
2	NDC:54706-0001-1	682 L in 1 CYLINDER; Type 0: Not a Combination Product	02/04/2010	
3	NDC:54706-0001-2	415 L in 1 CYLINDER; Type 0: Not a Combination Product	02/04/2010	
4	NDC:54706-0001-3	248 L in 1 CYLINDER; Type 0: Not a Combination Product	02/04/2010	
5	NDC:54706-0001-4	165 L in 1 CYLINDER; Type 0: Not a Combination Product	02/04/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		02/04/2010	

Labeler - Garrett County Memorial Hospital (832731959)**Establishment**

Name	Address	ID/FEI	Business Operations
Garrett County Memorial Hospital		832731959	manufacture(54706-0001)

Revised: 10/2025

Garrett County Memorial Hospital