

## **ANTIMONIUM IODATUM- antimony triiodide pellet**

**Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

### **Antimonium iodatum 30C**

Antimonium iodatum 30C HPUS

Less than  $10^{-12}$  mg antimony per pellet

Active ingredient\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Relieves productive cough with thick mucus \*

**Stop use and ask a doctor if** symptoms persist for more than 3 days or worsen.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

**BoironUSA.com Info@boiron.com**

**1-800-BOIRON-1** (1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

# Antimonium iodatum

# 30<sup>c</sup>

Relieves productive cough with thick mucus\*



HPUS NDC 0220-0377-41

Less than 10<sup>-12</sup> mg antimony per pellet  
Do not use if pellet dispenser seal is broken

LOT	EXP
3 06961	05913 3

Contains approx. 80 pellets. US  
Peel for Drugs Facts and instructions for use.

Antimonium iodatum 30 c

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

## Drug Facts

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

## Drug Facts (continued)

**Inactive ingredients:** lactose, sucrose

### Questions or comments?

BoironUSA.com Info@Boiron.com  
1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Distributed by Boiron Inc.  
Newtown Square, PA 19073



# Antimonium iodatum

# 30<sup>c</sup>

Productive cough with thick mucus\*



HPUS NDC 0220-0377-41

Less than 10<sup>-12</sup> mg antimony per pellet  
Do not use if pellet dispenser seal is broken

Antimonium iodatum

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

DO NOT USE IF PELLET DISPENSER SEAL IS BROKEN



LOT:

EXP:

3

06961

05913 3

1 30 c

MEOPATHIC PRACTICE,  
NOT FDA EVALUATED.



Contains approx. 80 pellets. US  
**Peel for Drugs Facts and instructions for use.**

## ***Drug Facts***

***Active ingredient\*\****: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

***Uses***: See symptoms on front panel.

***Warnings***: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

***Directions***: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

***Other information***: ■ Do not use if pellet dispenser seal is broken.

## ***Drug Facts*** (continued)

***Inactive ingredients***: lactose, sucrose

## **Questions or comments?**

BoironUSA.com Info@Boiron.com  
1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.  
Newtown Square, PA 19073

How to dispense pellets?



1 Turn tube upside down.



2 Twist until 5 pellets are dispensed into cap.



3 Carefully remove cap and use it to pour pellets under the tongue.

# Antimonium iodatum

# 30<sup>c</sup>


HPUS NDC 0220-0377-41



HOMEOPATHIC MEDICINE

Made in France

Productive cough with thick mucus.\*



Lot:

Exp:

3

06961

05913

3

Contains approx. 80 pellets.

US

Peel for Drugs Facts and instructions for use.

Antimonium iodatum 30 c

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

## **Drug Facts**

**Active ingredient\*\*** : See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

## **Drug Facts** (continued)

**Inactive ingredients:** lactose, sucrose

### **Questions or comments?**

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

How to use pellets?



How  
dispense

Turn tube upside  
down.

Twist until 5 pellets  
are dispensed  
into cap.

Carefully remove cap  
and use it to pour pellets  
under the tongue.

## ANTIMONIUM IODATUM

antimony triiodide pellet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-0377
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ANTIMONY TRIIODIDE (UNII: 52ZE5Y9Y82) (ANTIMONY CATION (3+) - UNII:069647RPT5)	ANTIMONY TRIIODIDE	30 [hp_C] in 30 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

### Product Characteristics

Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-0377-41	30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

unapproved homeopathic		03/03/1983	
---------------------------	--	------------	--

**Labeler -** Boiron (282560473)

**Registrant -** Boiron, Inc. (014892269)

**Establishment**

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-0377)

Revised: 6/2024

Boiron