

**LANCOME PARIS RENERGIE LIFT MAKEUP BROAD SPECTRUM SPF 27
SUNSCREEN- octinoxate and titanium dioxide liquid
SICOS ET CIE**

Drug Facts

Active ingredients

Octinoxate 7.5%

Titanium dioxide 3.2%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, cyclopentasiloxane, phenyl trimethicone, cyclohexasiloxane, butylene glycol, propanediol, cetyl PEG/PPG-10/1 dimethicone, pentylene glycol, polyglyceryl-4 isostearate, zea mays (corn) kernel extract, glycine soja (soybean) oil, copernicia cerifera (carnauba) wax, iris florentina root extract, ceramide NP, sorbitol, dimethicone, caffeine, PEG/PPG-18/18 dimethicone, PEG-10 dimethicone, PEG-30 glyceryl stearate, lecithin, silica silylate, cellulose gum, 2-oleamido-1,3-octadecanediol, perlite, aluminum hydroxide, guanosine, magnesium sulfate, alcohol denat., poloxamer 188, disodium EDTA, disodium stearyl glutamate, hydrolyzed linseed extract, hydroxypalmitoyl sphinganine, caprylyl glycol, pentasodium ethylenediamine tetramethylene phosphonate, polycaprolactone, BHT, tocopherol, pentaerytrityl tetra-di-t-butyl hydroxyhydrocinnamate, sorbic acid, sodium benzoate, phenoxyethanol; may contain: mica, titanium dioxide, bismuth oxychloride, iron oxides

Questions or comments?

1-800-LANCOME (1-800-526-2663)

Monday - Friday (9 a.m. - 5 p.m. EST)

Drug Facts	Drug Facts (continued)		Up to 12H Lifting* Hydration* & Radiance SPF 27 Sunscreen
Active ingredients Purpose Octinoxate 7.5%.....Sunscreen Titanium dioxide 3.2%.....Sunscreen	Inactive ingredients water, cyclopentasiloxane, phenyl trimethicone, cyclohexasiloxane, butylene glycol, propanediol, cetyl ppg-10/1 dimethicone, pentylene glycol, polyglyceryl-4 isostearate, zea mays (corn) kernel extract, glycine soja (soybean) oil, copernicia cerifera (carnauba) wax, iris florentina root extract, ceramide np, sorbitol, dimethicone, caffeine, peg/ppg-18/18 dimethicone, peg-10 dimethicone, peg-30 glyceryl stearate, lecithin, silica silylate, cellulose gum, 2-oleamido-1,3-octadecanediol, perlite, aluminum hydroxide, guanosine, magnesium sulfate, alcohol denat., poloxamer 188, disodium edta, disodium stearyl glutamate, hydrolyzed linseed extract, hydroxypalmitoyl sphinganine, caprylyl glycol, pentasodium ethylenediamine tetramethylene phosphonate, polycaprolactone, bht, tocopherol, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, sorbic acid, sodium benzoate, phenoxethanol; may contain: mica, titanium dioxide, bismuth oxychloride, iron oxides		All skin types. Skin-perfecting foundation, powered by skincare ingredients, that delivers triple action for a youthful complexion:
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	Questions or comments? 1-800-LANCOME (1-800-526-2663) Monday - Friday (9 a.m. - 5 p.m. EST)		Up to 12H lifting* Enriched with Linseed extract. Skin feels lifted and lines and wrinkles appear blurred for up to 12h. Skin appears younger looking throughout wear.
Warnings For external use only Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove. Stop use and ask doctor if rash occurs Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.			Hydration* Lightweight and hydrating texture blends seamlessly with the skin, making it softer and moisturized all day long.
Directions For sunscreen use: • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor	V264883/2 G992944 1	RÉNERGIE LIFT MAKEUP SUNSCREEN BROAD SPECTRUM SPF 27 UP TO 12H LIFTING HYDRATION* & RADIANCE ALL SKIN TYPES	Naturally radiant complexion Fights dullness for a perfect, flawless complexion. Visibly evens out skin texture for a luminous finish all day long. Skin homogeneity and radiance are improved over time.
Other information • protect the product in this container from excessive heat and direct sun →			
USA DISPOSAL ADVISORY: This carton may be collected in your local community, but actual recycling rates in the USA are currently very low. Lancôme encourages sorting used materials to foster good waste management habits for when US recycling rates increase	88%*** SAY SKIN LOOKS IMPROVED OVERALL	97%*** SAY SKIN FEELS COMFORTABLE THROUGHOUT THE DAY	
 Les consignes peuvent varier localement Instructions may vary locally	*Based on consumer test **Self-assessment by 100 women ***Consumer test on 119 women	Moderate to full coverage. Fragrance-free. Non-comedogenic. Tested under dermatological control for safety.	
	Lancome.com THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTORS LANCÔME PARIS 14 rue Royale 75008 PARIS	LANCÔME, LUXURY PRODUCTS LLC, 10 HUDSON YARDS, NEW YORK, NY 10001 IMP. BY LANCÔME CANADA MONTREAL, H4T 1K5 LONDON W6 8AZ TSA 75000 93584 ST QUEN CEDEX FR Made in France	

LANCÔME PARIS RENÉNERGIE LIFT MAKEUP BROAD SPECTRUM SPF 27 SUNSCREEN

octinoxate and titanium dioxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51150-335
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	32 mg in 1 mL	

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 1.5) (UNII: V2W71V8T0X)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CORN (UNII: 0N8672707O)	
SOYBEAN OIL (UNII: 241ATL177A)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
IRIS X GERMANICA NOTHOVAR. FLORENTINA ROOT (UNII: M30XO5X4XD)	
CERAMIDE NP (UNII: 4370DF050B)	
SORBITOL (UNII: 506T60A25R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CAFFEINE (UNII: 3G6A5W338E)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PEG-30 GLYCERYL STEARATE (UNII: MW8WP96K3D)	
ANILERIDINE (UNII: 71Q1A3O279)	
CELLULOSE GUM (UNII: K679OBS311)	
2-OLEAMIDO-1,3-OCTADECANEDIOL (UNII: 30D478BUNR)	
PERLITE (UNII: 0SG101ZGK9)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
GUANOSINE (UNII: 12133JR80S)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
CINNAMIC ACID (UNII: U14A832J8D)	
ALCOHOL (UNII: 3K9958V90M)	
POLOXAMER 188 (UNII: LQA7B6G8JG)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
HYDROXYPALMITOYL SPHINGANINE (UNII: NR33W2353T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
LEXIDRONAM PENTASODIUM (UNII: 2ZYX2V82AD)	
BHT (UNII: 1P9D0Z171K)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SORBIC ACID (UNII: X045WJ989B)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MICA (UNII: V8A1AW0880)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51150-335-01	1 in 1 CARTON	10/30/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:51150-335-02	110 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/30/2019	12/30/2024
3	NDC:51150-335-03	1 in 1 CARTON	10/30/2019	05/05/2025
3		10 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/30/2019	

Labeler - SICOS ET CIE (276993581)

Establishment

Name	Address	ID/FEI	Business Operations
SICOS ET CIE		276993581	manufacture(51150-335) , pack(51150-335)

Establishment

Name	Address	ID/FEI	Business Operations
BPS60		272259304	pack(51150-335)

Revised: 12/2024

SICOS ET CIE