

**PHARBECHLOR- chlorpheniramine maleate 4mg tablet**  
**Ulai Health LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredient (in each tablet)**

Chlorpheniramine maleate 4 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these following symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Warnings**

**Do not use**

to make a child sleepy.

**Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

- excitability may occur, especially in children

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

adults and children 12 years and over	1 tablet every 4 to 6 hours. Do not take more than 6 tablets in 24 hours.
children 6 to under 12 years	1/2 tablet (break tablet in half) every 4 to 6 hours. Do not to exceed 3 whole tablets in 24 hours.
children under 6 years	ask a doctor

**Other information**

- store at 20-25 °C (68-77 °F)

**Inactive ingredients**

corn starch, croscarmellose sodium, D&C yellow # 10, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide

**Questions or comments?**

(866) 562-2756 (Mon-Fri 8 AM to 4 PM EST)

**PHARBEST**

**NDC 73057-346-11**

**Manufactured in the USA**

**4 Hour Allergy Relief**

**\*Compare to the active ingredient in Chlor-Trimeton®**

**Pharbechlor**

**CHLORPHENIRAMINE MALEATE 4 MG - ANTIHISTAMINE**

**For Temporary relief of:**

- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat
- Sneezing

**1000 Tablets**

**PHARBEST**  
NDC 73057-346-11



Manufactured  
in the **USA**

**4 Hour Allergy Relief**

\*Compare to the active ingredient  
in Chlor-Trimeton®

**Pharbechlor**

CHLORPHENIRAMINE MALEATE 4 MG - ANTIHISTAMINE

For Temporary Relief of:

- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat
- Sneezing

**1000 Tablets**

**THIS PACKAGE FOR HOUSEHOLD WITHOUT YOUNG CHILDREN**

**TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**Drug Facts**

**Active ingredient (in each tablet)**  
Chlorpheniramine maleate 4 mg.....Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

**Warnings**  
Do not use to make a child sleepy.

**Ask a doctor before use if you have**  
glaucoma ■ a breathing problem such as emphysema or chronic bronchitis ■ trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**

**When using this product**  
drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ use caution when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).**

**Directions**  
adults and children 12 years and over 1 tablet every 4 to 6 hours. Do not take more than 6 tablets in 24 hours.  
children 6 to under 12 years ½ tablet (break tablet in half) every 4 to 6 hours. Do not to exceed 3 whole tablets in 24 hours.  
children under 6 years ask a doctor

**Other information**  
store at 20-25°C (68-77°F)

**inactive ingredients** corn starch, croscarmellose sodium, D&C yellow #10, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide

**Questions or comments?** (866) 562-2756 (Mon-Fri 8 AM to 4 PM EST)

\*This product is not manufactured or distributed by MSD Consumer Care, Inc. owner of the registered trademark Chlor-Trimeton®.

Org. 06/19

3 7 3 0 5 7 1 3 4 6 1 1 8

Distributed by:  
**ULAI HEALTH LLC,**  
Alexandria, VA 22312

**PHARBECHLOR**

chlorpheniramine maleate 4mg tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73057-346
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: L11K75P92J)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	

**Product Characteristics**

<b>Color</b>	yellow	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	PH012
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73057-346-11	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/01/2019	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	07/01/2019		

**Labeler** - Ulai Health LLC (081181535)

Revised: 1/2022

Ulai Health LLC